POLYDAN® NOx 180-60 GP ELAST+





INCLEMENCY PHOTOCATALYTIC BITUMINOUS MEMBRANE FOR WATERPROOFING OF ROOFS



Available colours











High tensile strength



High puncture resistance



High dimensional Good application stability to support



Resistant to UV



Decontaminant



Accreditation

POLYDAN® NOx 180-60/GP ELAST+ is an asphalt sheet composed of a heavy weight non-woven polyester felt reinforcement, covered on both sides with a bitumen mastic (SBS), finished on the outside with white slate, with photocatalytic coating, as a protection and on its inner face, as a non-stick material, it incorporates a plastic finishing film.

ADVANTAGES

- Performance in the photocatalytic purification of NOx > 8 % (Class 3).
- Total impermeability to water and water vapor.
- Decontaminating sheet of NOx particles.
- Excellent long-term durability.
- · Great resistance to tearing.
- Great tensile strength and great elongation at break.
- Great resistance to static and dynamic punching.
- Rot-proof.
- Very stable in the long term.
- High dimensional stability.

USES

- Single-layer membrane for waterproofing self-protected roofs adhered.
- Top sheet of multilayer membranes for waterproofing roofs with mineral self-protection.

SUPPORTS

- In rehabilitation of roofs with heavy attached, non-attached or floating protection and self-protected adhered.
- Concrete and mortar supports.
- On thermal insulation.



POLYDAN® NOx 180-60 GP ELAST+



Certification:
DIT No. 569R/16
DIT No. 567R/16

METHOD OF APPLICATION

- Cleaning of the support.
- Apply bituminous primer on mortar or concrete supports, CURIDAN®.
- In the case of thermal insulation, the plates will be placed in joints and without gaps between plates greater than 0.5 cm.
- The sheet is arranged in the same direction as the bottom sheet, with the overlap line displacing half the roll.
- The sheet is fully welded to the bottom.
- The overlaps must be welded and will be 8 cm in the longitudinal direction and 10 cm in the transverse direction, soaking the protective aggregate if necessary.

APPLICATION TEMPERATURE

- From -5 ° C.
- Do not apply on frozen or wet surfaces.

PRODUCT RANGE

Product name	Colour	Weight (kg/m²)	Dimensions (m)	m²/ pallet	Rolls/ pallet
POLYDAN® NOx 180-50/GP ELAST+	White	5,0	1 x 8	200	25
POLYDAN® NOx 180-60/GP ELAST+	White	5,6	1 x 8	184	23

STORAGE & CONSERVATION

- Store in a dry place, protected from rain, sun and high and low temperatures.
- The storage position will be vertical.
- Pallets will not stack. If you want to store at height, the shelves must have crossbars or reinforcements under the wooden pallet.
- Before handling the pallet, the condition of the shrink will be checked to reinforce it if necessary.
- Handle with a crane with a protective net.

COMPATIBLE SOLUTIONS





