

Sirah

Instalación

Superficie de pared o techo. Empotrado parcial mediante clips ST-21, empotrado total mediante accesorio ST-20 (clips y marco) y en pared mediante caja de empotrar ST-32. Banderola ST-29 doble cara para señalización con pictogramas. Se aconseja utilizar banderola ST-29 con accesorio ST-20S. Apta para sujeción en caja universal.

Diseño

Cuerpo ABS ignífugo y difusor de NAS-90. Luminaria autónoma. Permanente o no permanente según modelo. LED SMD indicador de presencia red y carga batería. Puesta en reposo, reencendido y verificación por telemando (opcional sólo en modelos con TM bajo petición). AUTOTEST.

Parte óptica

Difusor opal. Difusor transparente bajo pedido.

Installation

Wall or ceiling surface. Partial recessed by clips ST-21. Total ceiling recessed by accessories ST-20 (clips and frame). Wall recessed by flush-mounted box ST-32. Double sided diffuser ST-29 for signaling with pictograms. It is advisable to use double sided diffuser ST-29 with accessory ST-20S. Suitable for clamping in a universal box.

Design

Fireproof ABS body and NAS-90 diffuser. Self contained. Maintained or non maintained depending on the model. SMD LED indicates presence of power and battery charging. Stand by, re-start and verification via telemando (only for models with TM, supplied on demand). SELF-TEST.

Optical part

Opal diffuser. Transparent diffuser on demand.



TRO

Especificaciones Specifications



230V ~ 50/60Hz



IP42/IK04



6000K



Permanente/
No permanente/Autotest
Maintained/
Non maintained/Self-test



Garantía 3 años
3 year warranty



Clase II
Class II



Marcado CE
CE marked




24 horas
24 hours




LFP



Smart




Dimensiones Dimensions




Empotrado total Total recessed



Curva fotométrica Photometric Curve



Empotrado parcial Partial recessed



Código Code	Modelo Model							
228441V2	S-75 AT	☐	NP/AT	42	0.49	1	75	3.2V 600mAh
228442V2	S-100 AT	☐	NP/AT	42	0.49	1	100	3.2V 600mAh
228443V2	S-150 AT	☐	NP/AT	42	0.56	1	150	3.2V 1.000mAh
228444V2	S-200 AT	☐	NP/AT	42	0.56	1	230	3.2V 1.000mAh
228449V2	S-300 AT	☐	NP/AT	42	0.58	1	320	3.2V 1.500mAh
228456V2	S-400 AT	☐	NP/AT	42	0.58	1	400	3.2V 1.500mAh
228454V2	S-500 AT	☐	NP/AT	42	0.66	1	500	3.2V 2.000mAh
228455V2	S-600 AT	☐	NP/AT	42	0.66	1	600	3.2V 2.000mAh
228401V2	PH-75 AT	☐	P/NP/AT	42	0.52	1	75	3.2V 600mAh
228402V2	PH-100 AT	☐	P/NP/AT	42	0.52	1	100	3.2V 600mAh
228403V2	PH-150 AT	☐	P/NP/AT	42	0.59	1	150	3.2V 1.000mAh
228404V2	PH-200 AT	☐	P/NP/AT	42	0.59	1	230	3.2V 1.000mAh
228409V2	PH-300 AT	☐	P/NP/AT	42	0.61	1	320	3.2V 1.500mAh
228405V2	PH-400 AT	☐	P/NP/AT	42	0.61	1	400	3.2V 1.500mAh
228449SMT	S-300 SMART	☐	P/NP/AT	42	0.58	1 - 3	100 - 300	6V 0.8Ah

*Fabricado según la norma UNE-EN 60598-2-22/Manufactured according to standard UNE-EN 60598-2-22

*Modelos de 2/3 horas de autonomía disponibles. Consultar/ 2/3 hour autonomy models available. Consult




Accesorios


Accessories

Sirah

Iluminación de emergencia
Emergency lighting




Código Code	Descripción Description
18301	ST-21 SOPORTE EMPOTRAR PARCIAL <i>ST-21 CLIPS FOR PARTIAL RECESS MOUNTING</i>




Código Code	Descripción Description
1830118	ST-20S ACCESORIO EMPOTRAR SIRAH LED (clips+marco) <i>ST-20S ACCESSORY RECESS MOUNTING SIRAH LED (clips+frame)</i>


*Consultar opción marco color/Consult frame color option



Código Code	Descripción Description
18321	ST-29 BANDEROLA SH-10 SALIDA ARRIBA <i>ST-29 DOUBLE SIDED SH-10 UP EXIT</i>
18322	ST-29 BANDEROLA SH-7 SALIDA ABAJO <i>ST-29 DOUBLE SIDED SH-7 DOWN EXIT</i>
18323	ST-29 BANDEROLA SH-8/9 SALIDA DCHA./IZDA. <i>ST-29 DOUBLE SIDED SH-8/9 RIGHT/LEFT EXIT</i>




Código Code	Descripción Description
18411	PICTOGRAMA ADHESIVO SALIDA ABAJO <i>ADHESIVE PICTOGRAM DOWN EXIT</i>
18412	PICTOGRAMA ADHESIVO SALIDA ARRIBA <i>ADHESIVE PICTOGRAM UP EXIT</i>
18426	PICTOGRAMA ADHESIVO SALIDA DERECHA <i>ADHESIVE PICTOGRAM RIGHT EXIT</i>
18429	PICTOGRAMA ADHESIVO SALIDA IZQUIERDA <i>ADHESIVE PICTOGRAM LEFT EXIT</i>




Código Code	Descripción Description
18332	ST-32 CAJA + MARCO EMPOTRAR PARED <i>ST-32 WALL FLUSH MOUNTING BOX+FRAME</i>

*Consultar opción marco color/Consult frame color option



Código Code	Descripción Description
18574	ST-41 MARCO SUPLEMENTO EMPOTRAR SIRAH BLANCO <i>ST-41 WHITE SUPPLEMENT FRAME TO RECESS SIRAH</i>

*Se sirve con accesorios ST-20S/It is served with accessories ST-20S



Código Code	Descripción Description
18304	ST-24 ACCESORIO TUBO RÍGIDO <i>ST-24 RIGID TUBE ACCESSORY</i>



Código Code	Descripción Description
18537	ST-60 ACCESORIO PARA CARRIL ELECTRIFICADO <i>ST-60 ACCESSORY FOR ELECTRIFIED RAIL</i>