





Test Report No.: GZHL1907027975CE Date: Aug 27, 2019 Page 1 of 20

POWERSLIDE SPORTARTIKELVERTRIEBS GMBH ESBACHGRABEN 1, 95463 BINDLACH, GERMANY

Sample Description : ENNUI ALY PROTECTIVE GEAR

Style / Item No. : HP-H802

: POWERSLIDE SPORTARTIKELVERTRIEBS GMBH Buyer

Manufacturer : HYPRO INDUSTRIAL CO., LTD

Country of Origin : CHINA

Country of Destination : EUROPE, US

As above test item and its relevant information regarding to the submission are provided and confirmed by the applicant. SGS is not liable to either the test item or its relevant information, in terms of the accuracy, suitability, reliability or/and integrity accordingly.

: C Range Level : 2

Sample Receiving Date : Jul 09, 2019

Test Performing Date : Jul 09, 2019 to Aug 23, 2019

Test Performed : EN 14120:2003+A1:2007(Exclude clause 5.4/7/8),

Analysis of Azo Dye,

To Determine the pH Value,

Color Fastness to Perspiration

Test Result(s) : For further details, please refer to the following page(s)

Signed for and on behalf of

SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms



Test Report No.: GZHL1907027975CE Date: Aug 27, 2019 Page 2 of 20

I. Test Conducted: Based on EN 14120:2003+A1:2007 Protective clothing -Wrist, palm, knee and elbow protectors for user of roller sports equipment – requirements and test methods.

Test Results:

Clause	Test Method/Requirement	Result
4	Performance levels	
4.1	Level 1: Protectors intended to be suitable for normal roller sports.	
4.2	Level 2: Protectors intended to be suitable for use in acrobatic roller sports.	
5	Requirements	
5.1	General performance requirements shall be based on 3 weight ranges as follows: a) range A: Users of up to 25 kg body weight; b) range B: Users of body weight between 25 kg and 50 kg; c) range C: Users of body weight above 50 kg. Combined protectors such as wrist protectors shall meet the requirements for each protector.	
5.2	Ergonomics Protectors shall be so designed and manufactured that in the foreseeable conditions of use for which they are intended the user can perform the roller sports normally and unhindered whilst enjoying protection at the specified limit.	Pass
	Innocuousness Protectors shall be safe to use and fit for their purpose. They shall be designed and manufactured to provide protection when used according to the manufacturer's instructions, without endangering the user or others.	Pass
5.3	There shall not be hard or sharp edges, seams, buckles or other items on the surfaces of the products that could harm the user or others during normal use. Examination shall be made according to 6.3.	Pass
	Construction materials and incorporated substances shall not harm those coming into contact with them.	Pass
	The manufacturer shall list in the information supplied with the protectors the main composition of the protectors and shall label any protector containing substances or preparations generally known to be hazardous. Information about determining the chemical innocuousness of protectors is given in annex A.	Pass
5.4	Sizing Protectors shall be marked with a size. The size shall be designated by the range of body of the intended users, see 5.1.	NT



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms



Test Report No.: GZHL1907027975CE Date: Aug 27, 2019 Page 3 of 20

	Restraint Protectors shall not be easily displaced from the areas they are designed to protect during normal movements and when subjected to impacts. When subjected to impacts. When tested in accordance with 6.4 the central point of a protector shall not move more than the appropriate value in Table 1. Table 1: Maximum movement of protectors during testing.							0	Pass
5.5	Kind of protectors		Maximu	m movei	ment (mr	n)		S	See annex 1
	Kind of protectors	Α		В		С			
	Elbow protectors	20		40		50			
	Knee protectors	30		50		60			
	Wrist protectors	20		20		20			
	Palm protectors	20		20		20			
5.6	Abrasion resistance When tested in accordance with 6.5 the abrasion resistant layer of the protector shall not be perforated.							II s	Pass See annex 2
	Impact strength When tested in accordance with 6.6 the abrasion resistant layer of the knee, elbow, wrist or palm protector shall not break or split. Unit: J								
5.7	Kind of protectors		Level 1 R	ange of	Level 2 body mass		5	Pass See annex 3	
	·	Α	В	С	Α	В	С		
	Knee protectors	25±2	45±2	65±2	30±2	50±2	70±2		
	Elbow protectors	20±2	40±2	60±2	20±2	40±2	60±2		
	Wrist and Palm protectors	30±2	40±2	50±2	30±2	40±2	50±2		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms



Test Report No.: GZHL1907027975CE Date: Aug 27, 2019 Page 4 of 20

5.8	Kind of protectors Elbow protectors Palm protectors Kind of protectors Elbow protectors Palm protectors Elbow protectors Falm protectors Elbow protectors Falm protectors Elbow protectors Falm protectors Falm protectors Falm protectors	r mm 25 12.5 100 rvature of arvature of ar	e J 3 1 3 FA e J 15 7.5 6	r mm 35 17.5 100 Protector ange of b	mean vocordance rs level 1 pody ma 3 e J 8 4 4 rs level 2 pody ma	alue of the with 6.7 ss constant of the with 6.7 ss consta	•	force does not - Maximum - peak - force - kN - 6 - 4 - 3 - Maximum - peak - force - kN - 6 - 4 - 3 - 3	Pass See annex 4
5.9	e is the impact ene Specific requireme		vrist nro	otectors					
3.3	Adjustment	1113 101 1	viist pic) (COLOTS					
5.9.1	· · ·						NA		
5.9.2	Stiffness Wrist protectors shall be sufficiently stiff that when tested according to 6.8 the extension of the artificial wrist joint is between A1 35° A1 and 55°. NOTE Extension of the wrist joint is the bending of the hand backwards from a position in a straight line with the forearm. Unit: N-m Range A B C Moment of force 2 3 3								



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms



Test Report No.: GZHL1907027975CE Date: Aug 27, 2019 Page 5 of 20

5.9.3	Dimensions of stiffness elements Wrist protectors shall have stiffening elements that exceed the dimensions in table 3. The reference point for measurements shall be the plane of the wrist of an appropriate size of subject, who has put on the protector. The position of the plane of the wrist of the subject shall be determined according to EN 1082-1 Unit: mm						
	Location of stiffness elements	Range	of body mass	3			
	Location of stiffless elements	Α	В	С			
	Length from the wrist up to the arm	30	40	50			
	Length from the wrist towards the finger tip	40	50	60			
	Width in the palmer region	15	20	25			
	Marking Protectors shall be durably and clearly marked with the following:						
	a. name of trademark of the manufacturer or his authorized representative within the European Union;						
	 designation of the protector, commercial name of that uniquely identifies the protector; 						
7	c. size of the protector (see also 5.4)						
	d. name of this standard and the performance level;						
	e. clear indication whether the protector is for left or right fitting, if appropriate;						
	f. international care label symbols;						
	g. year of manufacture (date or code);						
	h. the following pictogram, instructing the user to see the information supplied by the manufacture.						



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms



Test Report No.: GZHL1907027975CE Date: Aug 27, 2019 Page 6 of 20

	Information supplied by the manufacturer	
	Protectors shall be supplied with information and instructions for fitting and use to promote their safe and effective use. The information shall be precise and comprehensible and in the official languages of the country or region in which the equipment is to be placed on the market. At least the following information and instructions shall be given:	NT
	a. all the information specified in clause 7;	NT
	b. full address of the manufacturer or importer	NT
	c. instructions on how to select protectors of the correct performance level and explanation of the performance level of the protectors specified in this standard;	NT
	d. instructions on how to choose the correct size of protector and check its fit;	NT
8	e. details of the size of protectors and the body dimensions to which they relate;	NT
	f. instructions on how to adjust the protectors;	NT
	g. warning about any changes in environmental conditions, such as temperature, that would significantly reduce the performance of the protector;	NT
	h. warning that no protector can offer full protection against injuries;	NT
	i. warning about any contamination, alteration to the protector, or misuse that would dangerously reduce the performance of the protector;	NT
	j. list of the substances in the main components of the protector;	NT
	k. instructions for caring for and cleaning the protector;	NT
	 instructions concerning the expected service life of the protector, inspections to carry out, repairs that may be made, and advice on when discard the protector because it might no longer perform adequately. 	NT



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms

198 Kezhu Road, Scientech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86–20) 82155555 f (86–20) 82075191 www.sgsgroup.com.cn

中国·广州·经济技术开发区科学城科珠路198号

邮编: 510663 t (86-20) 82155555 f (86-20) 82075191 e sgs.china@sgs.com



Test Report No.: GZHL1907027975CE Date: Aug 27, 2019 Page 7 of 20

Model: HP-H802 Range: C Level: 2 Size: S

Annex 1: Restraint test result

Test Specification: EN 14120:2003+A1:2007-6.4 Ambient temperature at time of test: 22.2 °C

Style	Sample No.	Movement for upwards (mm)	Movement for downwards (mm)	Maximum movement requirement (mm)	Result
		35	43	Range A: 30mm	
Knee	6	33	45	Range B: 50mm	Pass
		36	45	Range C: 60mm	

Annex 2: Abrasion resistance test result

Test Specification: EN 14120:2003+A1:2007-6.5.2 Ambient temperature at time of test: 22.2 °C

Style	Sample No.	Test result description	Result
Knee	6	Not Perforated	Dana
protector	7	Not Perforated	Pass

Annex 3: Impact strength test result

Test Specification: EN 14120:2003+A1:2007-6.6 Ambient temperature at time of test: 22.2 °C

Style	Sample No.	Test result description	Result
I/n n n	4	Not break or split	Dana
Knee	5	Not break or split	Pass

Annex 4: Impact performance test result

Test Specification: EN 14120:2003+A1:2007-6.7 Ambient temperature at time of test: 22.2 °C

Style	Sample No.	Impact site	Peak force (kN)	Average (kN)	Requirement Max. peak force (kN)	Result
	1	1	2.34	3.58	6	Pass
		2	4.51			
Knee	2	3	2.85			
protector		4	4.68			Fa55
	2	5	3.29			
	3	6	3.79			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms



Test Report No.: GZHL1907027975CE Date: Aug 27, 2019 Page 8 of 20

Model: HP-H802 Range: C Level: 2 Size: M

Annex 1: Restraint test result

Test Specification: EN 14120:2003+A1:2007-6.4 Ambient temperature at time of test: 22.2 °C

Style	Sample No.	Movement for upwards (mm)	Movement for downwards (mm)	Maximum movement requirement (mm)	Result
		36	46	Range A: 30mm	Pass
Knee	6	36	48	Range B: 50mm	
		38	46	Range C: 60mm	

Annex 2: Abrasion resistance test result

Test Specification: EN 14120:2003+A1:2007-6.5.2 Ambient temperature at time of test: 22.2 °C

Style	Sample No.	Test result description	Result
Knee	6	Not Perforated	Dana
protector	7	Not Perforated	Pass

Annex 3: Impact strength test result

Test Specification: EN 14120:2003+A1:2007-6.6 Ambient temperature at time of test: 22.2 °C

Style	Sample No.	Test result description	Result
l/n n n	4	Not break or split	Dana
Knee	5	Not break or split	Pass

Annex 4: Impact performance test result

Test Specification: EN 14120:2003+A1:2007-6.7 Ambient temperature at time of test: 22.2 °C

Style	Sample No.	Impact site	Peak force (kN)	Average (kN)	Requirement Max. peak force (kN)	Result
	1	1	2.26	3.59	6	Pass
		2	5.20			
Knee	2	3	2.91			
protector		4	4.87			
	3	5	3.05			
	3	6	3.23			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms

198 Kezhu Road, Scientech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075191 www.sgsgroup.com.cn

中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075191 e sgs.china@sgs.com



Test Report No.: GZHL1907027975CE Date: Aug 27, 2019 Page 9 of 20

Model: HP-H802 Range: C Level: 2 Size: L

Annex 1: Restraint test result

Test Specification: EN 14120:2003+A1:2007-6.4 Ambient temperature at time of test: 22.2 °C

Style	Sample No.	Movement for upwards (mm)	Movement for downwards (mm)	Maximum movement requirement (mm)	Result
		40	46	Range A: 30mm	
Knee	6	38	47	Range B: 50mm	Pass
		38	46	Range C: 60mm	

Annex 2: Abrasion resistance test result

Test Specification: EN 14120:2003+A1:2007-6.5.2 Ambient temperature at time of test: 22.2 °C

Style	Sample No.	Test result description	Result
Knee	6	Not Perforated	Dana
protector	7	Not Perforated	Pass

Annex 3: Impact strength test result

Test Specification: EN 14120:2003+A1:2007-6.6 Ambient temperature at time of test: 22.2 °C

Style	Sample No.	Test result description	Result
l/n n n	4	Not break or split	Dana
Knee	5	Not break or split	Pass

Annex 4: Impact performance test result

Test Specification: EN 14120:2003+A1:2007-6.7 Ambient temperature at time of test: 22.2 °C

Style	Sample No.	Impact site	Peak force (kN)	Average (kN)	Requirement Max. peak force (kN)	Result
	1	1	2.66	3.89	6	
		2	5.33			Pass
Knee	2	3	2.96			
protector		4	4.72			
	3	5	4.02			
	3	6	3.64			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms



Test Report No.: GZHL1907027975CE Date: Aug 27, 2019 Page 10 of 20

Model: HP-H802 Size: XL Range: C Level: 2

Annex 1: Restraint test result

Test Specification: EN 14120:2003+A1:2007-6.4 Ambient temperature at time of test: 22.2 °C

Style	Sample No.	Movement for upwards (mm)	Movement for downwards (mm)	Maximum movement requirement (mm)	Result
		38	49	Range A: 30mm	
Knee	6	38	48	Range B: 50mm	Pass
		39	48	Range C: 60mm	

Annex 2: Abrasion resistance test result

Test Specification: EN 14120:2003+A1:2007-6.5.2 Ambient temperature at time of test: 22.2 °C

Style	Sample No.	Test result description	Result
Knee	6	Not Perforated	Dana
protector	7	Not Perforated	Pass

Annex 3: Impact strength test result

Test Specification: EN 14120:2003+A1:2007-6.6 Ambient temperature at time of test: 22.2 °C

Style	Sample No.	Test result description	Result
l/n n n	4	Not break or split	Dana
Knee	5	Not break or split	Pass

Annex 4: Impact performance test result

Test Specification: EN 14120:2003+A1:2007-6.7 Ambient temperature at time of test: 22.2 °C

Style	Sample No.	Impact site	Peak force (kN)	Average (kN)	Requirement Max. peak force (kN)	Result
	1	1	2.85	4.15	6	Pass
		2	6.55			
Knee	2	3	2.41			
protector		4	4.98			
	3	5	4.27			
	3	6	3.85			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms



Test Report No.: GZHL1907027975CE Date: Aug 27, 2019 Page 11 of 20

II. Analysis of AZO Dye and to Determine the PH Value in the submitted sample.

SGS Ref No.: CAN19-156615

Test Requested	Result
To determine the pH Value in the submitted sample(s).	See Results
Determination of Azodyes in the submitted sample(s) with reference to the Entry 43 of Commission Regulation (EC) No 552/2009 amending Annex XVII of REACH Regulation (EC) No 1907/2006 (previously restricted under Directive 2002/61/EC).	PASS

Test Results:.

Test Part Description:

SGS Sample ID	Description
CAN19-156615.001	Black fabric(1)
CAN19-156615.002	Black fabric(2)
CAN19-156615.003	Black fabric(3)
CAN19-156615.004	White fabric with black printing(4)

Remarks:

(1) 1 mg/kg = 1 ppm = 0.0001%

(2) MDL = Method Detection Limit

(3) ND = Not Detected (< MDL)

(4) "-" = Not Regulated

pH value

Test Method: With reference to ISO 3071:2005, analysis was performed by pH meter.

Test Item(s)	<u>001</u>	<u>002</u>	<u>003</u>
pH value	6.3	7.0	6.9
Test Item(s)	004		

Notes :

pH value

(1) Extraction medium: KCl solution

(2)pH value of extraction medium: 5.0 - 7.5

(3)Temperature of the extraction solution: $22\pm2^{\circ}$ C



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approved of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307

1443, or email: CN.Doccheck@sgs.com

1498/schill/Reflored plant for the content or accessing the prosecution of the content or accessing the prosecution of

6.4



Test Report No.: GZHL1907027975CE Date: Aug 27, 2019 Page 12 of 20

Azo Dyes

Test Method: With reference to ISO14362-1:2017, analysis was conducted with GC-MS/HPLC-DAD.

Test Item(s)	CAS NO.	<u>Limit</u>	<u>Unit</u>	MDL		<u>001</u>
					Method A	Method B
4-Aminobiphenyl	92-67-1	30	mg/kg	5	ND	ND
Benzidine	92-87-5	30	mg/kg	5	ND	ND
4-chloro-o-toluidine	95-69-2	30	mg/kg	5	ND	ND
2-naphthylamine	91-59-8	30	mg/kg	5	ND	ND
o-aminoazotoluene	97-56-3	30	mg/kg	5	ND	ND
5-nitro-o-toluidine /	99-55-8	30	mg/kg	5	ND	ND
2-Amino-4-nitrotoluene						
4-chloroaniline	106-47-8	30	mg/kg	5	ND	ND
4-methoxy-m-phenylenediamine / 2,4-Diaminoanisole	615-05-4	30	mg/kg	5	ND	ND
4,4' -diaminodiphenylmethane	101-77-9	30	mg/kg	5	ND	ND
3,3' -dichlorobenzidine	91-94-1	30	mg/kg	5	ND	ND
3,3' -dimethoxybenzidine	119-90-4	30	mg/kg	5	ND	ND
3,3' -dimethylbenzidine	119-93-7	30	mg/kg	5	ND	ND
4,4'-methylenedi-o-toluidine/3,3'-	838-88-0	30	mg/kg	5	ND	ND
Dimethyl-4,4'-diaminodiphenylm						
ethane						
p-cresidine	120-71-8	30	mg/kg	5	ND	ND
4,4' -methylene-bis-	101-14-4	30	mg/kg	5	ND	ND
(2-chloroaniline)			0 0			
4,4' -oxydianiline	101-80-4	30	mg/kg	5	ND	ND
4,4'-thiodianiline	139-65-1	30	mg/kg	5	ND	ND
o-toluidine	95-53-4	30	mg/kg	5	ND	ND
4-methyl-m-phenylenediamine /	95-80-7	30	mg/kg	5	ND	ND
2,4-Toluylendiamine						
2,4,5-trimethylaniline	137-17-7	30	mg/kg	5	ND	ND
4-aminoazobenzene	60-09-3	30	mg/kg	5	ND	ND
O-Anisidine	90-04-0	30	mg/kg	5	ND	ND
2,4-Xylidine	95-68-1	30	mg/kg	5	ND	ND
2,6-Xylidine	87-62-7	30	mg/kg	5	ND	ND
Comment					PASS	PASS
Test Item(s)	CAS NO.	<u>Limit</u>	<u>Unit</u>	MDL		<u>002</u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	IVIDE	Method A	Method B
4. Assis ship has d	00.07.4	00		_		
4-Aminobiphenyl	92-67-1	30	mg/kg	5	ND	ND
Benzidine	92-87-5	30	mg/kg	5	ND	ND
4-chloro-o-toluidine	95-69-2	30	mg/kg	5	ND	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

1443, or email: CN.Doccheck@sgs.com



Test Report	No.: GZHL19	07027975	CE	Date:	Aug 27, 2019	Page 13 of 20
2-naphthylamine	91-59-8	30	mg/kg	5	ND	ND
o-aminoazotoluene	97-56-3	30	mg/kg	5	ND	ND
5-nitro-o-toluidine /	99-55-8	30	mg/kg	5	ND	ND
2-Amino-4-nitrotoluene						
4-chloroaniline	106-47-8	30	mg/kg	5	ND	ND
4-methoxy-m-phenylenediamine / 2,4-Diaminoanisole	615-05-4	30	mg/kg	5	ND	ND
4,4' -diaminodiphenylmethane	101-77-9	30	mg/kg	5	ND	ND
3,3' -dichlorobenzidine	91-94-1	30	mg/kg	5	ND	ND
3,3' -dimethoxybenzidine	119-90-4	30	mg/kg	5	ND	ND
3,3' -dimethylbenzidine	119-93-7	30	mg/kg	5	ND	ND
4,4'-methylenedi-o-toluidine/3,3'- Dimethyl-4,4'-diaminodiphenylm	838-88-0	30	mg/kg	5	ND	ND
ethane			_			
p-cresidine	120-71-8	30	mg/kg	5	ND	ND
4,4'-methylene-bis- (2-chloroaniline)	101-14-4	30	mg/kg	5	ND	ND
4,4' -oxydianiline	101-80-4	30	mg/kg	5	ND	ND
4,4' -thiodianiline	139-65-1	30	mg/kg	5	ND	ND
o-toluidine	95-53-4	30	mg/kg	5	ND	ND
4-methyl-m-phenylenediamine / 2,4-Toluylendiamine	95-80-7	30	mg/kg	5	ND	ND
2,4,5-trimethylaniline	137-17-7	30	mg/kg	5	ND	ND
4-aminoazobenzene	60-09-3	30	mg/kg	5	ND	ND
O-Anisidine	90-04-0	30	mg/kg	5	ND	ND
2,4-Xylidine	95-68-1	30	mg/kg	5	ND	ND
2,6-Xylidine	87-62-7	30	mg/kg	5	ND	ND
Comment					PASS	PASS
Test Item(s)	CAS NO.	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>		<u>003</u>
					Method A	Method B
4-Aminobiphenyl	92-67-1	30	mg/kg	5	ND	ND
Benzidine	92-87-5	30	mg/kg	5	ND	ND
4-chloro-o-toluidine	95-69-2	30	mg/kg	5	ND	ND
2-naphthylamine	91-59-8	30	mg/kg	5	ND	ND
o-aminoazotoluene	97-56-3	30	mg/kg	5	ND	ND
5-nitro-o-toluidine /	99-55-8	30	mg/kg	5	ND	ND
2-Amino-4-nitrotoluene				_		
4-chloroaniline	106-47-8	30	mg/kg	5	ND	ND
4-methoxy-m-phenylenediamine	615-05-4	30	mg/kg	5	ND	ND
/ 2,4-Diaminoanisole			,,	_		
4,4' -diaminodiphenylmethane	101-77-9	30	mg/kg	5	ND	ND
3,3' -dichlorobenzidine	91-94-1	30	mg/kg	5	ND	ND
3,3' -dimethoxybenzidine	119-90-4	30	mg/kg	5	ND	ND
3,3' -dimethylbenzidine	119-93-7	30	mg/kg	5	ND	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client duties on the sone of except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

1986/Edul Red Sciented Park Genarbou Economic & Technology Development District.Quang/hou.Ching 510663 t (86-20) 82155555 f (86-20) 82075191 www.sgsgroup.com.cn



Test Report	No.: GZHL19	07027975	CE	Date: A	ug 27, 2019	Page 14 of 20
4,4'-methylenedi-o-toluidine/3,3'- Dimethyl-4,4'-diaminodiphenylm ethane	838-88-0	30	mg/kg	5	ND	ND
p-cresidine	120-71-8	30	mg/kg	5	ND	ND
4,4' -methylene-bis- (2-chloroaniline)	101-14-4	30	mg/kg	5	ND	ND
4,4' -oxydianiline	101-80-4	30	mg/kg	5	ND	ND
4,4' -thiodianiline	139-65-1	30	mg/kg	5	ND	ND
o-toluidine	95-53-4	30	mg/kg	5	ND	ND
4-methyl-m-phenylenediamine / 2,4-Toluylendiamine	95-80-7	30	mg/kg	5	ND	ND
2,4,5-trimethylaniline	137-17-7	30	mg/kg	5	ND	ND
4-aminoazobenzene	60-09-3	30	mg/kg	5	ND ND	ND ND
O-Anisidine	90-04-0	30	mg/kg	5	ND	ND
2,4-Xylidine	95-68-1	30	mg/kg	5	ND	ND
2,6-Xylidine Comment	87-62-7	30	mg/kg	5	ND PASS	ND PASS
Test Item(s)	CAS NO.	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>004</u>	
4-Aminobiphenyl	92-67-1	30	mg/kg	5	ND	
Benzidine	92-87-5	30	mg/kg	5	ND	
4-chloro-o-toluidine	95-69-2	30	mg/kg	5	ND	
2-naphthylamine	91-59-8	30	mg/kg	5	ND	
o-aminoazotoluene	97-56-3	30	mg/kg	5	ND	
5-nitro-o-toluidine /	99-55-8	30	mg/kg	5	ND	
2-Amino-4-nitrotoluene						
4-chloroaniline	106-47-8	30	mg/kg	5	ND	
4-methoxy-m-phenylenediamine / 2,4-Diaminoanisole	615-05-4	30	mg/kg	5	ND	
4,4' -diaminodiphenylmethane	101-77-9	30	mg/kg	5	ND	
3,3' -dichlorobenzidine	91-94-1	30	mg/kg	5	ND	
3,3' -dimethoxybenzidine	119-90-4	30	mg/kg	5	ND	
3,3' -dimethylbenzidine	119-93-7	30	mg/kg	5	ND	
4,4'-methylenedi-o-toluidine/3,3'-	838-88-0	30	mg/kg	5	ND	
Dimethyl-4,4'-diaminodiphenylm Ethane						
p-cresidine	120-71-8	30	mg/kg	5	ND	
4,4' -methylene-bis-	101-14-4	30	mg/kg	5	ND	
(2-chloroaniline)			9/9	Ü	.,,,	
4,4' -oxydianiline	101-80-4	30	mg/kg	5	ND	
4,4' -thiodianiline	139-65-1	30	mg/kg	5	ND	
o-toluidine	95-53-4	30	mg/kg	5	ND	
4-methyl-m-phenylenediamine /	95-80-7	30	mg/kg	5	ND	
2,4-Toluylendiamine		50	פיי שייי	•		
2,4,5-trimethylaniline	137-17-7	30	mg/kg	5	ND	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms

198 Kezhu Road, Scientech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86–20) 82155555 f (86–20) 82075191 www.sgsgroup.com.cn

Member of the SGS Group (SGS SA)



Test Report	No.: GZHL19	No.: GZHL1907027975CE			Aug 27, 2019	Page 15 of 20
4-aminoazobenzene	60-09-3	30	mg/kg	5	ND	
O-Anisidine	90-04-0	30	mg/kg	5	ND	
2,4-Xylidine	95-68-1	30	mg/kg	5	ND	
2,6-Xylidine	87-62-7	30	mg/kg	5	ND	
Comment			, ,		PASS	

Notes:

- (1) Test specimen was taken randomly from the sample submitted by client/applicant.
- (2) Method A is direct reduction, direct reduction refers to the extraction and reduction according to ISO 14362-1:2017 clause 10.2 and relevant clauses. Method B is colorant extraction, colorant extraction refers to the colourant extraction and subsequent reduction according to ISO 14362-1:2017 clause 10.1 and relevant clauses.
- (3) Whenever 4-aminodiphenyl (CAS number 92-67-1), 2-naphylamine (CAS number 91-59-8) and 4methoxy-m-phenylene-diamine (CAS number 615-05-4) is found, the use of banned azo colorants cannot be reliably ascertained without additional information, e.g. the chemical structure of the colorants used.
- (4) In case polyurethane materials are used, e.g. PU foams and coatings and in prints, it cannot be ruled out that certain amines, e.g. 4,4'-methylene-dianiline (MDA, CAS number 101-77-9) and 2,4-toluylen-diamine (TDA, CAS number 95-80-7) are released from the PU component and not from a banned azo colorant.
- (5) In case of pigment prints care has to be taken that 4,4'-methylene-dianiline (MDA, CAS number 101-77-9) is not released from a source of banned azo colorants but from e.g. a chemical fixing agent.

Requirement : ≤ 30 mg/kg for each of aromatic amine according to Requirement of Entry 43 of Regulation (EC) No. 552/2009 amending Annex XVII of REACH Regulation (EC) No. 1907/2006 (previously restricted under Directive 2002/61/EC).

Sample photo:



Product Photo



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions of Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307 1443, or email: CN.Doccheck@sgs.com

14468/cmluRad/Sentexhard (aganzybu/Comprose) files fethology bewformed (bistict Quanzybu/Comprose).

198 Kezhu Road, Scientech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075191 www.sgsgroup.com.cn

中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075191 e sgs.china@sgs.com



Test Report Date: Aug 27, 2019 No.: GZHL1907027975CE Page 16 of 20



Product Photo



Product Photo



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307-1443, or email: CN.Doccheck@sgs.com

1498/6ct/NegalScientedPark (aganzybu Economic & Technology Development DistricQuanz/bouChing 510663 t (86-20) 82155555 f (86-20) 82075191 www.sgsgroup.com.cn



Test Report No.: GZHL1907027975CE Date: Aug 27, 2019 Page 17 of 20



Product Photo

III. Colour Fastness to Perspiration.

1. SGS Ref. No.: SL91939276431101TX Two samples of items marked as (A)1#NO.1 black fabric (D)4#NO.5 black padding.

Test Result:

Colour Fastness To Perspiration

(ISO 105-E04:2013;test specimen in vertical position)

ŀ	١C	Ia
Ξ		

-	Unit	(A)	(D)	Requirement
Change In Shade	-	4-5	4-5	-
Staining On Multi-fibre Stripe				
Acetate	-	4-5	4-5	-
Cotton	-	4-5	4-5	-
Nylon	-	4	4-5	-
Polyester	-	4	4-5	-
Acrylic	-	4-5	4-5	-
Wool	-	4-5	4-5	-
Alkaline				
	Unit	(A)	(D)	Requirement
Change In Shade	-	4 -5	4-5	· -
Staining On Multi-fibre Stripe Acetate	-	4-5	4-5	-



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms



Test Report	No.: G	No.: GZHL1907027975CE		Date: Aug 27, 2019	Page 18 of 20
Cotton	-	4	4-5	-	
Nylon	-	4	4-5	-	
Polyester	-	4	4-5	-	
Acrylic	-	4-5	4-5	-	
Wool	-	4-5	4-5	-	

Remark: Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is worst and 5 is best.

Sample Photo



2. SGS Ref. No.: SL91939276811401TX (A)1#NO.2 BLACK PADDING (B)2#NO.4,6 BLACK PADDING

Test Result

Colour Fastness To Perspiration

(ISO 105-E04:2013;test specimen in vertical position)

Δ	\sim 1	а
$\overline{}$	u	u

-	Unit	(A)	(B)	Requirement
Change In Shade	-	4-5	4-5	· -
Staining On Multi-fibre Stripe				
Acetate	-	4-5	4-5	-
Cotton	-	4-5	4-5	-
Nylon	-	4-5	4-5	-
Polyester	-	4-5	4-5	-
Acrylic	-	4-5	4-5	-
Wool	-	4-5	4-5	-



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms




Test Report No.: GZHL1907027975CE Date: Aug 27, 2019 Page 19 of 20

<u>Alkaline</u>				
-	Unit	(A)	(B)	Requirement
Change In Shade	-	4-5	4-5	-
Staining On Multi-fibre Stripe				
Acetate	-	4-5	4-5	-
Cotton	-	4-5	4-5	-
Nylon	-	4-5	4-5	-
Polyester	-	4-5	4-5	-
Acrylic	-	4-5	4-5	-
Wool	-	4-5	4-5	-

Remark: Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is worst and 5 is best.





Remark:

- 1. Pass means the test sample met the requirement of the test item.
- 2. NA means not applicable.
 - NT means not tested as per client's request.
- 3. A material list for each part of the product and a statement to announce the material complying with requirements of the standard are received from the manufacturer



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approved of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing / inspection report & certificate, please contact us at telephone:(86-755) 8307

1443, or email: CN.Doccheck@sgs.com

1498/schill/Reflored plant for the content or accessing the prosecution of the content or accessing the prosecution of



Test Report No.: GZHL1907027975CE Date: Aug 27, 2019 Page 20 of 20

Sample Photo(s):



End of Report



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms