

Push-Pull Quick Coupling Poppet Valve "FASTER" 3CPV

Push-pull couplings designed for panel mounting and connection to flexible hoses. Connectable with male under residual pressure. Breakaway function. ISO 7241 part A



ISO-A 7241-1

Faster



Art./Ref.	Filettatura interna/Inner Thread	Tipo/Type	Pressione max (bar)/Pression max (bar)	Note/Notes
94616	1/2"	Femmina/Female FASTER 3CPV 12 GAS F	250	ISO-A 7241-1
94617	3/4" UNF	Femmina/Female FASTER 3CPV 34 UNF F	250	ISO-A 7241-1

Screw Together "FASTER" VV Series

VV series couplings are very robust and reliable and allow to connect under residual pressure. Thanks to a double function sleeve it's also possible to connect a female part with either VV or NV male halves. Faster proprietary profile.



Faster

Art./Ref.	Filettatura interna/ Inner Thread	Pressione max (bar)/ Pression max (bar)	Tipo/Type	Note/Notes
94621	1/4"	350	Maschio / Male VV 14 GAS M	INNESTO A VITE / SCREW TOGETHER
94622	1/4"	350	Femmina/Female FASTER VV 14 GAS F	INNESTO A VITE / SCREW TOGETHER
94623	3/8"	300	Maschio / Male VV 38 GAS M	INNESTO A VITE / SCREW TOGETHER
94624	3/8"	300	Femmina/Female FASTER VV 38 GAS F	INNESTO A VITE / SCREW TOGETHER
94625	1/2"	250	Maschio / Male VV 12 GAS M	INNESTO A VITE / SCREW TOGETHER
94626	1/2"	250	Femmina/Female FASTER VV 12 GAS F	INNESTO A VITE / SCREW TOGETHER
94627	3/4"	250	Maschio / MAle VV 34 GAS M	INNESTO A VITE / SCREW TOGETHER
94628	3/4"	250	Femmina/Female FASTER VV 34 GAS F	INNESTO A VITE / SCREW TOGETHER
94629	1"	220	Maschio / Male VV 1 GAS M	INNESTO A VITE / SCREW TOGETHER
94630	1"	220	Femmina/Female FASTER VV 1 GAS F	INNESTO A VITE / SCREW TOGETHER

Diagnostic Quick Coupling "FASTER" DF series



Flat face couplings specifically designed to measure the internal pressure of hydraulic circuits. Male part to be mounted on the hydraulic line and female part to be connected to gauge instruments. ISO 15171-1 interchange.



Faster

Art./Ref.	Filettatura interna/ Inner Thread	Filettatura esterna/ External Thread	Tipo/Type	Pressione max (bar)/ Pression max (bar)	Note/Notes
94631	1/4" NPT	-	Maschio / Male DF 04-14NPT M	470	ISO 15171-1
94632	1/4" NPT	-	Femmina/Female FASTER DF 04-14NPT F	470	ISO 15171-1
94633	-	1/4" NPT	Maschio / Male DF 04-1/14NPTM	470	ISO 15171-1
94634	-	1/4" NPT	Femmina/Female FASTER DF 04-1/14NPT F	470	ISO 15171-1
94635	-	1/4"	Maschio / Male DF 04-1/14GASM	470	ISO 15171-1
94636	1/4"	-	Femmina/Female FASTER DF 04-14GAS F	470	ISO 15171-1
94637	14X1,5	-	Femmina/Female FASTER DF04-0/1415 F	470	ISO 15171-1