




SAN 25/40-130

979521767

 SAN / Three speeds threaded pumps for circulation of sanitary water
 Sanitary

GENERAL

Part number	979521767		
Part name	SAN 25/40-130		
Seal type			
Net weight	2.50 [kg]		
H max	4.0 [m]	H min	0.0 [m]
Q max	3.0 [m3/h]	Q min	0.0 [m3/h]
	[%]		
Noise	≤43 dB(A)		



ELECTRICAL DATA

Power supply	1~230 V
Mains frequency	50 Hz
Motor power	75 [w]
RPM	1315 - 2456 [1/min]
Insulation class	H
Declared current	0.33 [A]
Declared protection	IP44
Thermal protection	
Frame size	
Motor IE class	

INSTALLATION

Fluid	Water VDI 2035
Fluid temperature	-10.0 ÷ 65.0 [°C]
Ambient temp.range	35 deg C
Length	130 [mm]
DN	25 [mm]
Connector	G 1 ½
Connection	G 1 ½
Max pressure	1.0 MPa

MATERIAL

Bearing material	
Impeller material	Noryl 1630V
Hydraulics material	Bronze
Shaft material	AISI 420

SAN 25/40-130

979521767

SAN / Three speeds threaded pumps for circulation of sanitary water

Sanitary






SAN 25/40-130

979521767

SAN / Three speeds threaded pumps for circulation of sanitary water
 Sanitary

Dimension drawing



DN=25 D2=1 1/2" L=130 l=108 b1=80 b2=44 a=28




SAN 25/40-130

979521767

SAN / Three speeds threaded pumps for circulation of sanitary water
Sanitary

Electrical wiring





SAN 25/40-130

979521767

SAN / Three speeds threaded pumps for circulation of sanitary water
Sanitary