

15. Technical Data

	Mod. CP 88	Mod. CP 88 Competition
Mechanical system	CO ₂ -Pistol	CO ₂ -Pistol
Caliber	.177 (4.5mm)	.177 (4.5mm)
Cylinder capacity	8 rounds	8 rounds
Total length	7" (180 mm)	9" (230 mm)
Weight	37 ounces (1040g)	41 ounces (1150g)
Muzzle velocity	393 ft (120m/sec.)	426 ft (130m/sec.)
Barrel length	4" (90.9mm) rifled barrel	6" (143.1mm) rifled barrel
Function	12g CO ₂	12g CO ₂
Safety	<ul style="list-style-type: none"> - Manual firing pin safety - Trigger safety when slide open - Drop safety 	<ul style="list-style-type: none"> - Manual firing pin safety - Trigger safety when slide open - Drop safety

38

16. Parts illustration

Pos.	Code No.	Description	Pos.	Code No.	Description
1	416.20.01.0	Frame, blue	36	416.20.26.0	Cartridge lock
	416.23.01.0	Frame, nickel plated	37	416.20.27.0	Pressure plate
2	416.20.02.0	Cover plate blue	38	416.20.28.0	Cartridge screw
	416.23.02.0	Cover plate nickel plated	39	417.20.37.1	Cartridge lock spring
3	347.20.06.0	Cover plate & safety lever screw	40	316.20.14/15.1	Grip plates (pair), plastic
4	416.20.03.1	Valve bushing		316.25.03/04.1	Grip plates (pair), wood
5	416.20.04.2	O-ring		316.27.01/02.1	Grip plates (pair), coloured wood
6	416.20.05.1	Valve chamber	41	319.20.15.0	Grip plate screw
7	416.20.06.1	Valve spring	42	416.20.31.1	Grip plate catch
8	416.20.36.0	Safety right	43	416.20.32.0	Left grip plate nuts
9	416.20.08.0	Safety left	44	416.20.33.0	Grip plate released button
10	303.40.07.3	Detent ball	45	416.20.40.1	Release button spring
11	416.20.09.1	Firing pin	46	318.70.05.0	Trigger lock screw
12	416.20.10.0	Hammer	47	319.20.23.1	Sear spring
13	416.20.11.1	Hammer spring	48	416.40.01.0	Slide, blue
14	416.20.12.1	Hammer spring pin		416.41.01.0	Slide, nickel plated
15	416.20.13.1	Sear	49	416.100.	Barrel 4" assy.
16	416.20.12.1	Pin	50	416.40.10.0	Barrel retaining screw
17	416.20.14.0	Trigger	51	416.40.08.1	Slide spring
18	319.20.27.0	Trigger pivot pin	52	340.20.05.0	Slide screw
19	416.20.39.1	Trigger spring	53	416.60.01.0	Valve body
20	416.20.15.0	Trigger bar	54	416.70	Rear sight, assy.
21	319.20.12.1	Trigger bar spring	55	416.70.03.0	Front sight
22	416.20.16.0	Cylinder	56	416.70.04.3	Sight wrench
23	416.20.17.0	Cylinder latch	57	416.20.07.2	O-ring
24	370.20.13.1	Cylinder latch spring	58	416.60.06.2	O-ring
25	416.20.19.0	Pawl	59	416.60.05.1	Disk at pestle
26	417.20.41.1	Pawl spring	60	416.60.07.1	Pestle spring
27	416.20.20.0	Trigger lock	61	416.60.02.0	Pestle
28	416.20.21.0	Trigger lock nut	62	416.60.13.1	Spring clip
29	316.40.06.1	Trigger lock spring	63	416.60.04.1	Packing at pestle
30	416.20.22.0	Locking lever	64	416.60.12.1	O-ring
31	416.20.23.0	Locking lever catch	65	416.60.03.1	Valve nut
32	346.73.03.3	Pin	66	412.60.09.1	Nut at detonator
33	316.20.12.1	Spring	67	416.60.10.1	Packing at detonator
34	416.20.24.0	Release lever	68	416.60.09.1	Puncture
35	416.20.25.0	Guide rod	69	416.60.08.1	Filter
			70	416.20.41.1	Tube
			71	416.20.49.1	Spring for safety
				8.320.90.04	Cleaning brush

39