




































12 x Aero 20
4 x UX-221A



<div><div>A20 Accessories</div><div>Speaker cabling</div><div><div></div><div>x 8</div></div><div>eCP_20 (CAT 7 ethernet cable + 3x2.5mm2, audio +data + power, 20m lenght)</div><div><div></div><div>x 10</div></div><div>eCP_3 (CAT 7 ethernet cable + 3x2.5mm2, 3m lenght) X 0</div><div><div></div><div>x 10</div></div><div>eC_09 (CAT 7 ethernet cable; audio +data, 90cm lenght)</div><div><div></div><div>x 10</div></div><div>Plink1_09 (power link 2.5mm2 90cm)</div><div>DASnet-Rack 26 (1 DASnet patch 26 + power distro 30Amp)</div><div><div></div><div>x 1</div></div><div>Covers</div><div>FUN-4aero20 is a protective nylon cover for 4 aero 20 x 3</div><div>FUN-2-UX22 nylon cover for a stack of 2 UX-221A x 2</div><div>Rigging frames</div><div><div></div><div>AX-aero20 x 2</div></div><div>Dollies</div><div><div></div><div>PL-221S The PL-221S dolly is used to transport stacks of 2 or 3 UX-221A.</div><div>x 2</div></div></div>	<div><div>Dollies</div><div><div>PL-20S metal transport dolly for 3/4 aero20A</div><div><div></div><div>x 3</div></div></div><div>Processors (included in the racks)</div><div><div><div>DSP-2060</div><div></div><div>x 1</div></div></div></div>	<div><div>DASnet Splitters</div><div><div><div></div><div>x 0</div></div><div>Steel case intended for distribution of analog audio, monitoring data and power to multiple devices. It includes: - one input power (1 x powerCon true 1) and 3 power outputs (3 x powercon NAC3MPB). One audio+monitoring data input, and three audio + monitoring data ouputs</div></div></div>
	<div><div><div>12 aero 20A + 4 UX-221A</div><div>Euro truck 6m Trailer</div><div><div></div><div>243cm / 96"</div></div></div><div><div><div>12 aero 20A</div><div></div><div><div></div><div>243cm / 96"</div></div></div><div>American Truck 90" x 232"</div><div><div><div></div><div>228cm / 90"</div></div><div><div></div><div>228cm / 90"</div></div><div>American Truck 99" x 232"</div><div><div><div></div><div>251cm / 99"</div></div><div><div></div><div>251cm / 99"</div></div></div></div></div></div>	



<div><div>A20 Accessories</div><div><div>Speaker cabling</div><div><div></div><div>x 10</div><div>eCP_20 (CAT 7 ethernet cable + 3x2.5mm2, audio +data + power, 20m lenght)</div><div><div></div><div>x 12</div><div>eCP_3 (CAT 7 ethernet cable + 3x2.5mm2, 3m lenght) X 0</div><div><div></div><div>x 12</div><div>eC_09 (CAT 7 ethernet cable; audio +data, 90cm lenght)</div><div><div></div><div>x 12</div><div>Plink1_09 (power link 2.5mm2 90cm)</div></div></div><div><div>DASnet-Rack 26 (1 DASnet patch 26 + power distro 30Amp)</div><div><div></div><div>x 2</div></div></div><div><div>Covers</div><div><div>FUN-4aero20 is a protective nylon cover for 4 aero 20</div><div>x 4</div><div>FUN-2-UX22 nylon cover for a stack of 2 UX-221A</div><div>x 3</div></div></div><div><div>Rigging frames</div><div><div><div>AX-aero20</div><div>x 2</div><div></div></div></div></div><div><div>Dollies</div><div><div><div>PL-221S</div><div>The PL-221S dolly is used to transport stacks of 2 or 3 UX-221A.</div></div><div><div></div><div>x 2</div></div></div></div></div></div></div></div>	<div><div>Dollies</div><div><div><div>PL-20S metal transport dolly for 3/4 aero20A</div><div><div></div><div>x 4</div></div></div></div><div><div>Processors (included in the racks)</div><div><div><div>DSP-2060</div><div><div></div><div>x 2</div></div></div></div></div></div>	<div><div>DASnet Splitters</div><div><div><div></div><div>x 0</div></div><div>Steel case intended for distribution of analog audio, monitoring data and power to multiple devices. It includes: - one input power (1 x powerCon true 1) and 3 power outputs (3 x powercon NAC3MPB). One audio+monitoring data input, and three audio + monitoring data ouputs</div></div></div>
<div><div><div>16 aero 20A + 6 UX-221A</div><div><div>Euro truck 6m Trailer</div><div><div><div></div><div>243cm / 96"</div></div><div><div>16 aero 20A</div><div><div><div></div><div>243cm / 96"</div></div></div></div><div><div>American Truck 90" x 232"</div><div><div><div><div></div><div>228cm / 90"</div></div><div><div><div></div><div>228cm / 90"</div></div></div></div><div><div>American Truck 99" x 232"</div><div><div><div><div></div><div>251cm / 99"</div></div><div><div><div></div><div>251cm / 99"</div></div></div></div></div></div></div></div></div></div></div></div>		



A20 Accessories

Speaker cabling



x 14

eCP_20 (CAT 7 ethernet cable + 3x2.5mm2, audio +data + power, 20m lenght)

eCP_3 (CAT 7 ethernet cable + 3x2.5mm2, 3m lenght) x 0



x 18


eC_09 (CAT 7 ethernet cable; audio +data, 90cm lenght)




x 18

Plink1_09 (power link 2.5mm2 90cm)

DASnet-Rack 48 (1 DASnet patch 48 + power distro 30Amp)
DASnet-Rack 26 (2 DASnet patch 26 + power distro 30Amp)



x 2



x 1


Covers

FUN-4aero20 is a protective nylon cover for 4 aero 20 x 6

FUN-2-UX22 nylon cover for a stack of 2 UX-221A x 4


Rigging frames

AX-aero20 x 2



Dollies


PL-221S
The PL-221S dolly is used to transport stacks of 2 or 3 UX-221A.



x 4

Dollies

PL-20S metal transport dolly for 3/4 aero20A



x 6

Processors (included in the racks)

DSP-4080



x 1

DSP-2060



x 2

DASnet Splitters




x 0

Steel case intended for distribution of analog audio, monitoring data and power to multiple devices.
It includes: - one input power (1 x powerCon true 1) and 3 power outputs (3 x powercon NAC3MPB).
One audio+monitoring data input, and three audio + monitoring data outputs


24 aero 20A + 8 UX-221A

Euro truck 6m Trailer




243cm / 96"

24 aero 20A




243cm / 96"

American Truck 90" x 232"




228cm / 90"




228cm / 90"


American Truck 99" x 232"



251cm / 99"



251cm / 99"



A20 Accessories

Speaker cabling



x 18

eCP_20 (CAT 7 ethernet cable + 3x2.5mm2, audio +data + power, 20m lenght)

eCP_3 (CAT 7 ethernet cable + 3x2.5mm2, 3m lenght) x 0



x 24


eC_09 (CAT 7 ethernet cable; audio +data, 90cm lenght)




x 24

Plink1_09 (power link 2.5mm2 90cm)

DASnet-Rack 48 (1 DASnet patch 48 + power distro 30Amp)
DASnet-Rack 26 (2 DASnet patch 26 + power distro 30Amp)



x 2



x 1


Covers

FUN-4aero20 is a protective nylon cover for 4 aero 20 x 8

FUN-2-UX22 nylon cover for a stack of 2 UX-221A x 6


Rigging frames

AX-aero20 x 2



Dollies

PL-221S
 The PL-221S dolly is used to transport stacks of 2 or 3 UX-221A.



x 4

Dollies

PL-20S metal transport dolly for 3/4 aero20A



x 8

Processors (included in the racks)

DSP-4080



x 1

DSP-2060



x 2

DASnet Splitters




x 0

Steel case intended for distribution of analog audio, monitoring data and power to multiple devices.
 It includes: - one input power (1 x powerCon true 1) and 3 power outputs (3 x powercon NAC3MPB).
 One audio+monitoring data input, and three audio + monitoring data outputs


32 aero 20A + 16 UX-221A

Euro truck 6m Trailer




243cm / 96"

32 aero 20A




243cm / 96"

American Truck 90" x 232"




228cm / 90"




228cm / 90"

American Truck 99" x 232"



251cm / 99"



251cm / 99"