

DATOS TÉCNICOS
TECHNICAL DATA

| | |
|---|---|
| Referencia de producto | 9/414 |
| Product reference | 9/414 |
| Descripción | Base Múltiple 4 salidas sin cable |
| Description | Multiplesocket 4 Schuko outlets without cable |
| Peso neto (Kg) | 0.208 |
| Net weight | 0.208 |
| ETIM 9.0 | EC000030 |
| Intensidad (A) | 16 |
| IEC-Amperage (A) | 16 |
| Polos | 2P+T |
| Poles | 2P+T |
| Frecuencia | (50/60Hz) |
| Frequency | (50/60Hz) |
| Voltaje (V) | 250 |
| Voltage (V) | 250 |
| Color | Blanco |
| Colour | White |
| RAL | 9003 |
| Interruptor | No |
| Switch | No |
| Material | Termoplástico |
| Material | Thermoplastic |
| Grado de protección | IP20 |
| Protection degree | IP20 |
| Resistencia al impacto | IK07 |
| Impact resistance | IK07 |
| Uso | Interior |
| Use | Indoor |
| Prueba hilo incandescente | 850°C soportes partes activas / 650°C otras partes |
| Glow wire test | 850°C supports active parts / 650°C other parts |
| Ensayo de bola | 125°C Partes activas soportes / 70°C otras partes |
| Ball pressure test | 125°C active parts supports / 70°C other parts |
| Resistencia al aislamiento | 5MΩ@500Vdc |
| Insulating resistance | 5MΩ@500Vdc |
| Potencia max. | 3680 |
| Max. power | 3680 |
| Rigidez dieléctrica (kV) | 2 |
| Dielectric Strength (kV) | 2 |
| Temperatura de funcionamiento | -5°C/ 40°C |
| Operating temperature | -5°C/ 40°C |
| Temperatura de transporte y almacenaje | -25°C/ 70°C |
| Transport and storage temperature | -25°C/ 70°C |
| Alto / High | 110 |
| Ancho / Width | 115 |
| Profundo / Deep | 41 |



DATOS LOGÍSTICOS
LOGISTICS

| | |
|-------------------------------|-----------------------|
| Unidad mínima de venta | 5 |
| Minimum sales unit | 5 |
| EAN Unitario | 8429760846048 |
| EAN Unit | 8429760846048 |
| Cantidad estuche | 5 |
| Quantity inner box | 5 |
| EAN Estuche | 18429760846045 |
| EAN Inner box | 18429760846045 |
| Cantidad caja | 50 |
| Quantity master box | 50 |
| EAN Caja | 28429760846042 |
| EAN Master box | 28429760846042 |
| Partida arancelaria | 85366990 |
| HS code | 85366990 |

NORMATIVAS Y CERTIFICACIONES
APPLIED AND CERTIFICATIONS

| | |
|--------------------------------|--|
| Normativa | UNE 20315-1-1,UNE 20315-1-2,IEC 60884-1 CEE7 SS III |
| Applied | UNE 20315-1-1,UNE 20315-1-2,IEC 60884-1 CEE7 SS III |
| Directiva baja tensión | - |
| Low Voltage Directive | - |
| Directiva Rohs | RoHS 2011/65/UE and modifications |
| Rohs Directive | RoHS 2011/65/UE and modifications |
| Certificado de producto | - |
| Product certificate | - |

