



Learn More



**Manufacturer:**  
ÅngströmLap®

**Product Name:**  
ÅngströmBrush® Aluminum Oxide Flock Pile Lapping Film Disc  
- 5 inch 2µm (micron)

**Manufacturer Part Number:**  
AO2MFPS502N50

▶ Click here for more details on the ÅngströmBrush® Aluminum Oxide Flock Pile Lapping Film Disc - 5 inch 2µm (micron)

## PRODUCT SPECIFICATIONS:

### Description by Application

FO Type Name: AO2A-MFPS

Color: Brown

### Abrasive Type

Particle Type: Aluminum Oxide

Grit Size: 2 µm

### Base Film Type

#### Flock Pile

Pile Material: Nylon

Pile Diameter: 1 d

Pile Length: 0.4 mm

#### Flock Pile

Base Film Material: Poly-ethylene terephthalate

Base Film Thickness: 2 mil (50 µm)

*fiber  
optic  
center*



Contact the professionals at Fiber Optic Center for a quote or to get more details.

[focenter.com](http://focenter.com) • 508-992-6464 | (800) 473-4237 • [sales@focenter.com](mailto:sales@focenter.com)

23 Centre Street • New Bedford, MA 02740 USA

Product specifications and data are subject to change without notice. FOC last update 1/6/2026.

[Learn More](#)**Manufacturer:**  
ÅngströmLap®**Product Name:**ÅngströmBrush® Aluminum Oxide Flock Pile Lapping Film Disc  
- 5 inch 2µm (micron)**Manufacturer Part Number:**  
AO2MFPS502N50

▶ Click here for more details on the ÅngströmBrush® Aluminum Oxide Flock Pile Lapping Film Disc - 5 inch 2µm (micron)

## PRODUCT SPECIFICATIONS:

**Unit:** Standard packaging of 50

**Roll** - Product that has already been slit down for samples or to product specifications requested by the customer.  
This specification standard covers tapes for various applications.

**Disc** - Product that has been slit down into rolls then die cut into circular discs to conform to customer specified sizes.  
This specification standard covers discs for various applications

**Sheet** - Product that has been slit down into rolls then sheet cut into rectangular sheets to conform to customer specified sizes. This specification standard covers sheets for various applications

**Description:***Example: AO2A-MFPS*

Abrasive Material	Average Grit Size	Process Type
AO	2A	MFPS
Aluminum Oxide	2 µm	Flock Pile type

**Lot Description:**

Indicated by 10 digits number.

Automatic numbering by enterprise resource planning system.

*Example: 0000012345***Product Specifications:**

Mipox product standards are specified by the abrasive film Surface roughness and the total thickness diameter and length.

**Storage Environment:**

- Temperature: 10 to 50 centigrade
- Humidity: 20 to 80%

**Product Life:** Mipox product life is guaranteed up to 5 years from the manufactured date

**Recommended Usage:** Usage amounts are conservative estimates and may vary based on individual conditions. Please contact Fiber Optic Center to optimize these usage numbers. Specifications subject to change without notice.

**Contact the professionals at Fiber Optic Center for a quote or to get more details.**[focenter.com](http://focenter.com) • 508-992-6464 | (800) 473-4237 • [sales@focenter.com](mailto:sales@focenter.com)

23 Centre Street • New Bedford, MA 02740 USA

Product specifications and data are subject to change without notice. FOC last update 1/6/2026.



Learn More




**Manufacturer:**  
ÅngströmLap®

**Product Name:**  
ÅngströmBrush® Aluminum Oxide Flock Pile Lapping Film Disc  
- 5 inch 2µm (micron)

**Manufacturer Part Number:**  
AO2MFPS502N50

► Click here for more details on the ÅngströmBrush® Aluminum Oxide Flock Pile Lapping Film Disc - 5 inch 2µm (micron)



Contact the professionals at Fiber Optic Center for a quote or to get more details.

[focenter.com](http://focenter.com) • 508-992-6464 | (800) 473-4237 • [sales@focenter.com](mailto:sales@focenter.com)

23 Centre Street • New Bedford, MA 02740 USA

Product specifications and data are subject to change without notice. FOC last update 1/6/2026.