


SAFETY DATA SHEET (SDS)

**Manufacturer:**

ÅngströmLap®

Product Name:

ÅngströmLap® Alumina Polishing Slurry - 0.5 kg Bottle, 0.5µm (micron)

Manufacturer Part Number:

MT-AOXA

▶ Click here for more details on the ÅngströmLap® Alumina Polishing Slurry - 0.5 kg Bottle, 0.5µm (micron)

1. Identification of the hazardous chemical and of the supplier

Product name : MT-AOXA
Recommended Use : Polishing Agent
Company : Mipox Malaysia Sdn Bhd
Address : No. 7, 9, 12, 14 & 16, Lintang Bayan Lepas 2, Bayan Lepas
Industrial Park Phase 4, 11900 Bayan Lepas, Penang, Malaysia.
Telephone number : +604 642 8371
Fax number : +604 642 8508
SDS number : MMS180004

2. Hazard identification

Emergency Overview

Colour : White

Physical State : Liquid

GHS Label Elements

Classification : Aquatic Toxicity, acute – Classification not possible
: Aquatic Toxicity, Chronic – Classification not possible
: Acute toxicity (oral / skin) – Category 4
: Skin corrosion/irritation – Category 3
: Eye Irritation – Category 2A

Symbol :



Signal word : WARNING

Hazard Statement : Harmful if swallowed. Causes skin / eye irritation.

Contact the professionals at Fiber Optic Center for a quote or to get more details.


23 Centre Street • New Bedford, MA 02740 USA • focenter.com

508-992-6464 | (800) 473-4237 • sales@focenter.com



Data is subject to change without notice. FOC last update 1/9/2026.

SAFETY DATA SHEET (SDS)

**Manufacturer:**

ÅngströmLap®

Product Name:

ÅngströmLap® Alumina Polishing Slurry - 0.5 kg Bottle, 0.5µm (micron)

Manufacturer Part Number:

MT-AOXA

▶ Click here for more details on the ÅngströmLap® Alumina Polishing Slurry - 0.5 kg Bottle, 0.5µm (micron)

Precautionary Statements

Prevention : Wear protective gloves and eye/face protection.

First Aid : In case of eye contact, immediately flush eyes with plenty of water. Remove contact lenses, if worn. Get medical attention immediately.

: In case of skin contact, immediately flush skin with plenty of water.

: If swallowed, do not induce vomiting. Get medical attention immediately.

Storage : Keep in original container with tightly closed. Avoid from direct sunlight.

Disposal : Disposal of this product must be in compliance with the laws, requirements and regulations for environmental protection in accordance with local regulations.

3. Composition and information of the ingredients of the hazardous chemical

Substance or mixture : Mixture

Component	CAS Number	WT%
Aluminum oxide	1344-28-1	< 40%
Silicic acid, lithium magnesium sodium salt	53320-86-8	< 5%
Sodium polyacrylate	9003-04-7	< 5%
1-amino-2-propanol	78-96-6	< 1%
Water	7732-18-5	Balance

4. First-aid measures

Eye : Hold eyelids open and flush with a steady, gentle stream of water for several minutes. Remove contact lenses after the initial 1-2 minutes and continue flushing for several additional minutes. Obtain prompt medical consultation, from an ophthalmologist.

Contact the professionals at Fiber Optic Center for a quote or to get more details.


23 Centre Street • New Bedford, MA 02740 USA • focenter.com

508-992-6464 | (800) 473-4237 • sales@focenter.com



Data is subject to change without notice. FOC last update 1/9/2026.

SAFETY DATA SHEET (SDS)

**Manufacturer:**

ÅngströmLap®

Product Name:

ÅngströmLap® Alumina Polishing Slurry - 0.5 kg Bottle, 0.5µm (micron)

Manufacturer Part Number:

MT-AOXA

▶ [Click here for more details on the ÅngströmLap® Alumina Polishing Slurry - 0.5 kg Bottle, 0.5µm \(micron\)](#)

Skin	: Wash with plenty water. If skin irritation occurs, get medical advice / attention.
Inhalation	: Move person to fresh air; if effects occur, consult a physician.
Ingestion	: If swallowed, seek medical attention. Do not induce vomiting unless directed to do so by medical personnel.

5. Fire-fighting measures

Extinguishing media	: Water spray, dry chemical, foam, carbon dioxide.
Fire Fighting Procedures	: Keep people away. Isolate fire and deny unnecessary entry. Use water spray to cool fire exposed containers and fire affected zone until fire is out and danger of reigniting has passed. Fight fire from protected location or safe distance. Burning liquids may be moved by flushing with water to protect personnel and minimize property damage.
Specific fire-fighting	: Product itself is non-combustible. Keep away from sources of ignition and use appropriate extinguishing media. Fight fire from upwind position if possible.
Protection for fire-fighters	: Wear a self-contained breathing apparatus and another protection as appropriate to situation.

6. Accidental release measures

Personal precautions	: Use personal protective clothing. Avoid skin and eye contact.
Environmental precautions	: Prevent from entering into soil, ditches, sewers, waterways and/or groundwater.
Methods for cleaning up or taking up	: For large amounts: Pump off product. For residues: Pick up with suitable

Contact the professionals at Fiber Optic Center for a quote or to get more details.


23 Centre Street • New Bedford, MA 02740 USA • focenter.com

508-992-6464 | (800) 473-4237 • sales@focenter.com



Data is subject to change without notice. FOC last update 1/9/2026.

SAFETY DATA SHEET (SDS)

**Manufacturer:**

ÅngströmLap®

Product Name:

ÅngströmLap® Alumina Polishing Slurry - 0.5 kg Bottle, 0.5µm (micron)

Manufacturer Part Number:

MT-AOXA

▶ Click here for more details on the ÅngströmLap® Alumina Polishing Slurry - 0.5 kg Bottle, 0.5µm (micron)

absorbent material. Dispose of absorbed material in accordance with local regulations.

7. Handling and storage

Handling**General Handling**

: No special measures necessary provided product is used correctly.

Storage

: Further information on storage conditions: Keep container tightly closed and in a dry & cool place.

8. Exposure controls / personal protection

Personal protective equipment**Eye/Face Protection**

: Use safety glasses.

Skin Protection

: Use synthetic apron, other protective equipment as necessary to prevent skin contact.

Respiratory protection

: Use an approved air-purifying respirator.

Hand protection

: Chemical resistant protective gloves - Butyl or Nitrile rubber.

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical state

: Liquid, White

Odor

: Odorless

pH

: 8 ~ 11

Melting point

: Not available

Boiling point

: Not available

Flash point

: Not available

Vapor Pressure

: Not available

Specific Gravity (H₂O = 1)

: Not available

Water solubility

: Soluble


Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • focenter.com

508-992-6464 | (800) 473-4237 • sales@focenter.com



Data is subject to change without notice. FOC last update 1/9/2026.

**Manufacturer:**

ÅngströmLap®

Product Name:

ÅngströmLap® Alumina Polishing Slurry - 0.5 kg Bottle, 0.5µm (micron)

Manufacturer Part Number:

MT-AOXA

▶ Click here for more details on the ÅngströmLap® Alumina Polishing Slurry - 0.5 kg Bottle, 0.5µm (micron)

10. Stability and reactivity

Hazardous reactions:

No hazardous reactions when stored and handled according to instructions.

Incompatible Materials: Not available**Hazardous decomposition products:**

No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological information

Acute Toxicity (Oral) : No information available**Acute Toxicity (Dermal)** : No information available**Acute Toxicity (Inhalation)** : No information available**Carcinogenicity** : No information available

12. Ecological information

Aquatic Toxicity : No information available**Biological Oxygen Demand 1%** : No information available**Chemical Oxygen Demand 1%** : No information available

13. Disposal considerations

Disposal methods : Disposal of this product must be in compliance with the laws, requirements and regulations for environmental protection in accordance with local regulations.

14. Transport information


Keep away from food stuffs, heat, acid and alkalis.

ADR/ IMDG/ IATA - Not regulated.

Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • focenter.com508-992-6464 | (800) 473-4237 • sales@focenter.com

Data is subject to change without notice. FOC last update 1/9/2026.

**Manufacturer:**

ÅngströmLap®

Product Name:

ÅngströmLap® Alumina Polishing Slurry - 0.5 kg Bottle, 0.5µm (micron)

Manufacturer Part Number:

MT-AOXA

▶ [Click here for more details on the ÅngströmLap® Alumina Polishing Slurry - 0.5 kg Bottle, 0.5µm \(micron\)](#)

15. Regulatory information

This SDS has been prepared in accordance with the requirements of the OSHA (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals), CLASS Regulations 2013 [P.U. (A) 310/2013]

16. Other information

Issued Date / Revision: 25-July-2018 / Rev 01

To the best of the manufacturer's knowledge, the information contained herein is accurate. However, neither the manufacturer, nor any of its affiliates, make any representations or warranties (expressed or implied), nor assumes any liability (including liability for any direct, incidental, consequential, or other damages) with respect to the accuracy or completeness of the information contained herein. Such information may be (without limitation) invalid if the specified material is used in combination with another, in a particular process, or under unusual conditions. Determination of suitability of any material for any given purpose is the sole responsibility of the user who assumes all risk and responsibility therefore.

All materials may present unknown hazards and should be used with appropriate caution. The manufacturer cannot and does not guarantee that the hazards described herein are the only ones that exist.

Contact the professionals at Fiber Optic Center for a quote or to get more details.

23 Centre Street • New Bedford, MA 02740 USA • focenter.com

508-992-6464 | (800) 473-4237 • sales@focenter.com



Data is subject to change without notice. FOC last update 1/9/2026.