



Learn More



Manufacturer:
ÅngströmLap

Product Name:
ÅngströmLap® Sequoia Diamond Lapping Film Disc -
8 inch 5µm (micron), PSA, Hole

Manufacturer Part Number:
D5BF80H3P1

▶ Click here for more details on the ÅngströmLap® Sequoia Diamond Lapping Film Disc - 8 inch 5µm (micron), PSA, Hole

PRODUCT SPECIFICATIONS:

Description by Application

FO Type Name: D5-BF

Color: Brown

Tape Specifications

Total Thickness: $81.0 \pm 2.5 \mu\text{m}$

Surface Roughness: $0.45 \pm 0.15 \mu\text{m}$

Abrasive Type

Particle Type: Diamond

Average Grit Size: 5.0 µm

Base Film Type

Base Film Material: Poly-ethylene terephthalate

Base Film Thickness: 3 mil (75 µm)

Process Parameters

Type: BF

*fiber
optic
center*



Contact the professionals at Fiber Optic Center for a quote or to get more details.

focenter.com • 508-992-6464 | (800) 473-4237 • sales@focenter.com

23 Centre Street • New Bedford, MA 02740 USA

Product specifications and data are subject to change without notice. FOC last update 1/5/2026.

[Learn More](#)**Manufacturer:**
ÅngströmLap**Product Name:**
ÅngströmLap® Sequoia Diamond Lapping Film Disc -
8 inch 5µm (micron), PSA, Hole**Manufacturer Part Number:**
D5BF80H3P1[Click here for more details on the ÅngströmLap® Sequoia Diamond Lapping Film Disc - 8 inch 5µm \(micron\), PSA, Hole](#)

PRODUCT SPECIFICATIONS:

Unit: Standard packaging of 100

Roll - Product that has already been slit down for samples or to product specifications requested by the customer.
This specification standard covers tapes for various applications.

Disk - Product that has been slit down into rolls then die cut into circular disks to conform to customer specified sizes.
This specification standard covers disks for various applications

Sheet - Product that has been slit down into rolls then sheet cut into rectangular sheets to conform to customer specified sizes. This specification standard covers sheets for various applications

Description:*Example: D5-BF*

Abrasive Material	Average Grit Size	Process Type	
D	5	B	F
Diamond	5 µm	Mixing Ratio Type	Surface Shape Type

Lot Description:

Automatic numbering by enterprise resource planning system.

*Example: 0000012345***Product Specifications:**

Mipox product standards are specified by the abrasive film Surface roughness and the total thickness diameter and length.

Storage Environment:

- Temperature: 10 to 50 centigrade
- Humidity: 20 to 80%

Product Life: Mipox product life is guaranteed up to 5 years from the manufactured date**Recommended Usage:** Usage amounts are conservative estimates and may vary based on individual conditions. Please contact Fiber Optic Center to optimize these usage numbers. Specifications subject to change without notice.**Contact the professionals at Fiber Optic Center for a quote or to get more details.**focenter.com • 508-992-6464 | (800) 473-4237 • sales@focenter.com

23 Centre Street • New Bedford, MA 02740 USA

Product specifications and data are subject to change without notice. FOC last update 1/5/2026.



Learn More




Manufacturer:
ÅngströmLap

Product Name:
ÅngströmLap® Sequoia Diamond Lapping Film Disc -
8 inch 5µm (micron), PSA, Hole

Manufacturer Part Number:
D5BF80H3P1



[Click here for more details on the ÅngströmLap® Sequoia Diamond Lapping Film Disc - 8 inch 5µm \(micron\), PSA, Hole](#)



Contact the professionals at Fiber Optic Center for a quote or to get more details.

focenter.com • 508-992-6464 | (800) 473-4237 • sales@focenter.com

23 Centre Street • New Bedford, MA 02740 USA

Product specifications and data are subject to change without notice. FOC last update 1/5/2026.