

Control Casambi

	Code	Version	Power Max	VDC IN	Size
1.	59682	Touch Dimmer Casambi 4C Oak/Black	-	-	Ø73x62mm
2.	59689	Touch Dimmer Casambi 4C Oak/Silver	-	-	Ø73x62mm
3.	59182	Touch Dimmer Casambi 4C Mahogany/Black	-	-	Ø73x62mm
4.	59189	Touch Dimmer Casambi 4C Mahogany/Silver	-	-	Ø73x62mm

CASAMBI



Control Casambi

	Code	Version	Power Max	VAC IN	Size
5.	59112 ■	Casambi Wall touch panel Black	-	-	146x90x24mm
6.	59847 ■	Casambi Touch Control (Includes 24VDC power supply and gateway code 57452)	-	220/230VAC	86x86x26mm
7.	57661 ■	Casambi Control 4 buttons + wheel	-	-	66x63mm
8.	59805 □ NEW	Casambi RF Control CCT+RGB 4 Zones	-	-	120x55x17mm
9.	59475 □ NEW	Casambi Touch Panel RGB+CCT White	-	-	86x86x26mm
10.	57241 □	Xpress Casambi White	-	-	90x90x12mm
11.	57242 ■	Xpress Casambi Black	-	-	90x90x12mm
12.	57299 □	Casambi Control On/Off, dimming, CCT, scene	-	-	134x36x9mm
13.	59121 □	Wall switch batteryfree 2C White	-	-	81x81x14mm
14.	59122 ■	Wall switch batteryfree 2C Anthracite	-	-	81x81x14mm
15.	59141 □	Wall switch batteryfree 4C White	-	-	81x81x14mm
16.	59142 ■	Wall switch batteryfree 4C Anthracite	-	-	81x81x14mm

CASAMBI



15.



16.



17.



18.



19.



20.



21.



22.



23.



24.



25.

Control Casambi


	Code	Version	Power Max	V IN	Size
15.	57924	■ Controller input 4 button Casambi	-	230 VAC	45x19x17mm
16.	59629	■ Smart Gateway Casambi	-	230 VAC	101x74x29mm
17.	59549	■ Led Strips regulator 5C Casambi/Push	5Cx5A	12-48V	186x29x21mm
18.	59733	□ Relay Casambi	10A	-	120x50 x32mm
19.	59777	□ Triac Dimmable Casambi/Push	-	-	Ø52x15,5mm
20.	59249	□ Control CBU-PWM4 long range	4Cx1,5A	12-24 VDC	72,6x30x18mm
21.	59739	■ Relay Casambi	10A	200-240 VAC	35x22x35mm
22.	59519	■ Led Strips regulator 1C Casambi/Push	12A	12-48V	44x57x19mm
23.	59769	□ Controller End of phase long range	0,43A	85-240 VAC	72,6x30x18mm
24.	59789	□ Interface 0-10/1-10 Dali long range	-	220-240 VAC	40,4x36,2x14mm
25.	57588	■ Controller PWM4+Push	4Cx5A	12-24 VDC	88x54x25mm





Control Casambi

Code	Version	Power Max	V IN	Size	
26. 57881	<input type="checkbox"/>	Presence and illuminance mini sensor recessed White	0,4W	220/240 VAC	38X38X48mm
27. 57882	<input checked="" type="checkbox"/>	Presence and illuminance mini sensor recessed Black	0,4W	220/240 VAC	38X38X48mm
28. 57666	<input type="checkbox"/>	Presence and illuminance sensor recessed White	0,05A	100-240 VAC	79x85x85mm
29. 57662	<input type="checkbox"/>	Casambi Gateway 2 output 0-10V, 1-10V or 1 DALI	-	100-277 VAC	76x26x23mm
30. 59289	<input checked="" type="checkbox"/>	Led Strips regulator 2C Casambi/Push	10A	12-48 VDC	136x29x21mm
31. 57452	<input checked="" type="checkbox"/>	Casambi Gateway 45 profiles 8 groups / 8 scenes	-	100-254 VAC	57x44x25mm
32. 57400	<input checked="" type="checkbox"/>	Waterproof box 2XM20 for input and output. IP66	-	-	131x68x37mm
33. 57001	<input checked="" type="checkbox"/>	Timer Casambi	-	12-48 VDC	58x45x25mm
34. 57461	<input checked="" type="checkbox"/> NEW	Casambi relay with switched phase	10A	100/240 VAC	44x57x25mm


CASAMBI
3 YEARS | **IP 20**
WARRANTY



Control Casambi RF/Push

Code	Version	Power Max	VDC IN	Size
59020 <input type="checkbox"/> NEW	Controller Casambi RF/Push 2C	2C/5A	12-24 VDC	117X38X20mm

PUSH | ((•)) RF | **CASAMBI**



Control Casambi RF

Code	Version	Power Max	VDC IN	Size
59050 <input type="checkbox"/> NEW	Controller Casambi RF 5C	5C/3A	12-24 VDC	117X38X20mm

((•)) RF | **CASAMBI**



Control Casambi Running SPI

Code	Version	Power Max	VDC IN	Size
59911 <input checked="" type="checkbox"/> NEW	Controller Casambi Running SPI	7A	5-12-24 VDC	136X29X21mm


SPI | **CASAMBI**



Led Driver CC-Casambi

Code	Version	Power Max	VDC IN	VDC OUT	I OUT	Size
DR-H-42WCAS <input type="checkbox"/> NEW	Led Driver CC-Casambi	42W	194-264 VAC	2,5-42 VDC	150-1.050mA	97X43X30mm

CASAMBI



3 YEARS WARRANTY | IP 20