











### EAN / TKI Code

- EAN Code 4037321045089 - TKI Code 123600003

#### **Features**

- Electronic temperature control with push buttons
- Electronic temperature display
- Capacity for 52 bottles (Bordeaux bottles 0.75 I)
- 4 wooden pull-out shelves, removeable
- 1x 45°-wooden shelf for presentation
- Black glass door with UV-protection
- 2 temperature zones (with partition), adjustable from 5°C - 18°C
- LED lighting (per temperature zone 2 LED's à 0.2 W)
- Dynamic air circulation cooling system
- Acoustic alarm
- Reversible door hinges
- Including water container for additional humidity
- Door opening angle limitation 90° possible
- Excluding handle (see optional accessories)

## Technical data


- Energy consumption/year	162 kWh
- Noise level	38 dB

# Accessories handles


-	Stainless Steel	DK 8801
-	Black Chrome	DK 8802
-	Silver Chrome	DK 8803
-	Gold	DK 8804
-	Black Velvet	DK 8805
-	Copper	DK 8807

#### **Dimensions**

- Appliance dimensions (excl. handle) W x H x D approx. 594 x 887 x 555 mm
- Niche dimensions W x H x D approx. 560 x 878 x 550 mm



## **Energy label**



<b>Product Inf</b>	orm	ation Shee	t		
COMMISSION DELEGATE appliances	D REGUL	ATION (EU) 2019/2016 v	vith regard to en	ergy labelling o	of refrigerating
Supplier's name or trade	mark:	Küppersbusch			
Supplier's address: Qua	lity mana	agement, Küppersbuschs	traße 2, 45883 (	Gelsenkirchen,	DE
Model identifier: FWK2					
Type of refrigerating app					
	marice.	M-	Declaration s		Levella du
Low-noise appliance:		No	Design type:		built-in
Wine storage appliance:		Yes	Other refrigerating appliance:		No
General product parame	eters:				
Parameter		Value	Parameter		Value
~	Height	869			
Overal dimensions (millimetre)	Width	536	Total volume (	(dm³ or l)	132
(minimetre)	Depth	507			
EEI		188	Energy efficie	ncy class	G
Airborne acoustical noise emissions (dB(A) re 1 pW		38	Airborne acoustical noise emission class		С
Annual energy consumption (kWh/a)		162	Climate class:		extended temperate, temperate
Minimum ambient temperature (°C), for which the refrigerating appliance is suitable		10	Maximum ambient temperature (°C), for which the refrigerating appliance is suitable		32
Winter setting					
Compartment Paramete	rs:				
		Со	mpartment para	meters and val	ues
Compartment type		Compartment Volume (dm³ or l)	Recommended temperature setting for optimised food storage (°C)  These settings shall not contradict the storage conditions set out in Annex IV, Table 3	Freezing capacity (kg/24h)	Defrosting type (auto-defrost=A, manual defrost=M)
Pantry	No	-	-	-	-
Wine storage	Yes	132,0	12	_	Α

Page 1 / 2



Cellar	No	-	=	-	=		
Fresh food	No	-		-	-		
Chill	No	=	=	-	*		
0-star or ice-making	No	-	-	-	-		
1-star	No	=	-	-	=		
2-star	No	-	-	-	-		
3-star	No	-	-	-	-		
4-star	No	=	-	-	-		
2-star section	No	.E.	=	=			
Variable temperature compartment	-	-	-	-	-		
For wine storage applia	nces						
Number of standard wine bottles 52							
Light source parameters	):						
Type of light source			LED				
Energy efficiency class		=					
Minimum duration of the guarantee offered by the manufacturer: 24 months							
Additional information:							
Weblink to the manufac	turer's we	bsite, where the inform	ation in point4	(a) Annex of Co	mmission Regulation (EU		
2019/2019 is found: www.kueppersbusch-home.com							