









EAN / TKI Code

- EAN Code 4037321049339 - TKI Code 123610001

Features

- Electronic temperature control with push buttons
- Electronic temperature display
- Capacity for 17 bottles (Bordeaux bottles 0.75 I)
- 4 wooden pull-out shelves, removeable
- Black glass door with UV-protection
- 2 temperature zones: upper compartment from 5°C to 12°C lower compartment from 12°C to 20°C
- LED lighting (per temperature zone 2 LED's à 0.2 W)
- Acoustic alarm
- Reversible door hinges
- Possibility for being built-under the worktop, removable front ventilation grid
- Integrated handles

Technical data

- Energy consumption/year 96 kWh 38 dB - Noise level

Dimensions


- Appliance dimensions W x H x D approx.

295 x 815-885 x 570 mm


- Niche dimensions W x H x D approx.

300 x min. 820 x 575 mm

Drawing



Energy label



Product Inf	orm	ation Shee	t			
COMMISSION DELEGATE appliances	D REGUL	ATION (EU) 2019/2016 w	ith regard to er	nergy labelling o	of refrigerating	
Supplier's name or trade	mark:	Küppersbusch				
Supplier's address: Qua		Production of the Control of the Con	traße 2. 45883	Gelsenkirchen.	DF	
Model identifier: FWKU	5/	-Sement, nappersonation				
Type of refrigerating app	mance:	V/S				
Low-noise appliance:		No	Design type:		built-in	
Wine storage appliance:		Yes	Other refrigerating appliance:		No	
General product parame	eters:					
Parameter		Value	Parameter		Value	
Overal dimensions (millimetre)	Height	863	Total volume (dm³ or l)		54	
	Width	295				
	Depth	570				
EEI		121	Energy efficiency class		F	
Airborne acoustical noise emissions (dB(A) re 1 pW)		38	Airborne acoustical noise emission class		С	
Annual energy consumption (kWh/a)		96	Climate class:		temperate, subtropi- cal	
Minimum ambient tempera- ture (°C), for which the refrig- erating appliance is suitable		16	Maximum ambient tem- perature (°C), for which the refrigerating appliance is suitable		38	
Winter setting		Yes				
Compartment Paramete	rs:					
		Compartment parameters and values				
Compartment type		Compartment Vol- ume (dm³ or l)	Recommended temperature setting for optimised food storage (°C) These settings shall not contradict the storage conditions set out in Annex IV, Table 3	Freezing capacity (kg/24h)	Defrosting type (auto-defrost=A, manual defrost=M)	
Pantry	No	-	-	-	-	

Page 1 / 2

Wine storage	Yes	54,0	12	-	A
Cellar	No	悪		=	≅.
Fresh food	No	8	E	8	E
Chill	No		-	~	-
0-star or ice-making	No		-	-	=
1-star	No	-	-	-	-
2-star	No	H	-	-	-
3-star	No	-	-	-	-
4-star	No		-	-	=.
2-star section	No		=	=	5.
Variable temperature compartment	-	-	-	-	-
For wine storage applia	nces			1	1

Number of standard wine bottles 17

Light source parameters:

Type of light source LED
Energy efficiency class G

Minimum duration of the guarantee offered by the manufacturer: 24 months

Additional information:

Weblink to the supplier's website, where the information in point 4 of Annex II of Commission Regulation (EU) 2019/2019 is found: www.home-kueppersbusch.de

Model placed on the Union market from 01/03/2024

Website:

EPREL registration number: 1674416 https://eprel.ec.europa.eu/qr/1674416

Supplier: Küppersbusch Hausgeräte GmbH (Manufacturer)

Customer care service:

Name: Quality management Website: www.kueppersbusch-home.com

Email: info@kueppersbusch.de Phone: +49 0209 401 631

Address:

Küppersbuschstraße 2 45883 Gelsenkirchen

Germany