









EAN / TKI Code

- EAN Code 4037321049285 - TKI Code 123600007

Features

- Electronic temperature control with push buttons
- Vertical electronic temperature display
- Capacity for 46 bottles (Bordeaux bottles 0.75 I)
- 5 houten plateaus, uittrekbaar op telescopische geleiders
- Black glass door with UV-protection
- 2 temperature zones: 5°C 20°C
- LED lighting (per temperature zone 2 LED's à 0.2 W)
- Acoustic alarm
- Reversible door hinges
- Including water container for additional humidity
- Possibility for being built-under the worktop, removable front ventilation grid
- Integrated handles

Technical data

Energy consumption/yearNoise level38 dB


Dimensions


Appliance dimensions
 W x H x D approx.

595 x 815-885 x 570 mm

- Niche dimensions W x H x D approx.

600 x min. 820 x 575 mm





Product Inf	orm	ation Shee	t			
COMMISSION DELEGATE appliances	D REGUL	ATION (EU) 2019/2016 v	vith regard to er	nergy labelling o	of refrigerating	
Supplier's name or trade	e mark:	Küppersbusch				
Supplier's address: Qua	lity mana	agement, Küppersbuschs	traße 2, 45883	Gelsenkirchen,	DE	
Model identifier: FWKU		2 ,,				
annous ground the analysis more more properties and or substitutions and the substitution of the substitut						
Type of refrigerating appliance:						
Low-noise appliance:		No	Design type:		built-in	
Wine storage appliance:		Yes	Other refrigerating appliance:		No	
General product parame	eters:					
Parameter		Value	Parameter		Value	
Overal dimensions (millimetre)	Height	813	Total volume (dm³ or l)		135	
	Width	595				
(Depth	570				
EEI		124	Energy efficiency class		F	
Airborne acoustical noise emissions (dB(A) re 1 pW)		38	Airborne acoustical noise emission class		С	
Annual energy consumption (kWh/a)		105	Climate class:		temperate, subtropi- cal	
Minimum ambient tempera- ture (°C), for which the refrig- erating appliance is suitable		16	Maximum ambient tem- perature (°C), for which the refrigerating appliance is suitable		38	
Winter setting		No				
Compartment Paramete	ers:					
		Compartment parameters and values				
Compartment type		Compartment Vol- ume (dm³ or l)	Recommended temperature setting for optimised food storage (°C) These settings shall not contradict the storage conditions set out in Annex IV, Table 3	Freezing capacity (kg/24h)	Defrosting type (auto-defrost=A, manual defrost=M)	
Pantry	No	-	-	-	-	

Page 1 / 2



Wine storage	Yes	135,0	12	-	A		
Cellar	No		=	-			
Fresh food	No	8		8	E		
Chill	No	~		-			
0-star or ice-making	No	=	-	-	=		
1-star	No	-	-	-	-		
2-star	No	=	-	-	=		
3-star	No	-	-	-	=		
4-star	No			-			
2-star section	No		=	_	a		
Variable temperature compartment	-	-	-	-	-		
For wine storage applia	nces				,		
Number of standard wine bottles			46	46			
Light source parameters	c•						

Light source parameters:

LED Type of light source Energy efficiency class G

Minimum duration of the guarantee offered by the manufacturer: 24 months

Additional information:

Weblink to the supplier's website, where the information in point 4 of Annex II of Commission Regulation (EU) 2019/2019 is found: www.home-kueppersbusch.de

Model placed on the Union market from 01/03/2024

EPREL registration number: 1674430 https://eprel.ec.europa.eu/qr/1674430

Supplier: Küppersbusch Hausgeräte GmbH (Manufacturer)

Customer care service:

Name: Quality management Website: www.kueppersbusch-home.com

Email: info@kueppersbusch.de

Address:

Küppersbuschstraße 2 45883 Gelsenkirchen

Germany

Phone: +49 0209 401 631

Website: www.home-kueppersbusch.com