

KMI 12850.0 SR-E



EAN / TKI Code

- EAN Code 4037321049469
- TKI Code 122730006

Features Induction hob

- Features induction hob:
- 10-level power controls "**knobControl**" (power booster setting incl.) with high-quality stainless steel rotary knobs (including)
- 1 automatic cooking function
- Bridge function
- Automatic pan recognition and control assignment
- Residual heat indicator
- Holiday shut-down device (limiting operation duration time)
- Ventilation grid

Cooking zones

- 5 cooking zones
210 x 190 mm / 2,100 W (3,000 W*)

*with power booster setting

Features extractor

- Fan under hob
- Extraction rate (to the outside): max. normal power setting 583 m³/h, intensive power setting 688 m³/h
- Noise level: min. 39 dB, max. 72 dB, int. 74 dB
- 10 power levels incl. high power setting
- Digital display
- Stainless Steel filter (10 layers) with **88.4 % grease deposit**
- Automatic fan power regulation
- Filter saturation indicator
- Automatic delay stop
- Recirculation air set included
- Exhaust air output at the back on right side

Induction hob with integrated hood

Technical data

- Electrical connection
Induction 7,200 W / hood 168 W

Optional accessories

- FlexiGrill 1303
- PlasmaMade filter ZD 8001*
- Charcoal filter box ZK 8001
- Basis set ZKM 8000
- Rear wall connection piece including filter ZKM 8550
- Replacement pleated filter for ZKM 8550 ZKM 8551

When using the back panel support, a worktop depth of at least 65 cm is required.

*Can only be used in combination with ZKM 8000.

Design ventilation grilles


- Stainless steel DK 8591
- Black Chrome DK 8592
- Silver Chrome DK 8593
- Gold DK 8594
- Black Velvet DK 8595
- Copper DK 8597

Dimensions

- Appliance W x D x H 1180 x 510 x 212 mm
- Niche W x D 1140 x 490 mm

For flush installation please refer to the building-in diagrams.


Drawing



*Installation depth

KMI 12850.0 SR-E

Induction hob with integrated hood



Küppersbusch

Product fiche

Delegated Regulation (EU) 65/2014

Supplier name or trademark	Küppersbusch
Model identifier	KMI12850.0SR-E
Annual Energy Consumption	40,6 kWh/annum
Energy Efficiency Class	A+
Fluid Dynamic Efficiency	29,3
Fluid Dynamic Efficiency class	A
Lighting Efficiency	0,0 Lux/W
Lighting Efficiency class	-
Grease Filtering Efficiency	88,4 %
Grease Filtering Efficiency class	B
Air flow (min speed normal use)	129 m³/h
Air flow (max speed normal use)	583 m³/h
Air flow (intensive or boost use)	688 m³/h
Airborne acoustical A-weighted sound power emissions (min speed normal use)	39 dB
Airborne acoustical A-weighted sound power emissions (max speed normal use)	72 dB
Airborne acoustical A-weighted sound power emissions (intensive or boost use)	74 dB
Power consumption in standby mode (W)	0,23 W

Model placed on the Union market.



EPREL registration number: 2425859

<https://eprel.ec.europa.eu/qr/2425859>

Supplier: Küppersbusch Hausgeräte GmbH (Manufacturer)

Website: www.home-kueppersbusch.com

Customer care service:

Name: Quality management

Website: www.kueppersbusch-home.com

Email: info@kueppersbusch.de

Phone: +49 0209 401 631

Address:

Küppersbuschstraße 2
45883 Gelsenkirchen
Germany