



AKDO

PASSAGE

*Worldly. Exhilarating. Visionary.
Choose your path*

Far Beyond the Surface

PASSAGE

Evolution



Evolution Black
PO2287-EVOL00
7.28" x 7.28"



Evolution Blue
PO2288-EVOL00
7.28" x 7.28"



Evolution Gray
PO2289-EVOL00
7.28" x 7.28"



Evolution White
PO2290-EVOL00
7.28" x 7.28"





PASSAGE

Modernista



Modernista Black
PO2287-MDRN00
7.28" x 7.28"



Modernista Blue
PO2288-MDRN00
7.28" x 7.28"



Modernista Gray
PO2289-MDRN00
7.28" x 7.28"



Modernista White
PO2290-MDRN00
7.28" x 7.28"

Product shown: Modernista Black

AKDO

PASSAGE

Revival



Revival Black
PO2287-REVI00
7.28" x 7.28"



Revival Blue
PO2288-REVI00
7.28" x 7.28"



Revival Gray
PO2289-REVI00
7.28" x 7.28"



Revival White
PO2290-REVI00
7.28" x 7.28"





Product shown: Modernista Blue



PASSAGE

TECHNICAL FEATURES

DIMENSIONS

PROFILE	FIELD	SIZE
Passage Tiles	0.368 sqft	7.28" x 7.28"

ENVIRONMENTS

WALL	FLOOR	INDOOR	WET AREA
Yes	Yes	Yes	Yes
	Use Recommendation: White_ PEI IV Heavy Commercial Gray, Blue_ PEI III Light Commercial Black_ PEI II Residential Use		

FEATURES

FROST RESISTANT	VARIATION	SEALER	DRYLAY
Yes	Low	Grout Only	Yes

TECHNICAL SPECIFICATIONS

FEATURES	SPECIFICATION	STANDARD TEST
Dimensions	186 +/- 0.6 x 186 +/-0.6 mm x 10 mm	UNE-EN ISO 10545-2:1998
Water absorption	Eb ≤ 0,5%	UNE-EN ISO 10545-3:1997
Modulus of rupture and breaking strength	Minimum 35 N/mm2 Individual Minimum 32 N/mm2	UNE-EN ISO 10545-4:2012
Crazing resistance	Pass	UNE-EN ISO 10545-11:1997
Frost resistance	Pass	UNE-EN ISO 10545-11:1997
Household products resistance	GA	UNE-EN ISO 10545-13:1998
Chemical resistance	GLA	UNE-EN ISO 10545-13:1998
Stain resistance	>3	UNE-EN ISO 10545-14:1998
DCOF	>0.42	ANSI A 137.1 - 2012

AKDO

1435 State Street
Bridgeport, CT 06605
1.800.811.2536
203.336.5199 (o)
203.336.0603 (f)

AKDO NYC

22 West 21st Street
New York, NY 10010
1.800.811.2536
212.485.0448 (o)
212.485.0449 (f)

AKDO Pacific

3445 Arden Road
Hayward, CA 94545
1.888.909.2536
510.785.2536 (o)
510.785.0895 (f)

akdo.com