

AKDO®

TRAX

Tactile. Refined. Architectural.

A textured porcelain collection with quiet depth and
contemporary sophistication.




Far Beyond the Surface




TRAX

porcelain

Ash




Trax 2" x 2" Ash (M)
PO2459-M002M0




Trax 18" x 36" Ash (M)
PO2459-1836M0

Camel



Trax 2" x 2" Camel (M)
PO2458-M002M0




Trax 18" x 36" Camel (M)
PO2458-1836M0

Product shown on cover: Trax 18" x 36" Slate (M)
Product shown: Trax 2" x 2" Camel (M)

TRAX

porcelain

Cotton




Trax 2" x 2" Cotton (M)
PO2457-M002M0



Trax 18" x 36" Cotton (M)
PO2457-1836M0

Slate



Trax 2" x 2" Slate (M)
PO2460-M002M0



Trax 18" x 36" Slate (M)
PO2460-1836M0





TRAX

porcelain

CONVERSION CHART

PROFILE	SIZE
2" x 2"	11.81" x 11.81" = .97 sqft (+/-)
18" x 36"	17.72" x 35.43" = 4.36 sqft (+/-)

APPLICATIONS

INTERIOR FLOOR	INTERIOR WALL	SHOWER FLOOR	SHOWER WALL	EXTERIOR FLOOR	EXTERIOR WALL
Yes	Yes	Yes - Including Steam Showers	Yes - Including Steam Showers	Yes - Including Freeze / Thaw	Yes - Including Freeze / Thaw
FIREPLACE SURROUND	POOL LINING / FOUNTAIN	COUNTERTOP	HEAT EXPOSURE	TRAFFIC	
Yes	Yes	Yes	Yes	Heavy Commercial	

PEI - ISO 10545-7

COLORWAY	PEI RATING
Cotton	V
Ash, Camel, Slate	IV

SHADE VARIATION

COLORWAY	VARIATION
Ash, Camel, Cotton, Slate	V2

Due to the inherent characteristics of porcelain, there may be variations in color, movement, and texture from lot to lot. For detailed installation guidelines, visit akdo.com.

DISCLAIMER: The performance of surface covering products often depends on installation, environmental, and usage factors unique to each project. AKDO is not responsible for any effects that may be caused to products due to installation, wear from use, or exposure to environmental factors including but not limited to: hard water, chemicals, heat, flame, smoke, dirt or other substances. It is your responsibility to assess the project to determine if the product you are selecting is appropriate considering the unique characteristics of your installation, and to apply appropriate, high-quality sealers when necessary. Please consult your installer for more information.

AKDO

1435 State Street
Bridgeport, CT 06605
1.800.811.2536
203.336.5199 (o)
203.404.5000 (f)

AKDO NYC

22 West 21st Street
New York, NY 10010
1.800.811.2536
212.485.0448 (o)
646.273.3903 (f)

akdo.com

10062026

