








MATERIAL				CUT TOLERANCES	FOLD TOLERANCES
COATING				<100mm: ±0.1mm	<500mm: ±0.5mm
MATERIAL	THICKNESS	COLOUR	FINISHING	100 TO <500mm: ±0.2mm	500 TO <1000mm: ±1mm
				500 TO <1000mm: ±0.3mm	>=1000mm: ±2mm
				>=1000mm: ±0.5mm	DRILL TOLERANCES
				ANGULAR TOLERANCES	<∅6mm: ±0.1mm
				±0.5°	>=∅6mm: ±0.2mm

	Nº DIAGRAM FB276A00		
	PAGE / PAGES 1 / 1		
DRAWN BY JORDI NAVARRO	6B40P000002 - TWIN RT3 (4-10kVA) MBP COMMERCIAL VIEWS		
DATE 20/12/2022			
FORMAT: A3		E: 1/2	REMARKS:



MATERIAL				CUT TOLERANCES	FOLD TOLERANCES
COATING				<100mm: 0.1mm	<500mm: 0.5mm
MATERIAL	THICKNESS	COLOUR	FINISHING	100 TO <500mm: 0.2mm	500 TO <1000mm: 1mm
				500 TO <1000mm: ± 0.3mm	>= 1000mm: ± 2mm
				>= 1000mm: ± 0.5mm	DRILL TOLERANCES
				ANGULAR TOLERANCES	<Ø 6mm: ±0.1mm
				±0.5°	>=Ø 6mm: ±0.2mm
		Nº DIAGRAM			
		FB276A00			
		PAGE / PAGES			
DRAWN BY		6B40P000002 - TWIN RT3 (4-10kVA) MBP		COMMERCIAL VIEWS	
JORDI NAVARRO					
DATE					
20/12/2022		FORMAT: A3	E: 1/2	REMARKS:	

