

PALETTA 3 (PA-31572-1MS)



Product description

265x265 mm - With integrated motion sensor



microPrim™



Luminaire Structure


- Die-cast aluminium housing and frame
- Pre-treated before powder coating ensuring high corrosion resistance
- Two cable entries for through wiring
- Stainless steel fasteners in grade 304 with zinc flake coating (ZFC)
- Durable silicone rubber gasket
- Opal UV-stabilised polycarbonate diffuser
- Integral control gear
- Optional surface mounting box for easy wiring or conduit connection when wiring from behind is not possible

Optic




G

Product colour



Special finishes upon request



PALETTA 3 (PA-31572-1MS)



Technical information

Material	Aluminium
Light source	80 LED
Power	19 W
Lumen	1677 - 1765 lm
Efficacy	88 - 93 lm/W
Driver option	Integral control gear
Driver	Constant current (CC)

Input voltage	220-240 V 50/60 Hz
Optic	G
Optic value	117°x117°
CCT / CRI	3000K CRI80, 4000K CRI80
Bug	B0-U1-G0
ULR	2%
ULOR	2%

CIE flux code n°3	94
Dimming type	On/Off, 1-10V
Product colours	Black, Dark Grey, White, Matt Silver, Bronze, Concrete - Urban, Softscape - Urban, Stone - Urban, Corten - Urban, Oak - Woodland, Walnut - Woodland, Pine - Woodland
Weight	3.0 kg
Through wiring	Two cable entries for through wiring
Lens / Reflector / Optic	Opal UV-stabilised polycarbonate diffuser
Variants (On/Off, 1-10V)	Compatible with EN/ IEC 60598-2-22: Suitable for emergency installations as central supply, non-maintained (Z0)

PA-31572-1MS



- PALETTA**
- Motion sensor - Microwave - 1-10V**
Adjustable sensor (10 seconds - 12 minutes)
120° Sensitivity
Sensor detection area: 1.2 - 4.0m
 - Motion sensor - Microwave - On/Off**
Adjustable sensor (5 seconds - 30 minutes)
120° Sensitivity
Sensor detection area: 1.0 - 8.0m

PALETTA 3 (PA-31572-1MS)**Accessory**



Surface mounting box for easy
cabling (PALETTA 3)
SCE-PALETTA-3



DALI Control System
Control-DALI



Remote controller for the motion
sensor - 1-10V (A34191)
A34391
