


**BRISBANE 3 (BRB-95021)****Product description**

Ø100 mm




optic: M

optic: W


**Luminaire Structure**

- Extruded aluminium housing with powder coating
- Reflector finishes options (Satin black, Satin gold, Matt white)
- Remote driver (included)
- CRI 95

**Optic**

M

W

**Product colour**

01 - Black (RAL 9011)


03 - White (RAL 9003)

**BRISBANE 3 (BRB-95021)**

**Technical information**

<b>Material</b>	Aluminium	<b>Input voltage</b>	220-240 V 50/60 Hz	<b>CIE flux code n°3</b>	100
<b>Light source</b>	1 COB	<b>Optic</b>	M, W	<b>Dimming type</b>	On/Off
<b>Power</b>	19 W	<b>Optic value</b>	31°, 60°	<b>Product colours</b>	Black, White
<b>Lumen</b>	1772 - 1807 lm	<b>CCT / CRI</b>	3000K CRI95, 4000K CRI95	<b>Weight</b>	2.0 kg
<b>Efficacy</b>	93 - 95 lm/W	<b>Bug</b>	B2-U0-G0	<b>Operating temperature</b>	-20 °C to 40 °C
<b>Driver option</b>	Remote driver (included)	<b>ULR</b>	<1%	Reflector finishes options	
<b>Driver</b>	Constant current (CC)	<b>ULOR</b>	<1%	(Satin black, Satin gold, Matt white)	

BRB-95021



**BRISBANE 3** (BRB-95021)**Accessory**

---



---

Reflector finish (Matt white)  
**A80024-MW**

---



---

Reflector finish (Satin black)  
**A80024-SB**

---



---

Reflector finish (Satin gold)  
**A80024-SG**

---