# GAVLE 3 (GAV-80172)

IP20

## Product description

Down - 60x90 mm - 5000 mm - Tunable White

microPrism™

## Luminaire Structure

- Extruded aluminium bended profile with powder coating
- Passive thermal management
- Stainless steel fasteners in grade 304 with zinc flake coating (ZFC)
- Opal PMMA diffuser (UGR <19) for glare control
- Integral control gear
- Steel brackets for ceiling down mounting option
- Up and down light distribution options
- Wireless control available through Bluetooth connection

## Optic

O

## Product colour

01 - Black (RAL 9011)



03 - White (RAL 9003)

05 - Matt Silver (RAL 9006)

## Special finishes upon request



SU01 - Concrete - Urban

SU02 - Softscape - Urban



SU03 - Stone - Urban

SU04 - Corten - Urban

SW01 - Oak - Woodland

SW02 - Walnut - Woodland

SW03 - Pine - Woodland

We reserve the right to make technical and design changes.

03:26, 16-03-2026

https://www.ligman.com/gavle-3-gav-80172/

**THAILAND**
LIGMAN Lighting Co.,Ltd.
17/2 Moo 4, Monthong, Bang Nam Priao,
24150 Chachoengsao - Thailand
**info@ligman.com**

GLP Good Labour Practices

# GAVLE 3 (GAV-80172)

## Technical information

| | |
|---|---|
| **Material** | Aluminium |
| **Light source** | 3840 LED |
| **Power** | 250 W |
| **Lumen** | 24807 lm |
| **Efficacy** | 99 lm/W |
| **Driver option** | Integral control gear |

| | |
|---|---|
| **Driver** | Constant current (CC) |
| **Input voltage** | 220-240 V 50/60 Hz |
| **Optic** | O |
| **Optic value** | 102° |
| **CCT / CRI** | TW (2700K - 6500K) |
| **Dimming type** | DALI |

| | |
|---|---|
| **Product colours** | Black, White, Matt Silver, Concrete - Urban, Softscape - Urban, Stone - Urban, Corten - Urban, Oak - Woodland, Walnut - Woodland, Pine - Woodland |
| **Weight** | 40.6 kg |
| **Operating temperature** | -20 °C to 40 °C |
| **Variants (DALI)** | Compatible with EN/ IEC 60598-2-22: Suitable for emergency installations as central supply, non-maintained (Z0) |

GAV-80172






**THAILAND**
LIGMAN Lighting Co.,Ltd.
17/2 Moo 4, Monthong, Bang Nam Priao,
24150 Chachoengsao - Thailand
**info@ligman.com**

GLP Good Labour Practices

# GAVLE 3 (GAV-80172)

## Accessory



Ceiling-mounting bracket (40 mm profile)
**A81381**

Wireless bluetooth converter
**A90291**

Xpress wireless switch
**A90591**

DALI Control System
**Control-DALI**



**THAILAND**
LIGMAN Lighting Co.,Ltd.
17/2 Moo 4, Monthong, Bang Nam Priao,
24150 Chachoengsao - Thailand
**info@ligman.com**

GLP Good Labour Practices