

ARDEN 2 (ARD-80104)



Product description

Down - Trimless - 320 mm - RGBW



microPrim™

Luminaire Structure

- Extruded aluminium bended profile with powder coating
- Passive thermal management
- Stainless steel fasteners in grade 304 with zinc flake coating (ZFC)
- PMMA diffuser with Opal (UGR <19) and micro prismatic (UGR <13) options for better glare control

- Integral control gear
- Stainless steel brackets and screws for mounting
- Down light distribution only
- Wireless control available through Bluetooth connection

- Daylight and occupancy sensor options
- Emergency module (1 or 3 hours) is available upon request with 3 options (BASIC, SELF-TEST, PRO-DALI)

Optic



Product colour



01 - Black (RAL 9011) 03 - White (RAL 9003) 05 - Matt Silver (RAL 9006)

Special finishes upon request



SU01 - Concrete - Urban SU02 - Softscape - Urban SU03 - Stone - Urban SU04 - Corten - Urban



SW01 - Oak - Woodland SW02 - Walnut - Woodland SW03 - Pine - Woodland

ARDEN 2 (ARD-80104)


Technical information

| | |
|----------------------|-----------------------|
| Material | Aluminium |
| Light source | 672 LED |
| Power | 34 W |
| Lumen | 635 lm |
| Efficacy | 19 lm/W |
| Driver option | Integral control gear |


| | |
|----------------------|-----------------------|
| Driver | Constant current (CC) |
| Input voltage | 220-240 V 50/60 Hz |
| Optic | O, P |
| Optic value | 108°, 93° |
| CCT / CRI | RGBW40 |
| Dimming type | Bluetooth |

| | |
|---------------------------------|---|
| Product colours | Black, White, Matt Silver, Concrete - Urban, Softscape - Urban, Stone - Urban, Corten - Urban, Oak - Woodland, Walnut - Woodland, Pine - Woodland |
| Weight | 2.3 kg |
| Operating temperature | -20 °C to 40 °C |
| Lens / Reflector / Optic | PMMA diffuser with Opal (UGR <19) and micro prismatic (UGR <13) options for better glare control |
| Variants (Bluetooth) | Compatible with EN/ IEC 60598-2-22: Suitable for emergency installations as central supply, non-maintained (Z0) |


ARD-80104




ARDEN 2 (ARD-80104)**Accessory**



Decorative pattern - Type A for
ARDEN 300 mm
A91421



Decorative pattern - Type B for
ARDEN 300 mm
A92821



Decorative pattern - Type C for
ARDEN for ARDEN 300 mm
A94221



Xpress wireless switch
A90591



DALI Control System
Control-DALI
