



BRISBANE 7 (BRB-80003)**Product description**

Ø100 mm

**Luminaire Structure**

- Extruded aluminium housing with powder coating
- Reflector finishes options (Satin black, Satin gold, Matt white)
- Thin 1.3mm white polycarbonate trim
- Remote driver (included)
- CRI 95

Optic**Product colour**

BRISBANE 7 (BRB-80003)


Technical information

Material	Aluminium
Light source	1 COB
Power	19 W
Lumen	1772 - 1807 lm
Efficacy	93 - 95 lm/W
Driver option	Remote driver (included)
Driver	Constant current (CC)

Input voltage	220-240 V 50/60 Hz
Optic	M, W
Optic value	31°, 60°
CCT / CRI	3000K CRI95, 4000K CRI95
Bug	B2-U0-G0
ULR	<1%
ULOR	<1%

CIE flux code n°3	100
Dimming type	On/Off
Product colours	Black, White
Weight	1.7 kg
Operating temperature	-20 °C to 40 °C
Lens / Reflector / Optic	Reflector finishes options (Satin black, Satin gold, Matt white), Thin 1.3mm white polycarbonate trim

BRB-80003



BRISBANE 7 (BRB-80003)**Accessory**



Reflector finish (Matt white)
A80024-MW



Reflector finish (Satin black)
A80024-SB



Reflector finish (Satin gold)
A80024-SG
