

**BRISBANE 9 (BRB-80011)****Product description**

Ø66 mm

**Luminaire Structure**

- Die-cast aluminium housing with powder coating
- Thin 1.3mm white polycarbonate trim
- Remote driver (included)
- Reflector finishes options (Satin black, Satin gold, Matt white)
- CRI 95

**Optic****Product colour**

**BRISBANE 9 (BRB-80011)**


**Technical information**

<b>Material</b>	Aluminium
<b>Light source</b>	1 COB
<b>Power</b>	10 W
<b>Lumen</b>	985 - 1014 lm
<b>Efficacy</b>	99 - 101 lm/W
<b>Driver option</b>	Remote driver (included)

<b>Driver</b>	Constant current (CC)
<b>Input voltage</b>	220-240 V 50/60 Hz
<b>Optic</b>	N, M, W
<b>Optic value</b>	24°, 35°, 50°
<b>CCT / CRI</b>	3000K CRI95, 4000K CRI95
<b>Dimming type</b>	On/Off, 1-10V, DALI

<b>Product colours</b>	Black, White
<b>Weight</b>	0.4 kg
<b>Operating temperature</b>	-20 °C to 40 °C
<b>Lens / Reflector / Optic</b>	Reflector finishes options (Satin black, Satin gold, Matt white), Thin 1.3mm white polycarbonate trim

BRB-80011



**BRISBANE 9** (BRB-80011)**Accessory**

Reflector finish (Matt white)  
**A80022-MW**



Reflector finish (Satin black)  
**A80022-SB**



Reflector finish (Satin gold)  
**A80022-SG**



DALI Control System  
**Control-DALI**