



BRISBANE 9 (BRB-80011)**Product description**

Ø66 mm

**Luminaire Structure**

- Die-cast aluminium housing with powder coating
- Thin 1.3mm white polycarbonate trim
- Remote driver (included)
- Reflector finishes options (Satin black, Satin gold, Matt white)
- CRI 95

Optic**Product colour**

BRISBANE 9 (BRB-80011)


Technical information

Material	Aluminium
Light source	1 COB
Power	10 W
Lumen	985 - 1014 lm
Efficacy	99 - 101 lm/W
Driver option	Remote driver (included)

Driver	Constant current (CC)
Input voltage	220-240 V 50/60 Hz
Optic	N, M, W
Optic value	24°, 35°, 50°
CCT / CRI	3000K CRI95, 4000K CRI95
Dimming type	On/Off, 1-10V, DALI

Product colours	Black, White
Weight	0.4 kg
Operating temperature	-20 °C to 40 °C
Lens / Reflector / Optic	Reflector finishes options (Satin black, Satin gold, Matt white), Thin 1.3mm white polycarbonate trim

BRB-80011




BRISBANE 9 (BRB-80011)**Accessory**



Reflector finish (Matt white)
A80022-MW



Reflector finish (Satin black)
A80022-SB



Reflector finish (Satin gold)
A80022-SG



DALI Control System
Control-DALI