

BRISBANE 13 (BRB-80051)**Product description**


Ø150 mm

**Luminaire Structure**

- Die-cast aluminium housing with powder coating
- Reflector finishes options (Satin black, Satin gold, Matt white)
- Thin 1.3mm white polycarbonate trim
- Remote driver (included)
- CRI 95

Optic

W

Product colour

01 - Black (RAL 9011) 03 - White (RAL 9003)


BRISBANE 13 (BRB-80051)

Technical information

Material	Aluminium
Light source	1 COB
Power	43 W
Lumen	3954 - 4033 lm
Efficacy	92 - 94 lm/W
Driver option	Remote driver (included)

Driver	Constant current (CC)
Input voltage	220-240 V 50/60 Hz
Optic	W
Optic value	55°
CCT / CRI	3000K CRI95, 4000K CRI95
Dimming type	On/Off, DALI

Product colours	Black, White
Weight	1.4 kg
Operating temperature	-20 °C to 40 °C
Lens / Reflector / Optic	Reflector finishes options (Satin black, Satin gold, Matt white), Thin 1.3mm white polycarbonate trim



BRISBANE 13 (BRB-80051)


Accessory



Reflector finish (Matt white)
A80026-MW



Reflector finish (Satin black)
A80026-SB



Reflector finish (Satin gold)
A80026-SG



DALI Control System
Control-DALI