

# Test Report

No.: GZHL1712056800CE

Date: Jan 26, 2018

Page 1 of 28

HYPRO INDUSTRIAL CO., LTD  
3RD FLOOR, TONGFU SCIENCE & TECHNOLOGY PARK, SIHUAN RD., XIABIAN VILLAGE,  
HOUIE TOWN, DONGGUAN CITY, GUANGDONG PROVINCE

The following sample(s) was/were submitted and identified on behalf of the client as:

Sample Description : POWERSLIDE STANDARD PROTECTION  
Style / Item No. : HP-PS17  
Range : C  
Level : 1  
Buyer : POWERSLIDE SPORTARTIKELVERTRIEBS GMBH  
Manufacturer : HYPRO INDUSTRIAL CO., LTD  
Country of Origin : CHINA  
Country of Destination : EUROPE, US  
Test Performed : EN 14120:2003+A1:2007,  
Analysis of Azo Dye,  
To Determine the pH Value,  
Color Fastness to Perspiration  
Sample Receiving Date : Dec 15, 2017  
Test Performing Date : Dec 15, 2017 to Jan 26, 2018  
Test Result(s) : For further details, please refer to the following page(s)

Signed for and on behalf of  
Guangzhou Branch,  
SGS-CSTC Ltd.

Lell Wu  
Approved Signatory



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

**I. Test Conducted:** Based on **EN 14120:2003+A1:2007** Protective clothing –Wrist, palm, knee and elbow protectors for user of roller sports equipment – requirements and test methods.

**Test Results:**

Clause	Test Method/Requirement	Result
<b>4</b>	<b>Performance levels</b>	
<b>4.1</b>	Level 1: Protectors intended to be suitable for normal roller sports.	---
<b>4.2</b>	Level 2: Protectors intended to be suitable for use in acrobatic roller sports.	
<b>5</b>	<b>Requirements</b>	
<b>5.1</b>	General performance requirements shall be based on 3 weight ranges as follows: a) range A : Users of up to 25 kg body weight ; b) range B : Users of body weight between 25 kg and 50 kg ; c) range C : Users of body weight above 50 kg. Combined protectors such as wrist protectors shall meet the requirements for each protector.	---
<b>5.2</b>	<b>Ergonomics</b> Protectors shall be so designed and manufactured that in the foreseeable conditions of use for which they are intended the user can perform the roller sports normally and unhindered whilst enjoying protection at the specified limit.	Pass
<b>5.3</b>	<b>Innocuousness</b> Protectors shall be safe to use and fit for their purpose. They shall be designed and manufactured to provide protection when used according to the manufacturer's instructions, without endangering the user or others.	Pass
	There shall not be hard or sharp edges, seams, buckles or other items on the surfaces of the products that could harm the user or others during normal use. Examination shall be made according to 6.3.	Pass
	Construction materials and incorporated substances shall not harm those coming into contact with them.	Pass
	The manufacturer shall list in the information supplied with the protectors the main composition of the protectors and shall label any protector containing substances or preparations generally known to be hazardous. Information about determining the chemical innocuousness of protectors is given in annex A.	Pass
<b>5.4</b>	<b>Sizing</b> Protectors shall be marked with a size. The size shall be designated by the range of body of the intended users, see 5.1.	Pass



<p><b>5.5</b></p>	<p><b>Restraint</b> Protectors shall not be easily displaced from the areas they are designed to protect during normal movements and when subjected to impacts. When subjected to impacts. When tested in accordance with 6.4 the central point of a protector shall not move more than the appropriate value in Table 1.</p> <p>Table 1: Maximum movement of protectors during testing.</p> <table border="1"> <thead> <tr> <th rowspan="2">Kind of protectors</th> <th colspan="3">Maximum movement (mm)</th> </tr> <tr> <th>A</th> <th>B</th> <th>C</th> </tr> </thead> <tbody> <tr> <td>Elbow protectors</td> <td>20</td> <td>40</td> <td>50</td> </tr> <tr> <td>Knee protectors</td> <td>30</td> <td>50</td> <td>60</td> </tr> <tr> <td>Wrist protectors</td> <td>20</td> <td>20</td> <td>20</td> </tr> <tr> <td>Palm protectors</td> <td>20</td> <td>20</td> <td>20</td> </tr> </tbody> </table>	Kind of protectors	Maximum movement (mm)			A	B	C	Elbow protectors	20	40	50	Knee protectors	30	50	60	Wrist protectors	20	20	20	Palm protectors	20	20	20	<p>Pass See annex 1</p>																	
Kind of protectors	Maximum movement (mm)																																									
	A	B	C																																							
Elbow protectors	20	40	50																																							
Knee protectors	30	50	60																																							
Wrist protectors	20	20	20																																							
Palm protectors	20	20	20																																							
<p><b>5.6</b></p>	<p><b>Abrasion resistance</b> When tested in accordance with 6.5 the abrasion resistant layer of the protector shall not be perforated.</p>	<p>Pass See annex 4</p>																																								
<p><b>5.7</b></p>	<p><b>Impact strength</b> When tested in accordance with 6.6 the abrasion resistant layer of the knee, elbow, wrist or palm protector shall not break or split.</p> <p style="text-align: right;">Unit: J</p> <table border="1"> <thead> <tr> <th rowspan="3">Kind of protectors</th> <th colspan="3">Level 1</th> <th colspan="3">Level 2</th> </tr> <tr> <th colspan="6">Range of body mass</th> </tr> <tr> <th>A</th> <th>B</th> <th>C</th> <th>A</th> <th>B</th> <th>C</th> </tr> </thead> <tbody> <tr> <td>Knee protectors</td> <td>25±2</td> <td>45±2</td> <td>65±2</td> <td>30±2</td> <td>50±2</td> <td>70±2</td> </tr> <tr> <td>Elbow protectors</td> <td>20±2</td> <td>40±2</td> <td>60±2</td> <td>20±2</td> <td>40±2</td> <td>60±2</td> </tr> <tr> <td>Wrist and Palm protectors</td> <td>30±2</td> <td>40±2</td> <td>50±2</td> <td>30±2</td> <td>40±2</td> <td>50±2</td> </tr> </tbody> </table>	Kind of protectors	Level 1			Level 2			Range of body mass						A	B	C	A	B	C	Knee protectors	25±2	45±2	65±2	30±2	50±2	70±2	Elbow protectors	20±2	40±2	60±2	20±2	40±2	60±2	Wrist and Palm protectors	30±2	40±2	50±2	30±2	40±2	50±2	<p>Pass See annex 5</p>
Kind of protectors	Level 1			Level 2																																						
	Range of body mass																																									
	A	B	C	A	B	C																																				
Knee protectors	25±2	45±2	65±2	30±2	50±2	70±2																																				
Elbow protectors	20±2	40±2	60±2	20±2	40±2	60±2																																				
Wrist and Palm protectors	30±2	40±2	50±2	30±2	40±2	50±2																																				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

5.8	<b>Impact performance for knee, palm and elbow protectors</b>							Pass See annex 6	
	A protector complies with this standard if the mean value of the peak force does not exceed the value in Table 2 when tested in accordance with 6.7.								
	Kind of protector	Protectors level 1							Maximum peak force kN
		Range of body mass							
		A		B		C			
		r	e	r	e	r	e		
		mm	J	mm	J	mm	J		
	Knee protectors	25	3	35	8	50	12		6
	Elbow protectors	12.5	1	17.5	4	25	6		4
	Palm protectors	100	3	100	4	100	5		3
Kind of protector	Protectors level 2						Maximum peak force kN		
	Range of body mass								
	A		B		C				
	r	e	r	e	r	e			
	mm	J	mm	J	mm	J			
Knee protectors	25	15	35	20	50	25	6		
Elbow protectors	12.5	7.5	17.5	10	25	15	4		
Palm protectors	100	6	100	8	100	10	3		
r is the radius of curvature of the anvil e is the impact energy									
5.9	<b>Specific requirements for wrist protectors</b>								
5.9.1	<b>Adjustment</b> The restraint system shall be continuously adjustable. Testing in accordance with 6.1						Pass		
5.9.2	<b>Stiffness</b> Wrist protectors shall be sufficiently stiff that when tested according to 6.8 the extension of the artificial wrist joint is between $\sphericalangle A1 \sphericalangle 35^\circ \sphericalangle A1$ and $55^\circ$ . NOTE Extension of the wrist joint is the bending of the hand backwards from a position in a straight line with the forearm. Unit: N-m						Pass See annex 3		
			Range						
			A	B	C				
	Moment of force		2	3	3				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



<b>5.9.3</b>	<b>Dimensions of stiffness elements</b>			Pass See annex 2
	Wrist protectors shall have stiffening elements that exceed the dimensions in table 3. The reference point for measurements shall be the plane of the wrist of an appropriate size of subject, who has put on the protector. The position of the plane of the wrist of the subject shall be determined according to EN 1082-1			
	Unit: mm			
	Location of stiffness elements	Range of body mass		
		A	B	
	Length from the wrist up to the arm	30	40	50
	Length from the wrist towards the finger tip	40	50	60
	Width in the palmer region	15	20	25

<b>7</b>	<b>Marking</b>	
	Protectors shall be durably and clearly marked with the following:	---
	a. name of trademark of the manufacturer or his authorized representative within the European Union;	Pass
	b. designation of the protector, commercial name of that uniquely identifies the protector;	Pass
	c. size of the protector (see also 5.4)	Pass
	d. name of this standard and the performance level;	Pass
	e. clear indication whether the protector is for left or right fitting, if appropriate;	Pass
	f. international care label symbols;	Pass
	g. year of manufacture (date or code);	Pass
h. the following pictogram, instructing the user to see the information supplied by the manufacture.	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

<b>8</b>	<b>Information supplied by the manufacturer</b>	
	Protectors shall be supplied with information and instructions for fitting and use to promote their safe and effective use. The information shall be precise and comprehensible and in the official languages of the country or region in which the equipment is to be placed on the market. At least the following information and instructions shall be given:	---
	a. all the information specified in clause 7;	Pass
	b. full address of the manufacturer or importer	Pass
	c. instructions on how to select protectors of the correct performance level and explanation of the performance level of the protectors specified in this standard;	Pass
	d. instructions on how to choose the correct size of protector and check its fit;	Pass
	e. details of the size of protectors and the body dimensions to which they relate;	Pass
	f. instructions on how to adjust the protectors;	Pass
	g. warning about any changes in environmental conditions, such as temperature, that would significantly reduce the performance of the protector;	Pass
	h. warning that no protector can offer full protection against injuries;	Pass
	i. warning about any contamination, alteration to the protector, or misuse that would dangerously reduce the performance of the protector;	Pass
	j. list of the substances in the main components of the protector;	Pass
	k. instructions for caring for and cleaning the protector;	Pass
l. instructions concerning the expected service life of the protector, inspections to carry out, repairs that may be made, and advice on when discard the protector because it might no longer perform adequately.	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Model: HP-PS17

Range: C

Level: 1

Size: S

### Annex 1: Restraint test result

Test Specification: EN 14120:2003+A1:2007-6.4

Ambient temperature at time of test: 22 °C

Style	Sample No.	Movement for upwards (mm)	Movement for downwards (mm)	Maximum movement requirement (mm)	Result
Knee	6	21	32	Range A: 30mm Range B: 50mm Range C: 60mm	Pass
		19	35		
		19	38		
Elbow	6	20	26	Range A: 20mm Range B: 40mm Range C: 50mm	Pass
		16	28		
		18	28		
Palm & Wrist	6	5	8	Range A: 20mm Range B: 20mm Range C: 20mm	Pass
		6	6		
		6	8		

### Annex 2: Dimensions of stiffness elements test result

Test Specification: EN 14120:2003+A1:2007-5.9.3

Ambient temperature at time of test: 22 °C

Style	Sample No.	Location of stiffness elements	Dimensions (mm)	Result
Wrist protector	7	Length from the wrist up to the arm	71	Pass
		Length from the wrist towards the finger tip	64	
		Width in the palmer region	29	

### Annex 3: Stiffness test result

Test Specification: EN 14120:2003+A1:2007-5.9.3

Ambient temperature at time of test: 22 °C

Style	Sample No.	Degree of angle (°)	Result
Wrist protector	7	44°	Pass

### Annex 4: Abrasion resistance test result

Test Specification: EN 14120:2003+A1:2007-6.5.2

Ambient temperature at time of test: 22 °C

Style	Sample No.	Test result description	Result
Knee protector	6	Not Perforated	Pass
	7	Not Perforated	
Elbow protector	6	Not Perforated	Pass
	7	Not Perforated	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Palm & Wrist protector	6	Not Perforated	Pass
	7	Not Perforated	

**Annex 5: Impact strength test result**

Test Specification: EN 14120:2003+A1:2007-6.6

Ambient temperature at time of test: 22 °C

Style	Sample No.	Test result description	Result
Knee	4	Not break or split	Pass
	5	Not break or split	
Elbow	4	Not break or split	Pass
	5	Not break or split	
Palm and wrist	4	Not break or split	Pass
	5	Not break or split	

**Annex 6: Impact performance test result**

Test Specification: EN 14120:2003+A1:2007-6.7

Ambient temperature at time of test: 22 °C

Style	Sample No.	Impact site	Peak force (kN)	Average (kN)	Requirement	Result
					Max. peak force (kN)	
Knee protector	1	1	2.21	2.42	6	Pass
		2	2.13			
	2	3	1.89			
		4	3.32			
	3	5	1.66			
		6	3.32			
Elbow protector	1	1	1.84	2.03	4	Pass
		2	0.51			
	2	3	1.24			
		4	3.79			
	3	5	0.95			
		6	3.85			
Palm protector	1	1	2.37	2.38	3	Pass
		2	2.13			
	2	3	2.34			
		4	2.61			
	3	5	2.60			
		6	2.25			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



Model: HP-PS17

Range: C

Level: 1

Size: M

### Annex 1: Restraint test result

Test Specification: EN 14120:2003+A1:2007-6.4

Ambient temperature at time of test: 22 °C

Style	Sample No.	Movement for upwards (mm)	Movement for downwards (mm)	Maximum movement requirement (mm)	Result
Knee	6	23	35	Range A: 30mm Range B: 50mm Range C: 60mm	Pass
		20	36		
		22	36		
Elbow	6	18	29	Range A: 20mm Range B: 40mm Range C: 50mm	Pass
		18	31		
		17	30		
Palm & Wrist	6	6	8	Range A: 20mm Range B: 20mm Range C: 20mm	Pass
		4	8		
		6	7		

### Annex 2: Dimensions of stiffness elements test result

Test Specification: EN 14120:2003+A1:2007-5.9.3

Ambient temperature at time of test: 22 °C

Style	Sample No.	Location of stiffness elements	Dimensions (mm)	Result
Wrist protector	7	Length from the wrist up to the arm	70	Pass
		Length from the wrist towards the finger tip	65	
		Width in the palmer region	28	

### Annex 3: Stiffness test result

Test Specification: EN 14120:2003+A1:2007-5.9.3

Ambient temperature at time of test: 22 °C

Style	Sample No.	Degree of angle (°)	Result
Wrist protector	7	46°	Pass

### Annex 4: Abrasion resistance test result

Test Specification: EN 14120:2003+A1:2007-6.5.2

Ambient temperature at time of test: 22 °C

Style	Sample No.	Test result description	Result
Knee protector	6	Not Perforated	Pass
	7	Not Perforated	
Elbow protector	6	Not Perforated	Pass
	7	Not Perforated	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Palm & Wrist protector	6	Not Perforated	Pass
	7	Not Perforated	

### Annex 5: Impact strength test result

Test Specification: EN 14120:2003+A1:2007-6.6

Ambient temperature at time of test: 22 °C

Style	Sample No.	Test result description	Result
Knee	4	Not break or split	Pass
	5	Not break or split	
Elbow	4	Not break or split	Pass
	5	Not break or split	
Palm and wrist	4	Not break or split	Pass
	5	Not break or split	

### Annex 6: Impact performance test result

Test Specification: EN 14120:2003+A1:2007-6.7

Ambient temperature at time of test: 22 °C

Style	Sample No.	Impact site	Peak force (kN)	Average (kN)	Requirement	Result
					Max. peak force (kN)	
Knee protector	1	1	1.88	2.34	6	Pass
		2	2.20			
	2	3	1.76			
		4	3.08			
	3	5	1.45			
		6	3.68			
Elbow protector	1	1	2.02	2.20	4	Pass
		2	0.66			
	2	3	1.48			
		4	4.21			
	3	5	1.01			
		6	3.79			
Palm protector	1	1	2.05	2.47	3	Pass
		2	2.19			
	2	3	2.50			
		4	2.88			
	3	5	2.42			
		6	2.80			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Model: HP-PS17

Range: C

Level: 1

Size: L

### Annex 1: Restraint test result

Test Specification: EN 14120:2003+A1:2007-6.4

Ambient temperature at time of test: 22 °C

Style	Sample No.	Movement for upwards (mm)	Movement for downwards (mm)	Maximum movement requirement (mm)	Result
Knee	6	22	36	Range A: 30mm Range B: 50mm Range C: 60mm	Pass
		23	38		
		20	40		
Elbow	6	19	31	Range A: 20mm Range B: 40mm Range C: 50mm	Pass
		20	30		
		19	29		
Palm & Wrist	6	6	9	Range A: 20mm Range B: 20mm Range C: 20mm	Pass
		5	7		
		5	7		

### Annex 2: Dimensions of stiffness elements test result

Test Specification: EN 14120:2003+A1:2007-5.9.3

Ambient temperature at time of test: 22 °C

Style	Sample No.	Location of stiffness elements	Dimensions (mm)	Result
Wrist protector	7	Length from the wrist up to the arm	70	Pass
		Length from the wrist towards the finger tip	66	
		Width in the palmer region	30	

### Annex 3: Stiffness test result

Test Specification: EN 14120:2003+A1:2007-5.9.3

Ambient temperature at time of test: 22 °C

Style	Sample No.	Degree of angle (°)	Result
Wrist protector	7	46°	Pass

### Annex 4: Abrasion resistance test result

Test Specification: EN 14120:2003+A1:2007-6.5.2

Ambient temperature at time of test: 22 °C

Style	Sample No.	Test result description	Result
Knee protector	6	Not Perforated	Pass
	7	Not Perforated	
Elbow protector	6	Not Perforated	Pass
	7	Not Perforated	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Palm & Wrist protector	6	Not Perforated	Pass
	7	Not Perforated	

### Annex 5: Impact strength test result

Test Specification: EN 14120:2003+A1:2007-6.6

Ambient temperature at time of test: 22 °C

Style	Sample No.	Test result description	Result
Knee	4	Not break or split	Pass
	5	Not break or split	
Elbow	4	Not break or split	Pass
	5	Not break or split	
Palm and wrist	4	Not break or split	Pass
	5	Not break or split	

### Annex 6: Impact performance test result

Test Specification: EN 14120:2003+A1:2007-6.7

Ambient temperature at time of test: 22 °C

Style	Sample No.	Impact site	Peak force (kN)	Average (kN)	Requirement	Result
					Max. peak force (kN)	
Knee protector	1	1	1.89	2.47	6	Pass
		2	2.25			
	2	3	1.95			
		4	3.69			
	3	5	1.58			
		6	3.46			
Elbow protector	1	1	1.80	2.19	4	Pass
		2	1.02			
	2	3	1.69			
		4	3.99			
	3	5	0.96			
		6	3.70			
Palm protector	1	1	2.16	2.45	3	Pass
		2	2.52			
	2	3	2.38			
		4	2.89			
	3	5	2.30			
		6	2.47			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



Model: HP-PS17

Range: C

Level: 1

Size: XL

### Annex 1: Restraint test result

Test Specification: EN 14120:2003+A1:2007-6.4

Ambient temperature at time of test: 22 °C

Style	Sample No.	Movement for upwards (mm)	Movement for downwards (mm)	Maximum movement requirement (mm)	Result
Knee	6	22	39	Range A: 30mm Range B: 50mm Range C: 60mm	Pass
		23	40		
		22	38		
Elbow	6	20	29	Range A: 20mm Range B: 40mm Range C: 50mm	Pass
		22	33		
		20	30		
Palm & Wrist	6	6	8	Range A: 20mm Range B: 20mm Range C: 20mm	Pass
		4	8		
		5	7		

### Annex 2: Dimensions of stiffness elements test result

Test Specification: EN 14120:2003+A1:2007-5.9.3

Ambient temperature at time of test: 22 °C

Style	Sample No.	Location of stiffness elements	Dimensions (mm)	Result
Wrist protector	7	Length from the wrist up to the arm	72	Pass
		Length from the wrist towards the finger tip	65	
		Width in the palmer region	29	

### Annex 3: Stiffness test result

Test Specification: EN 14120:2003+A1:2007-5.9.3

Ambient temperature at time of test: 22 °C

Style	Sample No.	Degree of angle (°)	Result
Wrist protector	7	48°	Pass

### Annex 4: Abrasion resistance test result

Test Specification: EN 14120:2003+A1:2007-6.5.2

Ambient temperature at time of test: 22 °C

Style	Sample No.	Test result description	Result
Knee protector	6	Not Perforated	Pass
	7	Not Perforated	
Elbow protector	6	Not Perforated	Pass
	7	Not Perforated	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Palm & Wrist protector	6	Not Perforated	Pass
	7	Not Perforated	

**Annex 5: Impact strength test result**

Test Specification: EN 14120:2003+A1:2007-6.6

Ambient temperature at time of test: 22 °C

Style	Sample No.	Test result description	Result
Knee	4	Not break or split	Pass
	5	Not break or split	
Elbow	4	Not break or split	Pass
	5	Not break or split	
Palm and wrist	4	Not break or split	Pass
	5	Not break or split	

**Annex 6: Impact performance test result**

Test Specification: EN 14120:2003+A1:2007-6.7

Ambient temperature at time of test: 22 °C

Style	Sample No.	Impact site	Peak force (kN)	Average (kN)	Requirement	Result
					Max. peak force (kN)	
Knee protector	1	1	1.66	2.01	6	Pass
		2	1.90			
		3	1.24			
	2	4	2.61			
		5	1.45			
		6	3.20			
Elbow protector	1	1	1.24	2.18	4	Pass
		2	0.48			
	2	3	1.71			
		4	4.03			
	3	5	1.22			
		6	4.39			
Palm protector	1	1	2.11	2.36	3	Pass
		2	2.46			
	2	3	1.98			
		4	2.59			
	3	5	2.22			
		6	2.78			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

### II. Analysis of AZO Dye and to Determine the PH Value in the submitted sample.

SGS Ref No.: CAN18-006552

Test Requested	Result
To determine the pH Value in the submitted sample(s).	See Results
Determination of Azodyes in the submitted sample(s) with reference to the Entry 43 of Commission Regulation (EC) No 552/2009 amending Annex XVII of REACH Regulation (EC) No 1907/2006 (previously restricted under Directive 2002/61/EC).	PASS

Test Results :

Test Part Description :

Specimen No.	SGS Sample ID	Description
SN1	CAN18-006552.001	Black fabric webbing
SN2	CAN18-006552.002	Black elastic band
SN3	CAN18-006552.003	Grey elastic band
SN4	CAN18-006552.004	Black fabric
SN5	CAN18-006552.005	Black mesh sheet
SN6	CAN18-006552.006	Black elastic band

Remarks :

- (1) 1 mg/kg = 1 ppm = 0.0001%
- (2) MDL = Method Detection Limit
- (3) ND = Not Detected ( < MDL )
- (4) "-" = Not Regulated

### pH value

Test Method : With reference to ISO 3071:2005, analysis was performed by pH meter.

<u>Test Item(s)</u>	<u>001</u>	<u>002</u>	<u>003</u>
pH value	6.0	6.1	6.2

<u>Test Item(s)</u>	<u>004</u>	<u>005</u>	<u>006</u>
pH value	6.4	6.4	6.5



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

### Azo Dyes

Test Method : With reference to EN 14362-1 :2012 - Analysis was conducted with GC-MS/HPLC-DAD.

Test Item(s)	CAS NO.	Limit	Unit	MDL	001	002	003
4-Aminobiphenyl	92-67-1	30	mg/kg	5	ND	ND	ND
Benzidine	92-87-5	30	mg/kg	5	ND	ND	ND
4-chloro-o-toluidine	95-69-2	30	mg/kg	5	ND	ND	ND
2-naphthylamine	91-59-8	30	mg/kg	5	ND	ND	ND
o-aminoazotoluene	97-56-3	30	mg/kg	5	ND	ND	ND
5-nitro-o-toluidine / 2-Amino-4-nitrotoluene	99-55-8	30	mg/kg	5	ND	ND	ND
4-chloroaniline	106-47-8	30	mg/kg	5	ND	ND	ND
4-methoxy-m-phenylenediamine / 2,4-Diaminoanisole	615-05-4	30	mg/kg	5	ND	ND	ND
4,4'-diaminodiphenylmethane	101-77-9	30	mg/kg	5	12	ND	ND
3,3'-dichlorobenzidine	91-94-1	30	mg/kg	5	ND	ND	ND
3,3'-dimethoxybenzidine	119-90-4	30	mg/kg	5	ND	ND	ND
3,3'-dimethylbenzidine	119-93-7	30	mg/kg	5	ND	ND	ND
3,3'-Dimethyl-4,4'-diaminodiphe nylmethane / 4,4'-methylenedi-o-toluidine	838-88-0	30	mg/kg	5	ND	ND	ND
p-cresidine	120-71-8	30	mg/kg	5	ND	ND	ND
4,4'-methylene-bis- (2-chloroaniline)	101-14-4	30	mg/kg	5	ND	ND	ND
4,4'-oxydianiline	101-80-4	30	mg/kg	5	ND	ND	ND
4,4'-thiodianiline	139-65-1	30	mg/kg	5	ND	ND	ND
o-toluidine	95-53-4	30	mg/kg	5	ND	ND	ND
4-methyl-m-phenylenediamine / 2,4-Toluylendiamine	95-80-7	30	mg/kg	5	ND	ND	ND
2,4,5-trimethylaniline	137-17-7	30	mg/kg	5	ND	ND	ND
4-aminoazobenzene	60-09-3	30	mg/kg	5	ND	ND	ND
O-Anisidine	90-04-0	30	mg/kg	5	ND	ND	ND
<b>Comment</b>					<b>PASS</b>	<b>PASS</b>	<b>PASS</b>

Test Item(s)	CAS NO.	Limit	Unit	MDL	004	005	006
4-Aminobiphenyl	92-67-1	30	mg/kg	5	ND	ND	ND
Benzidine	92-87-5	30	mg/kg	5	ND	ND	ND
4-chloro-o-toluidine	95-69-2	30	mg/kg	5	ND	ND	ND
2-naphthylamine	91-59-8	30	mg/kg	5	ND	ND	ND
o-aminoazotoluene	97-56-3	30	mg/kg	5	ND	ND	ND
5-nitro-o-toluidine / 2-Amino-4-nitrotoluene	99-55-8	30	mg/kg	5	ND	ND	ND
4-chloroaniline	106-47-8	30	mg/kg	5	ND	ND	ND
4-methoxy-m-phenylenediamine	615-05-4	30	mg/kg	5	ND	ND	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)



/ 2,4-Diaminoanisole								
4,4'-diaminodiphenylmethane	101-77-9	30	mg/kg	5	ND	ND	ND	
3,3'-dichlorobenzidine	91-94-1	30	mg/kg	5	ND	ND	ND	
3,3'-dimethoxybenzidine	119-90-4	30	mg/kg	5	ND	ND	ND	
3,3'-dimethylbenzidine	119-93-7	30	mg/kg	5	ND	ND	ND	
3,3'-Dimethyl-4,4'-diaminodiphenylmethane /	838-88-0	30	mg/kg	5	ND	ND	ND	
4,4'-methylenedi-o-toluidine								
p-cresidine	120-71-8	30	mg/kg	5	ND	ND	ND	
4,4'-methylene-bis-(2-chloroaniline)	101-14-4	30	mg/kg	5	ND	ND	ND	
4,4'-oxydianiline	101-80-4	30	mg/kg	5	ND	ND	ND	
4,4'-thiodianiline	139-65-1	30	mg/kg	5	ND	ND	ND	
o-toluidine	95-53-4	30	mg/kg	5	ND	ND	ND	
4-methyl-m-phenylenediamine /	95-80-7	30	mg/kg	5	ND	ND	ND	
2,4-Toluylendiamine								
2,4,5-trimethylaniline	137-17-7	30	mg/kg	5	ND	ND	ND	
4-aminoazobenzene	60-09-3	30	mg/kg	5	ND	ND	ND	
O-Anisidine	90-04-0	30	mg/kg	5	ND	ND	ND	
<b>Comment</b>					<b>PASS</b>	<b>PASS</b>	<b>PASS</b>	

Notes :

- (1) Test specimen was taken randomly from the sample submitted by client/applicant.
- (2) Whenever 4-aminodiphenyl (CAS number 92-67-1), 2-naphylamine (CAS number 91-59-8) and 4-methoxy-m-phenylene-diamine (CAS number 615-05-4) is found, the use of banned azo colorants cannot be reliably ascertained without additional information, e.g. the chemical structure of the colorants used.
- (3) In case polyurethane materials are used, e.g. PU foams and coatings and in prints, it cannot be ruled out that certain amines, e.g. 4,4'-methylene-dianiline (MDA, CAS number 101-77-9) and 2,4-toluylen-diamine (TDA, CAS number 95-80-7) are released from the PU component and not from a banned azo colorant.
- (4) In case of pigment prints care has to be taken that 4,4'-methylene-dianiline (MDA, CAS number 101-77-9) is not released from a source of banned azo colorants but from e.g. a chemical fixing agent.

Requirement :  $\leq 30$  mg/kg for each of aromatic amine according to Requirement of Entry 43 of Regulation (EC) No. 552/2009 amending Annex XVII of REACH Regulation (EC) No. 1907/2006 (previously restricted under Directive 2002/61/EC).



Sample photo:



Product Photo



Product Photo





Product Photo



Product Photo



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)





Product Photo



Product Photo



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



### III. Colour Fastness to Perspiration.

1. SGS Ref. No.: SL918091904727TX

Six samples of items marked as (A)1#black strap (B)2#black elastic strap (C)3#grey elastic strap (D)4#black fabric (F)6#black elastic fabric

#### Test Result:

#### Colour Fastness To Perspiration

(ISO 105-E04:2013 test specimen in vertical position.)

#### Acid

	(A)	(B)	(C)
Change in shade	4-5	4-5	4-5
Staining on multi-fiber stripe			
Acetate	4-5	4-5	4-5
Cotton	4-5	4-5	4-5
Nylon	4-5	4-5	4-5
Polyester	4-5	4-5	4-5
Acrylic	4-5	4-5	4-5
Wool	4-5	4-5	4-5

	(D)	(F)
Change in shade	4-5	4-5
Staining on multi-fiber stripe		
Acetate	4-5	4-5
Cotton	4-5	4-5
Nylon	4-5	4-5
Polyester	4-5	4-5
Acrylic	4-5	4-5
Wool	4-5	4-5

#### Alkaline

	(A)	(B)	(C)
Change in shade	4-5	4-5	4-5
Staining on multi-fiber stripe			
Acetate	4-5	4-5	4-5
Cotton	4-5	4-5	4-5
Nylon	4-5	4-5	4-5
Polyester	4-5	4-5	4-5
Acrylic	4-5	4-5	4-5
Wool	4-5	4-5	4-5

	(D)	(F)
Change in shade	4-5	4-5
Staining on multi-fiber stripe		
Acetate	4-5	4-5
Cotton	4-5	4-5
Nylon	4-5	4-5
Polyester	4-5	4-5




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Acrylic	4-5	4-5
Wool	4-5	4-5

Remark: Grey Scale rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good

**Sample Photo**



2. SGS Ref. No.: SL918091912169TX  
One sample of 1#black mesh fabric.

**Test Result:**

**Colour Fastness To Perspiration**

(ISO 105-E04:2013, test specimen in vertical position.)

Acid

Change in shade	4-5
Staining on multi-fiber stripe	
Acetate	4
Cotton	4-5
Nylon	4
Polyester	4-5
Acrylic	4-5
Wool	4-5

Alkaline

Change in shade	4-5
Staining on multi-fiber stripe	
Acetate	4
Cotton	4-5
Nylon	3-4
Polyester	4-5
Acrylic	4-5
Wool	4-5

Remark: Grey Scale rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good

**Sample Photo**



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

**Remark:**

1. Pass means the test sample met the requirement of the test item.
2. NA means not applicable.  
NT means not tested as per client's request.
3. A material list for each part of the product and a statement to announce the material complying with requirements of the standard are received from the manufacturer

**Sample Photo(s):**



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



<p>Back view (Men)</p>	
<p>Front view (Women)</p>	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Back view  
(Women)



Test area & Test site(S)





Test area & Test site(M)



Test area & Test site(L)



Test area & Test site(XL)



\*\*\*End of Report\*\*\*



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)