

Test Report

No.: GZHL2106025335HM

Date: Jul 05, 2021

Page 1 of 20

POWERSLIDE SPORTARTIKELVERTRIEBS GMBH
ESBACHGRABEN 1, 95463 BINDLACH, GERMANY

Sample Description : POWERSLIDE STANDARD PROTECTIVE SHORTS
 Item No. : JS-S-S
 Buyer : POWERSLIDE SPORTARTIKELVERTRIEBS GMBH
 Manufacturer : HYPRO INDUSTRIAL CO., LTD.
 Country of Origin : CHINA
 Country of Destination : EU, US

As above test item and its relevant information regarding to the submission are provided and confirmed by the applicant. SGS is not liable to either the test item or its relevant information, in terms of the accuracy, suitability, reliability or/and integrity accordingly.

Type : A
 Level : 1
 Region : H
 Sample Receiving Date : Jun 22, 2021
 Test Performing Date : Jun 22, 2021 to Jul 02, 2021
 Test Performed : EN 1621-1:2012,
 Analysis of Azo Dye,
 To Determine the pH Value,
 Color Fastness to Perspiration
 Test Result(s) : For further details, please refer to the following page(s)

Signed for and on behalf of
SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

Lell Wu
Authorized Signatory

scan to see the report



GZHL2106025335HM



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

I. Test Conducted: Based on **EN 1621-1:2012** Motorcyclists' protective clothing against mechanical impact – Part 1: Motorcyclists' limb joint impact protectors – Requirements and test methods.

Test Results: Details shown as following table

Clause	Test Method/Requirement	Result
4	Zones of protection and protectors The following body regions are specified as zones of protection and protectors shall be categorised as follows: a. shoulder: Protector "S" b. elbow and forearm: Protector "E" c. hip: Protector "H" d. knee and upper tibia: Protector "K" e. knee, upper and middle tibia: Protector "K" + "L" f. the front of the leg below protector "K": Protector "L" The size of the zones of protection shall comply with 5.3, Table 1.	--
	5	Requirements
5.1	General Unless otherwise specified, all linear dimensions bigger than 50 mm in the whole text shall be provided with a deviation of $\pm 2\%$ and dimensions up to 50 mm with a deviation of ± 1 mm.	Note
5.2	Innocuousness	
5.2.1	The materials shall comply with the requirements for innocuousness of materials in EN 340, with the exception of the requirement concerning the colour fastness to perspiration which is replaced by 5.2.2.	Pass
5.2.2	The colour fastness to water of the constituent materials which could be likely to come into contact with the skin of the user shall be determined in accordance with 6.2 and shall be at least grade 4 of the Grey scale for the staining of any component of the multi-fibre reference fabric.	Pass
5.3	Minimum dimensions of zone of protection Motorcyclist's limb joint protectors shall provide a zone of protection with the minimum dimensions as specified in Table 1. Testing shall be carried out as described in 6.3.4. In Table 1, the zones of protection are defined by the three dimensions r_1 , r_2 and l , as illustrated in Figure1	Pass



<p>5.4</p>	<p>Impact attenuation When impact protection is tested in accordance with 6.3.4.2 (ambient impact test), 6.3.4.3 (wet impact test after hydrolytic ageing) and, if required, 6.3.4.4 (high temperature impact test) and/or 6.3.4.5 (low temperature impact test), the transmitted force shall conform to the values in Table 2. Level 1 or Level 2 can only be awarded provided that such level is achieved under all test conditions claimed.</p> <p>Table 2 — Transmitted force and performance levels</p> <table border="1" data-bbox="248 602 1200 864"> <thead> <tr> <th></th> <th>Level 1</th> <th>Level 2</th> </tr> </thead> <tbody> <tr> <td>Overall mean value</td> <td>≤ 35 kN</td> <td>≤ 20 kN</td> </tr> <tr> <td>Single strike area A^a</td> <td>≤ 35 kN</td> <td>≤ 20 kN</td> </tr> <tr> <td>Single strike area B^a and C^a</td> <td>≤ 50 kN</td> <td>≤ 30 kN</td> </tr> </tbody> </table> <p>^a Areas A, B and C correspond to the areas in Figure 3.</p> <p>After each test, there shall be no fragmentation of the sample and no sharp edges shall be formed. However, formation of cracks and loss of soft debris is permissible.</p>		Level 1	Level 2	Overall mean value	≤ 35 kN	≤ 20 kN	Single strike area A ^a	≤ 35 kN	≤ 20 kN	Single strike area B ^a and C ^a	≤ 50 kN	≤ 30 kN	<p>Pass See annex 1</p>
	Level 1	Level 2												
Overall mean value	≤ 35 kN	≤ 20 kN												
Single strike area A ^a	≤ 35 kN	≤ 20 kN												
Single strike area B ^a and C ^a	≤ 50 kN	≤ 30 kN												
<p>5.5</p>	<p>Ergonomic requirements When examined and tested in accordance with 6.4, impact protectors shall be found satisfactory for the use intended; to confirm this requirement, each question of 6.5 needs to be answered with "yes". The following deficiencies are not admitted: a) sharp edges; b) any design feature which cause ergonomic problems to the assessor.</p> <p>Follow questions were answered with "yes" by assessor(s): a) Do you confirm the protector fits you properly? b) Can you easily get on and off a motorcycle? c) Can you reach and operate the controls of the motorcycle? d) Can you pick something up from the floor by bending forward? e) For shoulder protector: while wearing a full face helmet, can you turn your head and/or torso left and right? (Requirement e) is not applicable for protectors to be inserted or incorporated into the garments). f) Can you confirm that the adjustment system, if present, does not cause discomfort? g) Does the adjustment system, if present, transmit confidence to the assessor that keeps the protector firmly and comfortably on its place during and after all of the above exercises?</p>	<p>Pass</p>												
<p>7</p>	<p>Marking</p> <p>The marking shall include the following information:</p> <table border="1" data-bbox="231 1668 1305 1872"> <tr> <td>a) number and year of this European Standard (EN 1621-1:2012);</td> <td>NT</td> </tr> <tr> <td>b) name and trade mark of the manufacturer or his authorised representative in the European Union;</td> <td>NT</td> </tr> <tr> <td>c) identification of the product type, commercial name or code;</td> <td>NT</td> </tr> <tr> <td>d) a graphical representation, as shown in Figure 4, shall be included showing:</td> <td>---</td> </tr> </table>	a) number and year of this European Standard (EN 1621-1:2012);	NT	b) name and trade mark of the manufacturer or his authorised representative in the European Union;	NT	c) identification of the product type, commercial name or code;	NT	d) a graphical representation, as shown in Figure 4, shall be included showing:	---					
a) number and year of this European Standard (EN 1621-1:2012);	NT													
b) name and trade mark of the manufacturer or his authorised representative in the European Union;	NT													
c) identification of the product type, commercial name or code;	NT													
d) a graphical representation, as shown in Figure 4, shall be included showing:	---													



	1) the category of the protector in accordance with Clause 4 (e.g. "S" for shoulder protector) and the type A or B in accordance with Table 2,	NT
	2) the performance level concerning the ambient impact test in accordance with Table 2,	NT
	3) the symbol "T+" if the high temperature impact test is passed (if the test is not claimed, the space is vacant),	NT
	4) the symbol "T-" if the low temperature impact test is passed (if the test is not claimed, the space is vacant).	NT
	Each protector shall be marked. The marking shall be:	
	e) on the product itself or on labels permanently attached to the product;	NT
7	f) affixed so as to be visible and legible;	NT
	g) durable to the appropriate number of cleaning processes.	NT
8	Information supplied by the manufacturer	
	The protector shall be supplied to the customer with information written at least in the official language(s) of the country of destination. All information shall be unambiguous.	NT
	The following information shall be given:	---
	a) name and full address of the manufacturer and/or his authorised representative;	NT
	b) product identification in accordance with 7 c) and d);	NT
	c) number of the European Standard and year of publication (EN 1621-1:2012);	NT
	d) explanation of the graphical symbol and other symbols used;	NT
	e) instruction for use:	---
	1) fitting, how to put on and off, if relevant;	NT
	2) performance of impact attenuation as recorded during technical tests;	NT
	3) limitations on use (e.g. temperature range, exchange after being exposed to an impact, ageing);	NT
	4) instructions for storage and maintenance;	NT
	5) instruction for cleaning;	NT
	6) appropriate warning against problems which could arise from particular properties or misuse, or alteration or ageing of the protector (e.g. cutting off parts, chemical contaminations);	NT
7) if helpful illustrations, part numbers etc. shall be added;	NT	
f) the type of packaging suitable for transport if relevant;	NT	
g) size of the user(s) for whom the protector is intended.	NT	



Model: JS-S-S (XS)

Type: A

Region: H

Level: 1

Annex 1: Force transmission test result

Test Specification: EN 1621-1:2012-6.3

Ambient temperature at time of test: 22.1 °C

Samples No.	Test area	Test site	Impact energy (J)	Peak force (KN)	Requirement for single value	Result	Mean value (KN)	Requirement for mean value	Result
Ambient No.1	A	1	49.6	24.63	Level 1: Area A ≦ 35KN Area B and C ≦ 50KN	Pass	26.95	Level 1 ≦ 35KN	Pass
	B	2	49.6	28.04		Pass			
	C	3	49.3	28.19		Pass			
Ambient No.2	A	4	50.0	26.47		Pass	26.89		
	B	5	50.1	27.86		Pass			
	C	6	49.1	26.35		Pass			
Ambient No.3	A	7	49.6	25.37		Pass	25.45		
	B	8	49.2	24.84		Pass			
	C	9	49.6	26.14		Pass			
Wet No.4	A	1	49.8	20.57		Pass	20.71		
	B	2	49.1	20.42		Pass			
	C	3	49.9	21.13		Pass			
Wet No.5	A	4	50.1	20.69	Pass	20.98			
	B	5	50.2	21.30	Pass				
	C	6	49.9	20.96	Pass				

Model: JS-S-S (S)

Type: A

Region: H

Level: 1

Annex 1: Force transmission test result

Test Specification: EN 1621-1:2012-6.3

Ambient temperature at time of test: 22.1 °C

Samples No.	Test area	Test site	Impact energy (J)	Peak force (KN)	Requirement for single value	Result	Mean value (KN)	Requirement for mean value	Result
Ambient No.1	A	1	50.0	24.36	Level 1: Area A ≦ 35KN Area B and C ≦ 50KN	Pass	27.28	Level 1 ≦ 35KN	Pass
	B	2	49.4	27.18		Pass			
	C	3	50.6	30.29		Pass			
Ambient No.2	A	4	49.1	25.40		Pass	27.27		
	B	5	49.7	28.31		Pass			
	C	6	49.0	28.10		Pass			
Ambient No.3	A	7	50.3	24.78		Pass	27.16		
	B	8	49.6	27.12		Pass			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

	C	9	50.1	29.58		Pass		
Wet No.4	A	1	49.9	19.03		Pass	20.19	
	B	2	49.5	20.15		Pass		
	C	3	49.7	21.40		Pass		
Wet No.5	A	4	50.3	20.35		Pass	20.60	
	B	5	49.8	21.05		Pass		
	C	6	49.6	20.39		Pass		

Model: JS-S-S (M)

Type: A

Region: H

Level: 1

Annex 1: Force transmission test result

Test Specification: EN 1621-1:2012-6.3

Ambient temperature at time of test: 22.1 °C

Samples No.	Test area	Test site	Impact energy (J)	Peak force (KN)	Requirement for single value	Result	Mean value (KN)	Requirement for mean value	Result
Ambient No.1	A	1	49.8	27.32	Level 1: Area A $\leq 35\text{KN}$ Area B and C $\leq 50\text{KN}$	Pass	29.41	Level 1 $\leq 35\text{KN}$	Pass
	B	2	50.0	30.23		Pass			
	C	3	50.5	30.68		Pass			
Ambient No.2	A	4	49.7	24.99		Pass	25.67		
	B	5	49.4	25.76		Pass			
	C	6	49.8	26.26		Pass			
Ambient No.3	A	7	49.9	28.19		Pass	25.71		
	B	8	49.3	19.02		Pass			
	C	9	49.4	29.91		Pass			
Wet No.4	A	1	49.9	20.63	Pass	21.21			
	B	2	50.2	21.05	Pass				
	C	3	50.1	21.96	Pass				
Wet No.5	A	4	49.8	20.35	Pass	20.32			
	B	5	49.9	20.64	Pass				
	C	6	50.0	19.97	Pass				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Model: JS-S-S (L)

Type: A

Region: H

Level: 1

Annex 1: Force transmission test result

Test Specification: EN 1621-1:2012-6.3

Ambient temperature at time of test: 22.1 °C

Samples No.	Test area	Test site	Impact energy (J)	Peak force (KN)	Requirement for single value	Result	Mean value (KN)	Requirement for mean value	Result
Ambient No.1	A	1	49.4	29.37	Level 1: Area A \leq 35KN Area B and C \leq 50KN	Pass	31.26	Level 1 \leq 35KN	Pass
	B	2	49.8	31.48		Pass			
	C	3	49.9	32.93		Pass			
Ambient No.2	A	4	49.6	27.89		Pass	28.78		
	B	5	49.8	29.02		Pass			
	C	6	49.9	29.43		Pass			
Ambient No.3	A	7	50.1	26.47		Pass	27.26		
	B	8	50.3	27.21		Pass			
	C	9	50.0	28.10		Pass			
Wet No.4	A	1	50.6	20.36		Pass	20.42		
	B	2	49.9	19.87		Pass			
	C	3	49.8	21.03		Pass			
Wet No.5	A	4	50.2	20.39	Pass	20.58			
	B	5	50.0	19.99	Pass				
	C	6	50.6	21.36	Pass				

Model: JS-S-S (XL)

Type: A

Region: H

Level: 1

Annex 1: Force transmission test result

Test Specification: EN 1621-1:2012-6.3

Ambient temperature at time of test: 22.1 °C

Samples No.	Test area	Test site	Impact energy (J)	Peak force (KN)	Requirement for single value	Result	Mean value (KN)	Requirement for mean value	Result
Ambient No.1	A	1	49.6	23.77	Level 1: Area A \leq 35KN Area B and C \leq 50KN	Pass	26.02	Level 1 \leq 35KN	Pass
	B	2	49.5	26.50		Pass			
	C	3	49.2	27.80		Pass			
Ambient No.2	A	4	50.1	26.11		Pass	26.20		
	B	5	50.5	28.09		Pass			
	C	6	50.1	24.39		Pass			
Ambient No.3	A	7	50.0	25.31		Pass	25.69		
	B	8	50.2	25.76		Pass			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

	C	9	50.0	25.99		Pass		
Wet No.4	A	1	50.3	20.31		Pass	19.89	
	B	2	50.2	19.63		Pass		
	C	3	49.9	19.72		Pass		
Wet No.5	A	4	49.8	19.67		Pass	20.34	
	B	5	50.2	20.31		Pass		
	C	6	50.2	21.03		Pass		

II. Analysis of AZO Dye and to Determine the PH Value in the submitted sample.

SGS Ref No.: CAN21-115409

Test Requested	Result
pH Value	See Results
Entry 43 of Commission Regulation (EC) No 552/2009 amending Annex XVII of REACH Regulation (EC) No 1907/2006 - Azodyes	PASS

Test Results :

Test Part Description :

SGS Sample ID	Description
CAN21-115409.001	Black/white elastic belt
CAN21-115409.002	Black thread
CAN21-115409.003	Black mesh sheet
CAN21-115409.004	Black fabric

Remarks :

- (1) 1 mg/kg = 0.0001%
- (2) MDL = Method Detection Limit
- (3) ND = Not Detected (< MDL)
- (4) "-" = Not Regulated



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

pH value

Test Method : With reference to ISO 3071:2020, analysis was performed by pH meter.

Test Item(s)	Unit	MDL	001	002	003
pH value	-	-	6.5	6.8	6.3

Test Item(s)	Unit	MDL	004
pH value	-	-	6.5

Notes :

- (1)Extraction medium: KCl solution
- (2)pH value of extraction medium: 5.0 - 7.5
- (3)Temperature of the extraction solution: 22±2°C

Entry 43 of Commission Regulation (EC) No 552/2009 amending Annex XVII of REACH Regulation (EC) No 1907/2006 - Azodyes

Test Method : With reference to EN ISO14362-1:2017, analysis was conducted with GC-MS/HPLC-DAD.
 Determination of 4-aminoazobenzene (CAS No.:60-09-3): with reference to EN ISO14362-3:2017, analysis was conducted with GC-MS/HPLC-DAD.

Test Item(s)	CAS NO.	Limit	Unit	MDL	001	
					Method A	Method B
4-Aminobiphenyl	92-67-1	30	mg/kg	5	ND	ND
Benzidine	92-87-5	30	mg/kg	5	ND	ND
4-chloro-o-toluidine	95-69-2	30	mg/kg	5	ND	ND
2-naphthylamine	91-59-8	30	mg/kg	5	ND	ND
o-aminoazotoluene	97-56-3	30	mg/kg	5	ND	ND
5-nitro-o-toluidine /	99-55-8	30	mg/kg	5	ND	ND
2-Amino-4-nitrotoluene						
4-chloroaniline	106-47-8	30	mg/kg	5	ND	ND
4-methoxy-m-phenylenediamine / 2,4-Diaminoanisole	615-05-4	30	mg/kg	5	ND	ND
4,4'-diaminodiphenylmethane, MDA	101-77-9	30	mg/kg	5	ND	ND
3,3'-dichlorobenzidine	91-94-1	30	mg/kg	5	ND	ND
3,3'-dimethoxybenzidine	119-90-4	30	mg/kg	5	ND	ND
3,3'-dimethylbenzidine	119-93-7	30	mg/kg	5	ND	ND
4,4'-methylenedi-o-toluidine/3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	mg/kg	5	ND	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Report

No.: GZHL2106025335HM

Date: Jul 05, 2021

Page 10 of 20

p-cresidine	120-71-8	30	mg/kg	5	ND	ND
4,4'-methylene-bis-(2-chloroaniline)	101-14-4	30	mg/kg	5	ND	ND
4,4'-oxydianiline	101-80-4	30	mg/kg	5	ND	ND
4,4'-thiodianiline	139-65-1	30	mg/kg	5	ND	ND
o-toluidine	95-53-4	30	mg/kg	5	ND	ND
4-methyl-m-phenylenediamine / 2,4-Toluyldiamine, TDA	95-80-7	30	mg/kg	5	ND	ND
2,4,5-trimethylaniline	137-17-7	30	mg/kg	5	ND	ND
4-aminoazobenzene	60-09-3	30	mg/kg	5	ND	ND
O-Anisidine	90-04-0	30	mg/kg	5	ND	ND
2,4-Xylidine	95-68-1	30	mg/kg	5	ND	ND
2,6-Xylidine	87-62-7	30	mg/kg	5	ND	ND

Comment

PASS

PASS

Test Item(s)	CAS NO.	Limit	Unit	MDL	002	
					Method A	Method B
4-Aminobiphenyl	92-67-1	30	mg/kg	5	ND	ND
Benzidine	92-87-5	30	mg/kg	5	ND	ND
4-chloro-o-toluidine	95-69-2	30	mg/kg	5	ND	ND
2-naphthylamine	91-59-8	30	mg/kg	5	ND	ND
o-aminoazotoluene	97-56-3	30	mg/kg	5	ND	ND
5-nitro-o-toluidine / 2-Amino-4-nitrotoluene	99-55-8	30	mg/kg	5	ND	ND
4-chloroaniline	106-47-8	30	mg/kg	5	ND	ND
4-methoxy-m-phenylenediamine / 2,4-Diaminoanisole	615-05-4	30	mg/kg	5	ND	ND
4,4'-diaminodiphenylmethane, MDA	101-77-9	30	mg/kg	5	ND	ND
3,3'-dichlorobenzidine	91-94-1	30	mg/kg	5	ND	ND
3,3'-dimethoxybenzidine	119-90-4	30	mg/kg	5	ND	ND
3,3'-dimethylbenzidine	119-93-7	30	mg/kg	5	ND	ND
4,4'-methylenedi-o-toluidine/3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	mg/kg	5	ND	ND
p-cresidine	120-71-8	30	mg/kg	5	ND	ND
4,4'-methylene-bis-(2-chloroaniline)	101-14-4	30	mg/kg	5	ND	ND
4,4'-oxydianiline	101-80-4	30	mg/kg	5	ND	ND
4,4'-thiodianiline	139-65-1	30	mg/kg	5	ND	ND
o-toluidine	95-53-4	30	mg/kg	5	ND	ND
4-methyl-m-phenylenediamine / 2,4-Toluyldiamine, TDA	95-80-7	30	mg/kg	5	ND	ND
2,4,5-trimethylaniline	137-17-7	30	mg/kg	5	ND	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Report

No.: GZHL2106025335HM

Date: Jul 05, 2021

Page 11 of 20

4-aminoazobenzene	60-09-3	30	mg/kg	5	ND	ND
O-Anisidine	90-04-0	30	mg/kg	5	ND	ND
2,4-Xylidine	95-68-1	30	mg/kg	5	ND	ND
2,6-Xylidine	87-62-7	30	mg/kg	5	ND	ND
Comment					PASS	PASS

Test Item(s)	CAS NO.	Limit	Unit	MDL	003	
					Method A	Method B
4-Aminobiphenyl	92-67-1	30	mg/kg	5	ND	ND
Benzidine	92-87-5	30	mg/kg	5	ND	ND
4-chloro-o-toluidine	95-69-2	30	mg/kg	5	ND	ND
2-naphthylamine	91-59-8	30	mg/kg	5	ND	ND
o-aminoazotoluene	97-56-3	30	mg/kg	5	ND	ND
5-nitro-o-toluidine / 2-Amino-4-nitrotoluene	99-55-8	30	mg/kg	5	ND	ND
4-chloroaniline	106-47-8	30	mg/kg	5	ND	ND
4-methoxy-m-phenylenediamine / 2,4-Diaminoanisole	615-05-4	30	mg/kg	5	ND	ND
4,4'-diaminodiphenylmethane, MDA	101-77-9	30	mg/kg	5	ND	ND
3,3'-dichlorobenzidine	91-94-1	30	mg/kg	5	ND	ND
3,3'-dimethoxybenzidine	119-90-4	30	mg/kg	5	ND	ND
3,3'-dimethylbenzidine	119-93-7	30	mg/kg	5	ND	ND
4,4'-methylenedi-o-toluidine/3,3'- Dimethyl-4,4'-diaminodiphenylm ethane	838-88-0	30	mg/kg	5	ND	ND
p-cresidine	120-71-8	30	mg/kg	5	ND	ND
4,4'-methylene-bis- (2-chloroaniline)	101-14-4	30	mg/kg	5	ND	ND
4,4'-oxydianiline	101-80-4	30	mg/kg	5	ND	ND
4,4'-thiodianiline	139-65-1	30	mg/kg	5	ND	ND
o-toluidine	95-53-4	30	mg/kg	5	ND	ND
4-methyl-m-phenylenediamine / 2,4-Toluyldiamine, TDA	95-80-7	30	mg/kg	5	ND	ND
2,4,5-trimethylaniline	137-17-7	30	mg/kg	5	ND	ND
4-aminoazobenzene	60-09-3	30	mg/kg	5	ND	ND
O-Anisidine	90-04-0	30	mg/kg	5	ND	ND
2,4-Xylidine	95-68-1	30	mg/kg	5	ND	ND
2,6-Xylidine	87-62-7	30	mg/kg	5	ND	ND
Comment					PASS	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Item(s)	CAS NO.	Limit	Unit	MDL	004	
					Method A	Method B
4-Aminobiphenyl	92-67-1	30	mg/kg	5	ND	ND
Benzidine	92-87-5	30	mg/kg	5	ND	ND
4-chloro-o-toluidine	95-69-2	30	mg/kg	5	ND	ND
2-naphthylamine	91-59-8	30	mg/kg	5	ND	ND
o-aminoazotoluene	97-56-3	30	mg/kg	5	ND	ND
5-nitro-o-toluidine / 2-Amino-4-nitrotoluene	99-55-8	30	mg/kg	5	ND	ND
4-chloroaniline	106-47-8	30	mg/kg	5	ND	ND
4-methoxy-m-phenylenediamine / 2,4-Diaminoanisole	615-05-4	30	mg/kg	5	ND	ND
4,4'-diaminodiphenylmethane, MDA	101-77-9	30	mg/kg	5	ND	ND
3,3'-dichlorobenzidine	91-94-1	30	mg/kg	5	ND	ND
3,3'-dimethoxybenzidine	119-90-4	30	mg/kg	5	ND	ND
3,3'-dimethylbenzidine	119-93-7	30	mg/kg	5	ND	ND
4,4'-methylenedi-o-toluidine/3,3'- Dimethyl-4,4'-diaminodiphenylm ethane	838-88-0	30	mg/kg	5	ND	ND
p-cresidine	120-71-8	30	mg/kg	5	ND	ND
4,4'-methylene-bis- (2-chloroaniline)	101-14-4	30	mg/kg	5	ND	ND
4,4'-oxydianiline	101-80-4	30	mg/kg	5	ND	ND
4,4'-thiodianiline	139-65-1	30	mg/kg	5	ND	ND
o-toluidine	95-53-4	30	mg/kg	5	ND	ND
4-methyl-m-phenylenediamine / 2,4-Toluyldiamine, TDA	95-80-7	30	mg/kg	5	ND	ND
2,4,5-trimethylaniline	137-17-7	30	mg/kg	5	ND	ND
4-aminoazobenzene	60-09-3	30	mg/kg	5	ND	ND
O-Anisidine	90-04-0	30	mg/kg	5	ND	ND
2,4-Xylidine	95-68-1	30	mg/kg	5	ND	ND
2,6-Xylidine	87-62-7	30	mg/kg	5	ND	ND
Comment					PASS	PASS

Notes:

(1) Direct reduction (Method A) refers to the extraction and reduction according to EN ISO 14362-1:2017 clause 10.2 and relevant clauses. Colorant extraction (Method B) refers to the colourant extraction and subsequent reduction according to EN ISO 14362-1:2017 Clause 10.1 and relevant clauses.

(2) 4-Aminodiphenyl (CAS No. 92-67-1), 2-Naphthylamine (CAS No. 91-59-8) and 2,4-Diaminoanisole (CAS No. 615-05-4) can be indirectly generated from some colorants which do not contain these amines azo bound. The use of banned azo colorants cannot be reliably ascertained without additional information.

(3) In case PU is used, e.g. PU Foams or coatings, it cannot be ruled out that MDA (CAS No. 101-77-9) and TDA (CAS No. 95-80-7) can be released from PU material, not from banned azo colorant. Similarly, for pigment prints, MDA will be released from a chemical fixing agent.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

(4) EN ISO 14362-1:2017 will enable further cleavage of 4-AAB (CAS No. 60-09-3) to non-forbidden amines: aniline and p-phenylenediamine. If aniline and/or p-phenylenediamine is not found, 4-AAB is considered as "ND" (i.e. <5.0 mg/kg). Otherwise, EN ISO 14362-3:2017 will be employed to verify the presence of 4-AAB.

Sample photo:



Product Photo



Product Photo



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



Product Photo



Product Photo

III. Colour Fastness to Perspiration.

SGS Ref. No.: **SL92109277492201TX**

Sample Description : 1#ELASTIC BAND 2#BLACK YARN B 3#MESH FABRIC 4#BLACK FABRIC



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Result

Colour Fastness To Perspiration

(ISO 105-E04:2013; test specimen in vertical position)

Acid

-	Unit	A	B	C	Requirement
Change in Shade	Grade	4-5	4-5	4-5	-
Staining On Multi-fibre Stripe					-
Acetate	Grade	4-5	4-5	4-5	-
Cotton	Grade	4-5	4-5	4-5	-
Polyamide	Grade	4-5	4-5	4-5	-
Polyester	Grade	4-5	4-5	4-5	-
Acrylic	Grade	4-5	4-5	4-5	-
Wool	Grade	4-5	4-5	4-5	-

-	Unit	D	Requirement
Change in Shade	Grade	4-5	-
Staining On Multi-fibre Stripe			-
Acetate	Grade	4-5	-
Cotton	Grade	4-5	-
Polyamide	Grade	4-5	-
Polyester	Grade	4-5	-
Acrylic	Grade	4-5	-
Wool	Grade	4-5	-

Alkaline

-	Unit	A	B	C	Requirement
Change in Shade	Grade	4-5	4-5	4-5	-
Staining On Multi-fibre Stripe					-
Acetate	Grade	4-5	4-5	4-5	-
Cotton	Grade	4-5	4-5	4-5	-
Polyamide	Grade	4-5	4-5	4-5	-
Polyester	Grade	4-5	4-5	4-5	-
Acrylic	Grade	4-5	4-5	4-5	-
Wool	Grade	4-5	4-5	4-5	-

-	Unit	D	Requirement
Change in Shade	Grade	4-5	-
Staining On Multi-fibre Stripe			-
Acetate	Grade	4-5	-
Cotton	Grade	4-5	-
Polyamide	Grade	4-5	-
Polyester	Grade	4-5	-




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Acrylic	Grade	4-5	-
Wool	Grade	4-5	-

Remark: Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is worst and 5 is best.

Sample Photo



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

198 Kezhu Road, Sciencetech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075191 www.sgs.com.cn
 中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075191 e sgs.china@sgs.com



Remark:



1. Pass means the test sample met the requirement of the test item.
2. NA means not applicable.
NT means not tested as per client's request.
3. A material list for each part of the product and a statement to announce the material complying with requirements of the standard are received from the manufacturer.

Sample photos:



<p>Sample photo</p>	
<p>Test areas (XS)</p>	





<p>Test areas (S)</p>	
<p>Test areas (M)</p>	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

<p>Test areas (L)</p>	
<p>Test areas (XL)</p>	

End of Report



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com