

**DECLARATION OF PERFORMANCE – CPR/154.2**  
European Construction Products Regulation – RPC 305/2011

1. Unique identification code of the product type: **PROPAM® IMPE CRISTAL (Before PROPAM CRISTAL)**
2. Intended uses: **Product for surface protection – coating for protection against penetration, humidity control and increase of resistivity in buildings and civil engineering works**
3. Manufacturer:  
**PROPAMSA S.A.U.**  
**Ctra N-340 Km 1242.3**  
**08620 Sant Vicenç dels Horts – España**  
**molins.es**
4. System of assessment and verification of constancy of performance (AVCP): **System 4**
5. Notified body:  
**The manufacturer performed the factory production control (FPC) and initial type testing under system 4**
6. Declared performance:

Essential characteristics	Performance	Harmonized technical specification
Reaction to Fire	Class A1	EN 1504-2:2004
Permeability to CO <sub>2</sub>	S <sub>D</sub> > 50 m	
Water vapour permeability	Class I: S <sub>D</sub> < 5 m	
Capillary absorption	< 0,1 kg/m <sup>2</sup> ·h <sup>0,5</sup>	
Adhesion	≥ 1 N/mm <sup>2</sup>	
Release of dangerous substances	See SDS	

The performance of the product identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

  
**Oscar Grau Fuentes**  
**Technical Director**

  
Sant Vicenç dels Horts, the 08 of august 2024

All the information on conditions of use, employment and storage should be consulted in the product data sheet.