




# clever

BATHROOM & KITCHEN TAPS

**REF:** 61014**DESCRIPTION:** Thermostatic shower set with extendable bar Box with sliding articulated support.**SERIES:** SAONA SLIM**RANGE:** PLATINUM**EAN:** 8425144238669**REGULATION:** UNE 19703, UNE-EN 1111**PRODUCT IMAGE:****Included:****61049**

Shower head 250x250

**60140**


Support

**99609**

Handset

**61147**


Hose

**TECHNICAL DRAWING:****FINISH:**

Chrome

**NUMBER OF FUNCTIONS:**

1F

**WARRANTY:****CERTIFICATIONS:****EPD®****SPARE PARTS:****60138**  
Shower tube**61015**  
Body for shower set**61034**  
Thermostatic handle**61035**  
Diverter handle**98027**  
Thermostatic cartridge**98776**  
Diverter cartridge**TECHNOLOGIES:**

Headwork/Diverter cartridge with ceramic disc



Security system for thermostatic

This exploded view diagram illustrates the assembly of a shower head. The components are numbered 1 through 40. The main assembly path starts with the shower head (1) and its internal valve (2) being inserted into the shower arm (3). The shower arm is then connected to the shower head arm (4) using a nut (5) and washer (6). The shower head arm is then connected to the shower head (7) using a nut (8) and washer (9). The shower head is then connected to the shower head arm (10) using a nut (11) and washer (12). The shower head arm is then connected to the shower head (13) using a nut (14) and washer (15). The shower head is then connected to the shower head arm (16) using a nut (17) and washer (18). The shower head arm is then connected to the shower head (19) using a nut (20) and washer (21). The shower head is then connected to the shower head arm (22) using a nut (23) and washer (24). The shower head arm is then connected to the shower head (25) using a nut (26) and washer (27). The shower head is then connected to the shower head arm (28) using a nut (29) and washer (30). The shower head arm is then connected to the shower head (31) using a nut (32) and washer (33). The shower head is then connected to the shower head arm (34) using a nut (35) and washer (36). The shower head arm is then connected to the shower head (37) using a nut (38) and washer (39). The shower head is then connected to the shower head arm (40) using a nut (41) and washer (42).

- This tap is designed exclusively for the supply of drinking water. Do not use it for any other liquids or substances that could compromise its safety or functionality.
- Always follow the installation, usage, and maintenance instructions provided by Standard Hidráulica, S.A.U.
- Before installation, ensure that the pipework is clean and free from debris that could affect the tap's performance.
- Use appropriate tools during installation to avoid damaging the tap. Do not over-tighten fittings, as this may cause mechanical failure and/or leaks.
- Adjust the hot water temperature to prevent burns. Be aware that the tap body may become hot during use, posing a risk of burns upon contact.
- Do not leave the tap running unattended to prevent overflows and unnecessary water wastage.
- Operate the tap only within the pressure and temperature limits specified by Standard Hidráulica, S.A.U. Using it outside these parameters may lead to damage or reduce the product's lifespan. If the mains water pressure is high, it is advisable to install a pressure-reducing valve to protect the tap from excessive strain.
- Before installing, handling, or dismantling the tap, close the shut-off valve and release any residual water pressure.
- Periodically inspect all connections and O-rings for leaks or signs of wear and replace components if necessary.
- For repairs, use only original spare parts recommended by Standard Hidráulica, S.A.U. to ensure compatibility and reliability.
- The tap contains small components. Keep them out of the reach of young children to eliminate choking hazards.
- Avoid using aggressive or abrasive cleaning agents, as these may damage the tap's surface finish or internal components.
- After installation, dispose of the packaging responsibly in accordance with local waste disposal regulations.
- At the end of the tap's service life, recycle or dispose of it in accordance with local regulations governing metal and plastic waste.