

AMERICAN

IP20 Boxes for electrical components

The AMERICAN boxes are manufactured in high-durability halogen-free plastic. The distance between screws for fixing switches is the standard measurement of the so-called American system.

The pipe entries correspond to the 1/2", 3/4" and 1" measurements. There are models with blanking or cut-out covers for the installation of different electronic devices with weak currents..

IP 20 CE

AMERICAN Technical Specifications

- **Degree of protection:** IP20.
- **Resistance to impact:** IK07.
- **Glow wire resistance:** 650 °C.

IP 20 CE

IP20 boxes for electrical components

Reference No.	Description	Inches	Cable entry	Weight
				kg
45080	Box without cover	4''x2''	4x1/2 -3x3/4 - 2x1 - 2x3/4 - 1	0.1
45081	Box without cover	4''x4''	4x1/2 - 6x3/4 - 5x1	0.1
45082	Cover for mechanisms	4''x4''	-	0.1
45083	Blanking cover	4''x4''	-	0.1

HALOGEN-FREE PLASTIC MATERIALS

ABS RAL 7035 grey.

IP20 - Surface.



45080

CABLE ENTRY: 4xØ1/2'' - 3xØ3/4'' - 2xØ1'' - 2xØ3/4'' 1''



45081


CABLE ENTRY: 4xØ1/2'' - 6xØ3/4'' - 5xØ1''





45082




45083









AMERICAN

IDE ELECTRIC

Head office
Leonardo da Vinci 2
Pol. Ind. Los Huertos
E-50800 Zuera (Zaragoza)
SPAIN

Warehouse and logistics
Guttemberg 48
Pol. Ind. Los Huertos
E-50800 Zuera (Zaragoza)
SPAIN

Phone: +34 976 451 080
E-mail: ide@ide.es
Web: www.ide.es