



Architectural  
lighting

# CONCEPT 30




CONCEPT O 30






# Optical system

ARCHITECTURAL  
LIGHTING



Scale 1:1

## 1. bOPTICS



## CONCEPT O 30



### Product characteristics

#### Body

Extruded aluminium profile

#### Finish

Powder-coated

#### Optical system

bOPTICS - Symmetric reflector

#### Light source

LED, RG1, CRI>80, MacAdam Step ≤3

#### LED lifetime

80.000h @ L80, B10, Ta 25°C

#### Control gear


Not included




01. Select version



CONCEPT O 30



bOPTICS - Symmetric reflector 48°



| UGR | W  | lm output | lm/W | Dmm   | CODE*           |
|-----|----|-----------|------|-------|-----------------|
| ≤13 | 35 | 2982      | 85   | Ø400  | 90903L0400◆0◆00 |
| ≤13 | 53 | 4473      | 84   | Ø600  | 90903L0600◆0◆00 |
| ≤13 | 88 | 7455      | 85   | Ø1200 | 90903L1200◆0◆00 |

\*Replace the symbols to complete the code

| Colour  | ◆ |
|---------|---|
| □ White | W |
| ■ Black | B |

| Colour temp. | ◆ |
|--------------|---|
| 3000K        | 3 |
| 4000K        | 0 |

CONCEPT O 30

- Transparent clips included.
- To complete the product it is necessary to order the suspension, the current supply cable and ceiling rose. Please order separately.



### Surface mounted



HF

|            |              |
|------------|--------------|
|            | <b>CODE*</b> |
| Ø400, Ø600 | 978960♠      |
| Ø1200      | 978962♠      |

**DALI**

|            |              |
|------------|--------------|
|            | <b>CODE*</b> |
| Ø400, Ø600 | 978961♠      |
| Ø1200      | 978963♠      |

- The recessed ceiling rose is class II.
- The surface ceiling rose is class I.
- Driver included in the ceiling rose.

**\*Replace the symbols to complete the code**

|                                           |                                                                                     |
|-------------------------------------------|-------------------------------------------------------------------------------------|
| <b>Colour</b>                             |  |
| <input type="checkbox"/> White            | W                                                                                   |
| <input checked="" type="checkbox"/> Black | B                                                                                   |



## Code

|                   |         |
|-------------------|---------|
| S20 L1500 mm (x3) | 9137031 |
| S20 L3000 mm (x3) | 9137032 |
| S20 L6000 mm (x3) | 9137033 |

|                                     |        |
|-------------------------------------|--------|
| L1500 mm - 2 x 0,75 mm <sup>2</sup> | 942800 |
| L3000 mm - 2 x 0,75 mm <sup>2</sup> | 942801 |
| L6000 mm - 2 x 0,75 mm <sup>2</sup> | 942802 |

## Product details



Transparent clip

Recessed ceiling rose



Surface mounted  
ceiling rose

