



High bay and
Sports hall

CAB



CAB
758





Product
characteristics

Body

Steel sheet

Frame

Aluminium

Finish

White matte powder coated

Wiring

Pre-wired with 1000 mm long
H05VV-F cable

Optical system

Narrow - narrow beam angle
Medium - medium beam angle
Wide - wide beam angle

Light source

4000K LED, RG1, CRI>80, MacAdam Step ≤3

LED lifetime

80.000h @ L80, B10, Ta 25°C

Control gear


LED driver 220-240V-50/60Hz included

CE	RoHS
230V/50Hz	
⏏	IP 65
IK 09	960°C


01. Select version



CAB




NARROW - narrow beam angle




W	lm output	lm/W	LxWmm	CODE*
68	11206	165	676x365	90849L063▼VV●000
136	22411	165	1250x365	90849L123▼VV●000
182	29882	164	1250x470	90849L124▼VV●000

MEDIUM - medium beam angle



W	lm output	lm/W	LxWmm	CODE*
68	11206	165	676x365	90850L063▼VV●000
136	22411	165	1250x365	90850L123▼VV●000
182	29882	164	1250x470	90850L124▼VV●000

WIDE - wide beam angle



W	lm output	lm/W	LxWmm	CODE*
68	11327	167	676x365	90851L063▼VV●000
136	22655	167	1250x365	90851L123▼VV●000
182	30206	166	1250x470	90851L124▼VV●000

*Replace the symbols to complete the code

Control gear	▼
HF	E
DALI	H


Emergency	●
No EM	0
EM 3h (K3) ¹	3

CAB

• To complete the product add the fixing system. Please order separately.

¹ Prepared for emergency remote control.

02. Select
options

OPTIONS	Code
Connector kit	
Kit 3-pole IP68 connector	966300
Kit 5-pole IP68 connector	966400
Surface mounting kit	
Fixing brackets and screws included (x2)	925701
Ceiling adjustable mounting kit	
Fixing brackets and screws included (x2)	925700
Suspension	
Pigtail bracket kit (x4)	911200
Anchor bracket kit (x4)	911202
Wire bracket kit (x2)	911203
Recessed mounting kit	
676x365 mm	925702
1250x365 mm	925703
1250x470 mm	925704
	
Steel safety cable	
L1500 mm	955000
Light and presence sensor	
• Under request.	
Low Output version	
• Under request.	



Product
details



Surface mounting kit



Ceiling adjustable
mounting kit



Suspensions



Recessed mounting kit

