




Architectural  
lighting

# FOCUS 2



**FOCUS 2**  
360



## FOCUS 2



### Product characteristics

#### Body

Aluminium

#### Finish

Powder coated

#### Optical system

SPOT  
FLOOD  
WIDE FLOOD  
EXTRA WIDE

#### Light source


LED, RG1, CRI>80, MacAdam Step ≤3

#### LED lifetime

50.000h @ L80, B10, Ta 25°C

#### Control gear

LED driver 220-240V-50/60Hz  
with track adapter included




## 01. Select version




### FOCUS 2

#### HF



#### SPOT - Beam angle - 15°




| UGR | W  | lm output | lm/W | CODE*           |
|-----|----|-----------|------|-----------------|
| ≤19 | 9  | 1082      | 120  | 90768L080▼▲0♦15 |
| ≤22 | 15 | 2071      | 138  | 90791L080▼▲0♦15 |
| ≤22 | 23 | 3068      | 133  | 90763L080▼▲0♦15 |


\*Replace the symbols to complete the code

| Control gear |   |
|--------------|---|
| HF           | E |
| DALI         | H |

#### DALI



#### FLOOD - Beam angle - 25°




| UGR | W  | lm output | lm/W | CODE*           |
|-----|----|-----------|------|-----------------|
| ≤19 | 9  | 1057      | 117  | 90768L080▼▲0♦25 |
| ≤22 | 15 | 2047      | 136  | 90791L080▼▲0♦25 |
| ≤22 | 23 | 3033      | 132  | 90763L080▼▲0♦25 |

| Colour  |   |
|---------|---|
| □ White | W |
| ■ Black | B |


| Colour temp. |   |
|--------------|---|
| 3000K CRI>80 | 3 |
| 4000K CRI>80 | 0 |
| 3000K CRI>90 | B |
| 4000K CRI>90 | A |

#### WIDE FLOOD - Beam angle - 40°



| UGR | W  | lm output | lm/W | CODE*           |
|-----|----|-----------|------|-----------------|
| ≤19 | 9  | 1045      | 116  | 90768L080▼▲0♦40 |
| ≤22 | 15 | 2023      | 135  | 90791L080▼▲0♦40 |
| ≤22 | 23 | 3033      | 132  | 90763L080▼▲0♦40 |

#### EXTRA WIDE - Beam angle - 60°



| UGR | W  | lm output | lm/W | CODE*           |
|-----|----|-----------|------|-----------------|
| ≤22 | 9  | 1045      | 116  | 90768L080▼▲0♦60 |
| ≤22 | 15 | 1999      | 133  | 90791L080▼▲0♦60 |
| ≤25 | 23 | 2998      | 130  | 90763L080▼▲0♦60 |

## 02. Select options

### OPTIONS

#### Track system

- See page 800.



### Product details



Finishing in White



Optical system



Adapter detail