

OREO Linea Up



Product characteristics

Body

Aluminium

Finish

Powder coated

Optical system

bLINE - Opal diffuser

Light source

LED, RG1, CRI>90, MacAdam Step ≤ 3

LED lifetime

60.000h @ L80, B10, Ta 25°C

Control gear


Not included




01. Select version



OREO Linea Up



bLINE - Opal diffuser



W	lm output	lm/W	Lmm	CODE*
12	573	48	1014	90399L1010▲0◆00
18	892	50	1514	90399L1510▲0◆00
24	1210	50	2014	90399L2010▲0◆00

*Replace the symbols to complete the code

Colour ¹ ▲

□ White	W
■ Grey	G
■ Black	B
■ Sahara	0
■ Mist	1
■ Carbon	I
■ Autumn	L
■ Rusty chain	R
■ Jungle	N
■ Golden eye	D
■ Old rose	5
■ Copper	7

Colour temp. ◆

2700K	2
3000K	3
4000K	0
Tunable White ²	T
RGB White ³	R

OREO Linea Up

- Current supply cable/suspension with 1500 mm included.
- To complete the product add ceiling rose. Please order separately.
- For Tunable White and RGB White versions, the product must include a transparent current supply cable.

¹ See page 212.

² Tunable White (3000K - 5700K). Only available with ceiling rose TW + OmniaControl.

³ RGB White (2700K). Only available with ceiling rose RGB White + OmniaControl.

02. Select ceiling rose

Trimless



122x62

HF

CODE*

L1014, L1514, L2014 977600♣

DALI

CODE*

L1014, L1514, L2014 977700♣

OmniaControl

CODE*

L1014, L1514, L2014 977800♣

RGB White + OmniaControl

CODE*

L1014, L1514 977805♣
L2014 977806♣

Tunable White + OmniaControl

CODE*

L1014, L1514 977810♣
L2014 977811♣

Recessed



154x68

HF

CODE*

L1014, L1514, L2014 977300♣

DALI

CODE*

L1014, L1514, L2014 977400♣

OmniaControl

CODE*

L1014, L1514, L2014 977500♣

RGB White + OmniaControl

CODE*

L1014, L1514 977505♣
L2014 977506♣

Tunable White + OmniaControl

CODE*

L1014, L1514 977510♣
L2014 977511♣

Surface mounted



HF

CODE*

L1014, L1514, L2014 977900♣

DALI

CODE*

L1014, L1514, L2014 978000♣

OmniaControl

CODE*

L1014, L1514, L2014 978100♣

RGB White + OmniaControl

CODE*

L1014, L1514 978105♣
L2014 978106♣

Tunable White + OmniaControl

CODE*

L1014, L1514 978110♣
L2014 978111♣



*Replace the symbols to complete the code

Colour ♣
□ White W
■ Black B

CEILING ROSE

- Control gear included in the ceiling rose.
- The trimless recessed ceiling rose is class III.
- The surface ceiling rose is class I.



Product details



bLINE diffuser



Trimless recessed ceiling rose



Recessed ceiling rose



Surface ceiling rose

