

PAS Line



Product characteristics

Body

Extruded aluminium profile

Finish

Powder coated

Optical system

Lens

Light source

4000K LED, RG1, CRI>80, MacAdam Step ≤ 3

LED lifetime

80.000h @ L80, B10, Ta 25°C

Control gear

LED driver 220-240V-50/60Hz included



230V/50Hz




IP 20

650°C


01. Select version



PAS Line




Symmetric lens | Beam angle of 90°



W	lm output	lm/W	Lmm	CODE*
50	8050	161	1435	90774L005▼▲●000
59	9338	158	1435	90775L005▼▲●000
100	16100	161	2870	90774L010▼▲●000
118	18676	158	2870	90775L010▼▲●000

Asymmetric lens



W	lm output	lm/W	Lmm	CODE*
50	7963	159	1435	90776L005▼▲●000
59	9237	157	1435	90777L005▼▲●000
100	15925	159	2870	90776L010▼▲●000
118	18473	157	2870	90777L010▼▲●000

*Replace the symbols to complete the code

Control gear ▼

HF	E
DALI	H
HF Three-phase	R
DALI Three-phase	S

Colour ▲

<input type="checkbox"/> White	W
<input type="checkbox"/> Grey	G

Emergency ●

No EM	0
EM 3h (K3) ¹	3

PAS Line

- For suspended version add the suspension. Please order separately.
- To complete the line add the start kit, through-wiring and body connector kit. Please order separately.
- In the L2870 mm emergency version, only half the luminaire will run on emergency.
- Dimensions do not include start kit. To complete the line add 1 mm to the length.
- The maximum line length with 1 single feeding point is 30000 mm.

¹ Prepared for emergency remote control.

02. Select options

OPTIONS		Code*
Start kit - end cap start/end		
White		921500
Grey	63  62	921501
• 2 end caps included.		
Through-wiring		
3 x 1,5 mm ²		945660
5 x 1,5 mm ²		945760
7 x 1,5 mm ²		946060
9 x 1,5 mm ²		948660
11 x 1,5 mm ²		948860
Body connector kit		
• Steel body connector.		
Current supply cable		
• Under request.		
Suspension		
Fixing clamps for threaded rod (x2)		910102
Fixing clamps + pigtail hooks (x2)		910101
Fixing clamps + height-adjustable cables (x2)		910103
Fixing clamps + hook for wire suspensions (x2)		910100
Blank part		
L1500 mm		992600♣
L3000 mm		992601♣
Bespoke projects		
• Under request.		



*Replace the symbols to complete the code

Colour	♣
<input type="checkbox"/> White	W
<input type="checkbox"/> Grey	G



Product details



Suspensions

