



Product
characteristics

Body
PET acoustic panel and steel sheet/extruded
aluminium profile


Finish
Epoxy polyester powder coated

Optical system
bOPTICS - Symmetric reflector
PB - Shiny reflector

Light source
LED, RG1, CRI >80, MacAdam Step ≤3

LED lifetime
bOPTICS: 80.000h @ L90, B10, Ta 25°C
PB: 60.000h @ L80, B10, Ta 25°C


Control gear
LED driver 220-240V-50/60Hz included




01. Select version



SAL M01



bOPTICS - Symmetric reflector



W
27

lm
output
3881

lm/W
144

CODE*
90973Q120▼▲◆0♦32

*Replace the symbols to complete the code


Control ▼
gear
HF E
DALI H

Colour ▲


■ Black B
■ Anthracite A
■ Cedar R
■ Stone I
■ Carrara E
■ Seashell O
■ Sand S
■ Arena 3
■ Chocolat C
■ Sacramento N
■ Moss M
■ Citron V
■ Desert L
■ Olive D
■ Mustard T
■ Blush 5
■ Ochre H
■ Terracotta 7
■ Tiger Y
■ Raspberry K
■ Wine X
■ Rosewood J
■ Navy F
■ Cobalt U
■ Cornflower 1
■ Pacific P
■ Belize Z
■ Lilac 2
■ Ice G
□ White W

Colour temp. ◆
3000K 3
4000K 0

SAL M02



bOPTICS - Symmetric reflector



W
18

lm
output
2587

lm/W
144


Lmm
1400

CODE*
90973L140▼▲◆0♦15


90973L180▼▲◆0♦15

SAL M03 | SAL M04

SAL M03



bOPTICS - Symmetric reflector | PB - Shiny reflector - 20°



M
03

W
30


lm
output
4110

lm/W
137


CODE*
90973L180▼▲◆0♦26

90973L180▼▲◆0♦20

SAL M04



bOPTICS - Symmetric reflector | PB - Shiny reflector - 50°



M
03

W
30

lm
output
4064

lm/W
135

CODE*
90973L180▼▲◆0♦27

90973L180▼▲◆0♦21

SAL

• To complete the product it is necessary to order the suspension, the current supply cable and ceiling rose. Please order separately.

03. Select options

OPTIONS		Code*
Suspension		
S15 L1500 mm (x4)		913303
S15 L3000 mm (x4)		913304
S15 L6000 mm (x4)		913305
Transparent current supply cable		
L1500 mm - 3 x 0,75 mm ²		940400
L1500 mm - 5 x 0,75 mm ²		940500
L3000 mm - 3 x 0,75 mm ²		940401
L3000 mm - 5 x 0,75 mm ²		940501
L6000 mm - 3 x 0,75 mm ²		940402
L6000 mm - 5 x 0,75 mm ²		940502
Ceiling rose		
Surface mounted T41	45  Ø50	978805♣
Recessed T42	 Ø40 32  Ø50	978804♣



*Replace the symbols to complete the code

Colour	
☐ White	W
☒ Black	B



Product details



Model M01



Model M02



Model M03



Model M04



bOPTICS diffuser



Adjustable spotlight



Acoustic panel



Acoustic panel (macro)



Ceiling rose

