


12 x Aero 40
8 x LX-218CA.net
(115v)



A40 Accessories

Speaker cabling



x 8

eCP_20 (CAT 7 ethernet cable + 3x2.5mm2, audio +data + power, 20m length)

eCP_3 (CAT 7 ethernet cable + 3x2.5mm2, 3m length) X 8



x 8


eC_09 (CAT 7 ethernet cable; audio +data, 90cm length)



x 8

Plink1_09 (power link 2.5mm2 90cm)

DASnet-Rack 48 (1 DASnet patch 48+power distro 30Amp+Patch PowerCon)



x 2


Covers

FUN-4aero40 is a protective nylon cover for 4 aero 40 x 3

FUN-3-LX218CS nylon cover for a stack of 3 LX-218CS x 3


Rigging frames

AX-aero40S2 x 2



Dollies

PL-218CS
The PL-218CS dolly is used to transport stacks of 2 or 3 LX-218CS.



x 4

Dollies

PL-40S metal transport dolly for 3/4 aero40A



x 3

Processors (included in the racks)



x 2

DASnet Splitters



x 4


Steel case intended for distribution of analog audio, monitoring data and power to multiple devices.

It includes:

- one input power (1 x powerCon true 1) and 3 power outputs (3 x powercon NAC3MPB).
- one audio+monitoring data input, and three audio + monitoring data outputs


12 aero 40A + 8 LX-218CA.net

Euro Truck 6m Trailer




243cm / 96"

12 aero 40A




243cm / 96"

American Truck 90" x 232"




228cm / 90"




228cm / 90"

American Truck 99" x 232"




251cm / 99"



251cm / 99"

16 x Aero 40
12 x LX-218CA.net
(115v)



A40 Accessories

Speaker cabling



x 12

eCP_20 (CAT 7 ethernet cable + 3x2.5mm2, audio +data + power, 20m lenght)

eCP_3 (CAT 7 ethernet cable + 3x2.5mm2, 3m lenght) x 12



x 10


eC_09 (CAT 7 ethernet cable; audio +data, 90cm lenght)



x 10

Plink1_09 (power link 2.5mm2 90cm)

DASnet-Rack 48 (1 DASnet patch 48+power distro 30Amp+Patch PowerCon)



x 2


Covers

FUN-4aero40 is a protective nylon cover for 4 aero 40 x 4

FUN-3-LX218CS nylon cover for a stack of 3 LX-218CS x 4


Rigging frames

AX-aero40S2 x 2



Dollies

PL-218CS
The PL-218CS dolly is used to transport stacks of 2 or 3 LX-218CS.



x 4

Dollies

PL-40S metal transport dolly for 3/4 aero40A



x 4

Processors (included in the racks)

DSP-4080



x 2

DASnet Splitters



x 6


Steel case intended for distribution of analog audio, monitoring data and power to multiple devices.

It includes:

- one input power (1 x powerCon true 1) and 3 power outputs (3 x powercon NAC3MPB).
- one audio+monitoring data input, and three audio + monitoring data outputs


16 aero 40A + 12 LX-218CA.net

Euro Truck 6m Trailer




243cm / 96"

16 aero 40A




243cm / 96"

American Truck 90" x 232"




228cm / 90"




228cm / 90"

American Truck 99" x 232"




251cm / 99"



251cm / 99"

24 x Aero 40
18 x LX-218CA.net
(115v)



A40 Accessories

Speaker cabling



x 16

eCP_20 (CAT 7 ethernet cable + 3x2.5mm2, audio +data + power, 20m lenght)

eCP_3 (CAT 7 ethernet cable + 3x2.5mm2, 3m lenght) x 18



x 16


eC_09 (CAT 7 ethernet cable; audio +data, 90cm lenght)




x 16

Plink1_09 (power link 2.5mm2 90cm)

DASnet-Rack 48 (1 DASnet patch 48+power distro 30Amp+Patch PowerCon)



x 2



x 1

Dasnet-Rack 48

Dasnet-Rack 26


Covers

FUN-4aero40 is a protective nylon cover for 4 aero 40 x 6

FUN-3-LX218CS nylon cover for a stack of 3 LX-218CS x 6


Rigging frames

AX-aero40S2 x 2



Dollies

PL-218CS
The PL-218CS dolly is used to transport stacks of 2 or 3 LX-218CS.



x 6

Dollies

PL-40S metal transport dolly for 3/4 aero40A



x 6

Processors (included in the racks)

DSP-4080




x 2

DSP-2060A



x 1

DASnet Splitters



x 8


Steel case intended for distribution of analog audio, monitoring data and power to multiple devices.

It includes:

- one input power (1 x powerCon true 1) and 3 power outputs (3 x powercon NAC3MPB).
- one audio+monitoring data input, and three audio + monitoring data outputs


24 aero 40A + 18 LX-218CA.net

Euro Truck 6m Trailer




243cm / 96"

24 aero 40A




243cm / 96"

American Truck 90" x 232"




228cm / 90"




228cm / 90"

American Truck 99" x 232"




251cm / 99"



251cm / 99"

32 x Aero 40
24 x LX-218CA.net
(115v)




A40 Accessories

Speaker cabling



eCP_20 (CAT 7 ethernet cable + 3x2.5mm2, audio +data + power, 20m length) x 22



eCP_3 (CAT 7 ethernet cable + 3x2.5mm2, 3m length) x 24




eC_09 (CAT 7 ethernet cable; audio +data, 90cm length) x 20




Plink1_09 (power link 2.5mm2 90cm) x 20

DASnet-Rack 48 (1 DASnet patch 48+power distro 30Amp+Patch PowerCon) x 2



Dasnet-Rack 48



Dasnet-Rack 26


Covers

FUN-4aero40 is a protective nylon cover for 4 aero 40 x 8

FUN-3-LX218CS nylon cover for a stack of 3 LX-218CS x 8


Rigging frames

AX-aero40S2 x 2



Dollies

PL-218CS
The PL-218CS dolly is used to transport stacks of 2 or 3 LX-218CS.



x 8

Dollies

PL-40S metal transport dolly for 3/4 aero40A



x 8

Processors (included in the racks)

DSP-4080



x 2

DSP-2060A



x 2

DASnet Splitters



x 10

Steel case intended for distribution of analog audio, monitoring data and power to multiple devices.

It includes:


- one input power (1 x powerCon true 1) and 3 power outputs (3 x powercon NAC3MPB).
- one audio+monitoring data input, and three audio + monitoring data outputs

32 aero 40A + 24 LX-218CA.net



Euro Truck 6m Trailer



32 aero 40A



American Truck 90" x 232"



American Truck 99" x 232"

