




## DIMENSIONS



## ACCESSORIES



ANTI-GLARE HONEYCOMB LOUVER

## PRODUCT

|           |                                       |
|-----------|---------------------------------------|
| Name      | FIT 35 RECESSED DIM DALI 29° 2700K NT |
| Reference | A3452220NT                            |
| Color     | Textured black                        |
| RAL       | 9005                                  |
| Category  | CEILING RECESSED                      |

## LIGHTING INFORMATION

|                             |                           |
|-----------------------------|---------------------------|
| Light source                | LED                       |
| Gross luminous flux         | 590 Lm                    |
| Power                       | 5,5 W                     |
| Power values of the system  | 6,71 W                    |
| Colour temperature          | 2700 K                    |
| Colour Rendering Index      | CRI>90                    |
| Chromatic stability         | Mac Adam Step 2           |
| Light beam angle            | 29°                       |
| Lighting efficiency         | 80%                       |
| Efficacy                    | 107 Lm/W                  |
| Current intensity           | 500 mA                    |
| Dimming                     | DALI                      |
| Control through bluetooth   | Please Consult            |
| Driver                      | Included                  |
| Emergency power supply      | Please Consult            |
| Electrical insulation class | □                         |
| Voltage                     | 220 V/240 V               |
| Frequency                   | 50/60 Hz                  |
| Energy efficiency           | A+                        |
| LED lifespan                | L80B10 (Tj=85°C) >60.000h |


## OTHER DATA

|                      |                           |
|----------------------|---------------------------|
| Ingress Protection   | IP20                      |
| Recess measurements  | Ø50 mm.                   |
| Swivel angle         | 90°                       |
| Rotation angle       | 350°                      |
| Weight               | 290 g.                    |
| Packaged weight      | 365 g.                    |
| Packaging dimensions | 179 x 147 x 71 mm.        |
| Units per package    | 1                         |
| Materials            | Aluminium / Polycarbonate |




Fit Recessed, is a spotlight for single recessed lighting solutions available in two sizes (Ø50 and Ø35). Cylindrical geometry and essential forms, it stands out for its minimalistic looking and its functionality as it can be oriented in any direction. The black perimeter around its mouth and its honeycomb accessory, highlights its anti-glare vocation.

POLAR DIAGRAM



CONICAL DIAGRAM





| PRODUCT              |                             |
|----------------------|-----------------------------|
| Model                | Anti-glare Honeycomb Louver |
| Reference            | A345-00-00                  |
| Category             | Accessories                 |
| NOT SOLD SEPARATELY. |                             |



Accessory made up of louver in the shape of a honeycomb panel to reduce glare and the effects of direct rays of vision.