




## DIMENSIONS



## ACCESSORIES



CUSTOM ACCESSORIES  
(MANDATORY)

## PRODUCT

|                     |                                    |
|---------------------|------------------------------------|
| Name                | FIFTY RECESSED CUSTOM 150 3000K WT |
| Reference           | A2311311WT                         |
| Color               | Textured white                     |
| Power of the system | 9016                               |
| Category            | CUSTOM SYSTEMS                     |

## LIGHTING INFORMATION

|                             |                           |
|-----------------------------|---------------------------|
| Light source                | LED                       |
| Gross luminous flux         | 3650 Lm                   |
| Power                       | 25,5 W                    |
| Power values of the system  | 30 W                      |
| Colour temperature          | 3000 K                    |
| Colour Rendering Index      | CRI>90                    |
| Chromatic stability         | Mac Adam Step 2           |
| Light beam angle            | 102°                      |
| Lighting efficiency         | 70%                       |
| Efficacy                    | 143 Lm/W                  |
| Current intensity           | 600 mA                    |
| Control through bluetooth   | Please Consult            |
| Driver                      | Included - Fast Connect   |
| Electrical insulation class | ⏚                         |
| Voltage                     | 220 V/240 V               |
| Frequency                   | 50/60 Hz                  |
| Energy efficiency           | A+                        |
| LED lifespan                | L80B10 (Tc=80°C) >60.000h |

## OTHER DATA

|                      |                           |
|----------------------|---------------------------|
| Ingress Protection   | IP20                      |
| Recess measurements  | 1432 × 58 mm.             |
| Diffuser included    | Yes                       |
| Weight               | 5920 g.                   |
| Packaged weight      | 8170 g.                   |
| Packaging dimensions | Ø168 × 1590 mm.           |
| Units per package    | 1                         |
| Materials            | Aluminium / Polycarbonate |




Fifty Custom, is Arkoslight's profile solution for surface, recessed, suspension or wall applications for lighting projects where a very specific length is required. A tailored suit.

POLAR DIAGRAM



CONICAL DIAGRAM



**FIFTY 2 End Cap Kit Recessed** 1050-00-20- | WT | NT |

**FIFTY Straight Joiner** 1050-01-80

**FIFTY Power Line** A231-00-00



COLOUR | WT ☐ RAL 9016 | NT ☒ RAL 9005 |

MATERIAL |  AL |