FIFTY CUSTOM

ARKOSLIGHT®

DIMENSIONS



ACCESSORIES

CUSTOM ACCESSORIES

WIRE TRIMLESS ACCESSORY

	PRODUCT
Name	FIFTY SUSP CUSTOM 120 DIM DALI/PUSH 3000K WT
Reference	A2331221WT
Color	Textured white
RAL	9016
Category	CUSTOM SYSTEMS

	LIGHTING INFORMATION
Light source	LED
Gross luminous flux	2920 Lm
Power	20,4 W
Power values of the system	23,18 W
Colour temperature	3000 K
Colour Rendering Index	CRI>90
Chromatic stability	MacAdam Step 2
Light beam angle	102°
Lighting efficiency	70%
Efficacy	143 Lm/W
Current intensity	600 mA
Dimming	DALI / Push
Control through bluetooth	Please Consult
Driver	Included - Fast Connect
Electrical insulation class	⏚
Voltage	220 V/240 V
Frequency	50/60 Hz
Energy efficiency	A+
LED lifespan	L80B10 (Tc=80°C) >60.000h

	OTHER DATA
Ingress Protection	IP20
Diffuser included	Yes
Weight	4730 g.
Packaged weight	6440 g.
Packaging dimensions	Ø168 × 1305 mm
Units per package	1
Materials	Aluminium / Polycarbonate

CE

Fifty Custom, is Arkoslight's profile solution for surface, recessed, suspension or wall applications for lighting projects where a very specific length is required. A tailored suit.

Calle N · Pol. Ind. EL OLIVERAL
46394 Ribarroja del Turia · Valencia (Spain)
Tel. +34 961 667 207 · Fax +34 961 667 054
info@arkoslight.com · www.arkoslight.com

10-05-21 / 09:12

5 Year GUARANTEE*

POLAR DIAGRAM



CONICAL DIAGRAM



FIFTY SUSPENSION CUSTOM ACCESSORIES

ARKOSLIGHT®

FIFTY **2 End Cap Kit**	**1050-00-10-** | **WT** | **NT** |		
FIFTY **Straight Joiner**	**1050-01-80**		
FIFTY **Suspension Cable**	**1050-00-01**	At least 2 units needed. Extra unit each 120 cm. required	
FIFTY **Suspension Power Line**	**A233-00-00-** | **WT** | **NT** |		
	A233-00-10- | **WT** | **NT** |		



COLOUR | **WT** ☐ RAL 9016 | **NT** ■ RAL 9005 | MATERIAL | **AL** |

Calle N · Pol. Ind. EL OLIVERAL
46394 Ribarroja del Turia · Valencia (Spain)
Tel. +34 961 667 207 · Fax +34 961 667 054
info@arkoslight.com · www.arkoslight.com

5Year* GUARANTEE

WIRE TRIMLESS ACCESSORY

ARKOSLIGHT®

FIFTY SUPENSION CUSTOM

FEED

	PRODUCT
Model	Mains Timless
Reference	A023-00-01- | W | N |
Colour	**W** ☐ RAL 9016 | **N** ■ RAL 9005
Category	Accessories

As many pieces as needed acording to your product

NO DIM · REMOTE · INCL · Ø20



	PRODUCT
Model	Mains Thick Trimless
Reference	A023-00-02- | W | N |
Colour	**W** ☐ RAL 9016 | **N** ■ RAL 9005
Category	Accessories

As many pieces as needed acording to your product

DIM · REMOTE · INCL · Ø20



Wire Trimless Accessory is a collection of accessories for fitting tensioners and cables to Arkoslight luminaires suspended directly from the ceiling with any visible ceiling rose or fixings. This achieves a minimalist application with a visually tidy finish.

With Wire Trimless Accessory the items adjacent to the ceiling of the standard product (ceiling roses, fixings, driver boxes, etc.) are concealed by a simple recessed application.

Wire Trimless Accessory reduces the visual impact of the installation leading to extremely minimalist aesthetics. The wires come out of the ceiling material as a part of the structure. This detail creates a much purer, more essential layout, particular when several luminaires are fitted in an arrangement.

Calle N · Pol. Ind. EL OLIVERAL
46394 Ribarroja del Turia · Valencia (Spain)
Tel. +34 961 667 207 · Fax +34 961 667 054
info@arkoslight.com · www.arkoslight.com

5Year GUARANTEE*