




DIMENSIONS



ACCESSORIES



CUSTOM ACCESSORIES



WIRE TRIMLESS ACCESSORY

|           |                                |
|-----------|--------------------------------|
| Name      | FIFTY SUSP CUSTOM 120 4000K NT |
| Reference | A2331212NT                     |
| Color     | Textured black                 |
| RAL       | 9005                           |
| Category  | CUSTOM SYSTEMS                 |

PRODUCT

|                             |                           |
|-----------------------------|---------------------------|
| Light source                | LED                       |
| Gross luminous flux         | 3000 Lm                   |
| Power                       | 20,4 W                    |
| Power values of the system  | 24,00 W                   |
| Colour temperature          | 4000 K                    |
| Colour Rendering Index      | CRI>90                    |
| Chromatic stability         | MacAdam Step 2            |
| Light beam angle            | 102°                      |
| Lighting efficiency         | 70%                       |
| Efficacy                    | 147 Lm/W                  |
| Current intensity           | 600 mA                    |
| Control through bluetooth   | Please Consult            |
| Driver                      | Included - Fast Connect   |
| Electrical insulation class | ⊕                         |
| Voltage                     | 220 V/240 V               |
| Frequency                   | 50/60 Hz                  |
| Energy efficiency           | A+                        |
| LED lifespan                | L80B10 (Tc=80°C) >60.000h |

LIGHTING INFORMATION


OTHER DATA

|                      |                           |
|----------------------|---------------------------|
| Ingress Protection   | IP20                      |
| Diffuser included    | Yes                       |
| Weight               | 4730 g.                   |
| Packaged weight      | 6440 g.                   |
| Packaging dimensions | Ø168 × 1305 mm            |
| Units per package    | 1                         |
| Materials            | Aluminium / Polycarbonate |




Fifty Custom, is Arkoslight's profile solution for surface, recessed, suspension or wall applications for lighting projects where a very specific length is required. A tailored suit.



POLAR DIAGRAM



CONICAL DIAGRAM



|                                    |   |
|------------------------------------|---|
| <b>FIFTY 2 End Cap Kit</b>         | 1050-00-10-   WT   NT   |
| <b>FIFTY Straight Joiner</b>       | 1050-01-80  |
| <b>FIFTY Suspension Cable</b>      | 1050-00-01 <small>At least 2 units needed. Extra unit each 120 cm. required</small> |
| <b>FIFTY Suspension Power Line</b> | A233-00-00-   WT   NT   |
|                                    | A233-00-10-   WT   NT   |



COLOUR | WT □ RAL 9016 | NT ■ RAL 9005 |


MATERIAL |  AL |

FEED




| PRODUCT   |   |
|-----------|---|
| Model     | Mains Trimless  |
| Reference | A023-00-01-   W   N   |
| Colour    | W <input type="checkbox"/> RAL 9016   N <input type="checkbox"/> RAL 9005 |
| Category  | Accessories   |

As many pieces as needed  
according to your product



| PRODUCT   |   |
|-----------|---|
| Model     | Mains Thick Trimless  |
| Reference | A023-00-02-   W   N   |
| Colour    | W <input type="checkbox"/> RAL 9016   N <input type="checkbox"/> RAL 9005 |
| Category  | Accessories   |

As many pieces as needed  
according to your product




Wire Trimless Accessory is a collection of accessories for fitting tensioners and cables to Arkoslight luminaires suspended directly from the ceiling with any visible ceiling rose or fixings. This achieves a minimalist application with a visually tidy finish.

With Wire Trimless Accessory the items adjacent to the ceiling of the standard product (ceiling roses, fixings, driver boxes, etc.) are concealed by a simple recessed application.


Wire Trimless Accessory reduces the visual impact of the installation leading to extremely minimalist aesthetics. The wires come out of the ceiling material as a part of the structure. This detail creates a much purer, more essential layout, particular when several luminaires are fitted in an arrangement.

### FASTENING



| PRODUCT   |   |
|-----------|---|
| Model     | Steel Cable Trimless  |
| Reference | A023-00-05-   W   N   |
| Colour    | W <input type="checkbox"/> RAL 9016   N <input type="checkbox"/> RAL 9005 |
| Category  | Accessories   |

As many pieces as needed  
according to your product



Wire Trimless Accessory is a collection of accessories for fitting tensioners and cables to Arkoslight luminaires suspended directly from the ceiling with any visible ceiling rose or fixings. This achieves a minimalist application with a visually tidy finish.

With Wire Trimless Accessory the items adjacent to the ceiling of the standard product (ceiling roses, fixings, driver boxes, etc.) are concealed by a simple recessed application.

Wire Trimless Accessory reduces the visual impact of the installation leading to extremely minimalist aesthetics. The wires come out of the ceiling material as a part of the structure. This detail creates a much purer, more essential layout, particular when several luminaires are fitted in an arrangement.