




## DIMENSIONS



## ACCESSORIES



HIGH CHROMATIC LED

	PRODUCT			
Name	SIX L RECESSED 2 DIM DALI 17° 3000K WT			
Reference	A2872411WT			
Color	Textured white			
Power of the system	9005			
Category	CEILING RECESSED			
	LIGHTING INFORMATION			
Light source	LED			
Gross luminous flux	2950 Lm			
Power	24,5 W			
Power values of the system	26,92 W			
Colour temperature	3000 K			
Colour Rendering Index	CRI>90			
Chromatic stability	Mac Adam Step 2			
Light beam angle	17°			
Lighting efficiency	93%			
Efficacy	120 Lm/W			
Current intensity	700 mA			
Dimming	DALI			
Control through bluetooth	Please Consult			
Driver	Included			
Emergency power supply	Please Consult			
Electrical insulation class				
Voltage	220 V/240 V			
Frequency	50/60 Hz			
Energy efficiency	A+			
LED lifespan	L80B10 (Tj=85°C) >60.000h			
	OTHER DATA			
Ingress Protection	IP20			
Recess measurements	Ø62 mm.			
Swivel angle	310°			
Rotation angle	350°			
Weight	745 g.			
Packaged weight	890 g.			
Packaging dimensions	222 × 195 × 91 mm.			
Units per package	1			
Materials	Aluminium / Polycarbonate			

PRODUCT





AWARDS





Six Recessed is a spotlight for single recessed lighting solutions that stands out for its elegance and airiness. Its body; disk looking, rounded shaped, encloses an innovative combination of reflector and lens. The combined action of both, allows Six to direct light rays with the maximum uniformity in a very small distance that, at the same time, has made possible its differential design-reduced and minimalist-. In addition, Six can be freely articulated due to its airy arm which allows the spotlight to be orientated in any direction.











## POLAR DIAGRAM



## CONICAL DIAGRAM





FOR COMMERCIAL PRODUCT SHOWCASING

Vivid Model Colour Temperature	2700K	3000K	3500K	4000K	Light Pink
Reading			•	•	
Fruits & Vegetables		•	•		
⊕ Bakery	•				
2 Retail		•	•		
Cosmetics			•	•	
Q; Meat					•
Fish				•	
Seafood				•	•



For some of its products, Arkoslight offers the possibility to provide them with a special LED, designed to create an illumination focused on visually promoting goods or products for commercial purposes. It is a high chromaticity LED, capable of identifying the colour shades that produce a positive psychological perception of the illuminated object.

This special LED lighting source offers a much more attractive and intense colour range than a conventional LED, besides being much wider. Technically, this is possible thanks to a special LED setting that includes a «special saturation parameter», capable of highlighting the objects colours and materials in such a way that they seem more attractive within the visible light spectrum. To achieve this performance, in each case, the appropriate diode and specific phosphor coating are carefully selected.

